AdifySkills

n8n Automation Mastery
+91 83838 91716

MENTOR COPY

Module 5 · AI Automation & Agents

DAY 16 of 25

RAG: Chat With Your Own Data

"Company ke documents se jawab dene wala AI."

⚡ AAJ HUM YEH BANAYENGE

RAG Bot: Chat With Your PDFs

Do hisse: (1) Google Drive ki PDF ko chunks mein kaat ke vector store mein daalo. (2) Chat widget par sawaal pucho — agent sirf aapke documents se jawab deta hai, source ke saath. In-memory store use kiya hai taaki koi extra account na lage.

Pinecone | Qdrant | Supabase Vector | Embeddings

Naam: _____ Class date: _____

2 ghante ki live class · 7:00 PM – 9:00 PM IST

🧭 Aaj ka roadmap

Ek nazar mein poori class — kya, kyun aur kitne time mein.

💡 Yeh lesson kyun zaroori hai?

ChatGPT aapki company ke documents nahi jaanta. RAG se AI "aapke data" se jawab deta hai — sabse demanded AI project.

🎯 Aaj ke baad aap yeh kar paoge

01 RAG explained: embeddings, chunks, retrieval
🌍 Open-book exam.
⚙️ Query → embed → top-k chunks → prompt mein daalo → answer.

02 Vector stores: Pinecone, Qdrant, Supabase pgvector
🌍 Library ki almari.
⚙️ Pinecone / Qdrant / Supabase vector store nodes.

03 Document loaders & text splitters
🌍 Kitaab ko chapters mein kaatna.
⚙️ Default Data Loader + Recursive Character Splitter (chunk 800, overlap 100).

04 Ingestion pipeline: Drive → chunks → vectors
🌍 Nayi kitaab aayi → almari mein lagao.
⚙️ Drive Trigger (new file) → split → embed → insert.

05 Q&A chain with sources/citations
🌍 Jawab ke saath "page 23 dekho".
⚙️ Metadata mein file name/page → answer mein citation.

06 Evaluating & improving answer quality
🌍 Teacher copy check karti hai.
⚙️ 20 test sawaal ki sheet → answers compare → chunk size/prompt tune.

⏱ Class ka plan (2 ghante)

10m	40m	40m	20m	10m

`0:00-0:10` **Recap**

🪄 Cricket match se pehle warm-up karte ho na? Recap dimaag ka warm-up hai.

👩‍🏫 2 students se homework screen share karwao. Galti wala homework bhi dikhao — sabse zyada seekh wahin se aati hai.

`0:10-0:50` **Concept: RAG**

Library analogy + diagram

🪄 Open-book exam! Ratne ki jagah, sahi page khol ke jawab likho.

👩‍🏫 Pehle real-life example se shuru karo, phir n8n screen dikhao. Har concept ke baad 1 student se apne shabdon mein dobara bulwao.

`0:50-1:30` **Live Build**

Company FAQ bot on PDFs with citations

🪄 Aaj ki kahani yaad hai — 'Library aur librarian'? Ab wahi kahani n8n mein banayenge. Har scene ek node hai: ek-ek block jodo aur har block ke baad dekho sab chal raha hai ya nahi.

👩‍🏫 Har 10 minute par poocho "sabka green tick aaya?". Jaan-boojh ke ek galti live hone do aur use debug karke dikhao.

1:30-1:50 **Challenge**

Auto-update vectors when Drive file changes

🪄 Practice match — jitna yahan girenge, utna asli match mein kam girenge.

👩‍🏫 Pehle 5 minute akele try karne do, phir hint do. Jo solve kare use screen share karwao.

1:50-2:00 **Q&A + Homework**

🪄 Ghar jaane se pehle bag check — sab samajh aaya? Homework diary mein likha?

👩‍🏫 Chat se top 3 doubts live solve karo. Homework ka pehla step class mein hi karwa do, taaki koi blank na baithe.

🧠 Concepts — aasaan bhasha mein

Har concept ke saath ek real-life analogy. Analogy yaad rahegi to concept bhi yaad rahega.

CONCEPT 01

Embeddings

Text ka matlab numbers (vector) mein.

🪄 **Analogy:** Har shabd ka GPS coordinate

CONCEPT 02

Chunking

Lambe document ke chhote tukde (500–1000 chars, overlap).

🪄 **Analogy:** Kitaab ke paragraphs

CONCEPT 03

Vector store

Similar meaning wale chunks dhoondhne wala DB.

🪄 **Analogy:** Library ka smart librarian

CONCEPT 04

Retrieval + Generation

Relevant chunks dhoondho → LLM ko do → jawab with sources.

🪄 **Analogy:** Open-book exam

🔑 Aaj ka main idea

RAG = pehle apne documents mein se relevant hissa dhoondho (Retrieval), phir LLM ko woh hissa dekar jawab banwao (Generation). Isse AI apni company ka data bolta hai, guess nahi karta.

- Company policy PDF par HR bot
- Product manual par support bot
- Course notes par student doubt bot

📖 Ek kahani se samjho: Library aur librarian

1 📚 **Saari kitabein library mein** = Documents (Drive PDFs)

2 ✂️ **Har kitaab ke chhote panne** = Text splitter (chunks)

3 🏷️ **Har panne par matlab ka label** = Embeddings

4 🔍 **Librarian sahi panna dhoondhta hai** = Vector store retrieval

5 🗣️ **Panna padh ke jawab** = LLM answer + source

🪄 Ek line mein: “Open-book exam! Ratne ki jagah, sahi page khol ke jawab likho.”

🔬 Gehraai se samjho — har concept andar se

Kya hai, n8n andar kya karta hai, kab use karein, kab nahi, example aur common galti.

01 Embeddings

📖 **Kya hai:** Embedding text ko numbers ki ek lambi list (vector) mein badal deta hai jo uska MATLAB pakadti hai. Same matlab wale text ke numbers paas-paas hote hain.

⚙️ **Andar kaise:** "Refund kaise milega?" aur "paise wapas ki policy" alag shabd hain par matlab same — dono ke vectors paas-paas honge. Embeddings model (jaise OpenAI text-embedding-3-small) har chunk ko ~1536 numbers deta hai. Search ke waqt sawaal ka bhi vector banta hai aur sabse paas wale chunks milte hain.

✅ **Kab use karein**
Apne documents (policies, FAQs, product info, SOPs) se jawab dene wale bots; similar tickets dhoondhna.

⛔ **Kab nahi**
Exact cheez dhoondhni ho (order ID, phone number) — wahan normal database search behtar hai.

🧪 **Example:** Insert aur search dono mein SAME embeddings model — isliye workflow mein do Embeddings sub-nodes, dono same model.

⚠️ **Common galti:** Insert ek model se, search doosre model se — vectors match hi nahi karte, bot kuch nahi dhoondh paata.

🪄 **Embedding = matlab ka GPS. Insert aur search ka model same.**

02 Chunking

📖 **Kya hai:** Lambe document ko chhote tukdon (chunks) mein kaatna — jaise kitaab ke paragraphs — taaki sirf relevant hissa AI ko bheja jaaye.

⚙️ **Andar kaise:** Recursive Character Text Splitter pehle paragraphs par, fir lines par, fir words par kaatne ki koshish karta hai taaki matlab na toote. Chunk Size = ek tukde ke max characters (800). Overlap = pichhle tukde ke kitne characters agle mein bhi (100) — taaki boundary par aadhi baat na kate.

✅ **Kab use karein**
Har RAG setup mein. FAQ jaise chhote docs: 500–800. Lambe policy docs: 800–1200.

⛔ **Kab nahi**
Bahut chhote chunks (100) — context kho jaata hai. Bahut bade (5000) — search fuzzy aur prompt mehenga.

🧪 **Example:** 10,400 characters ki policy, chunk 800, overlap 100 → lagbhag 15 chunks.

⚠️ **Common galti:** Overlap 0 — "Refund 7 din ke andar… [cut] …sirf pehli 2 classes ke baad" do chunks mein bat gaya aur jawab adhoora.

🪄 **Chunk = paragraph. 800 size, 100 overlap se shuru karo.**

03 Vector store

📖 **Kya hai:** Vector store ek database hai jo chunks aur unke vectors rakhta hai, aur "sabse milte-julte" chunks tez dhoondh deta hai.

⚙️ **Andar kaise:** Do mode: Insert (documents daalo) aur Retrieve (sawaal ke liye top K chunks lao). Aaj In-Memory store use kiya — koi account nahi chahiye, par n8n restart par data saaf. Production mein Supabase (pgvector), Pinecone, Qdrant. Memory Key ("course_kb") se insert aur search ek hi store se jude rehte hain.

✅ **Kab use karein**
Jab documents 1-2 page se zyada hon aur bot ko unme se jawab dena ho.

⛔ **Kab nahi**
In-Memory store client ke live bot ke liye mat use karo — restart = sab gaya. Wahan Supabase/Qdrant.

🧪 **Example:** Insert into Store (memoryKey: course_kb) ← Download PDF. Docs Search Tool (memoryKey: course_kb) → Agent.

⚠️ **Common galti:** Same PDF do baar insert — duplicate chunks, jawab mein same baat do baar. Update par pehle purana data hatao.

🪄 **Vector store = smart librarian. Insert ek baar, search har sawaal par.**

04 Retrieval + Generation

📖 **Kya hai:** RAG = Retrieval (relevant chunks dhoondho) + Augmented Generation (un chunks ke saath AI se jawab likhwao). Open-book exam jaisa.

⚙️ **Andar kaise:** User sawaal → Agent "company_docs" tool chalata hai → top 4 chunks wapas aate hain (text + metadata jaise file naam) → model sirf in chunks ke basis par jawab likhta hai, source ke saath. System prompt mein "sirf documents se bolo, nahi pata to mana karo" zaroori — warna model apni taraf se bana deta hai.

✅ **Kab use karein**
Support bot, HR policy bot, product FAQ, internal SOP assistant, course doubt bot.

⛔ **Kab nahi**
Jab jawab har baar fresh data se chahiye (aaj ka stock, order status) — wahan API/DB tool, RAG nahi.

🧪 **Example:** Q: "Course ki refund policy kya hai?" → chunk: "Pehli 2 live classes ke baad 7 din ke andar full refund" → A: same + (Source: refund-policy.pdf).


⚠️ **Common galti:** Bot ne galat jawab diya to model badalna. 80% baar problem retrieval mein hoti hai — dekho kaunse chunks aaye (intermediate steps).

🪄 **Pehle dhoondho, fir likho. Jawab ke saath source.**

🗺️ Aaj ka workflow: RAG Bot: Chat With Your PDFs

Data left se right chalta hai. Har dabba ek n8n node hai.





📸 Asli n8n mein import karne par yeh dikhega. Laal ⚠️ = account (credential) connect karna baaki.

💰 Isse kitna kama sakte ho?

Any business with FAQs/policies (RAG support bot) — aam taur par **₹25,000 – ₹75,000**. *(Andaaza hai; client aur scope ke hisaab se badalta hai.)*

🛠 Step-by-step build — n8n kholo aur saath chalo

1 ⚡ **Google Drive Trigger**
Folder mein nayi/updated PDF

2 📁 **Google Drive**
File download

3 🧬 **Recursive Character Text Splitter**
Chunk 800, overlap 100

4 🧬 **Supabase Vector Store**
Insert documents + Embeddings OpenAI

5 ⚡ **Chat Trigger**
User question (website widget)

6 🔧 **Question and Answer Chain**
Retriever = Supabase Vector Store, answer with sources

✅ Har step ke baad **Execute step** dabao aur output check karo. Sab green ho to workflow **Active** karo.

🔑 Setup (import ke baad)

- [ ] Connect: **Google Drive (Google OAuth)**
- [ ] Connect: **OpenAI API key**
- [ ] Drive par ek PDF (FAQ / policy) upload karo, uski File ID paste karo
- [ ] In-memory store restart par khaali ho jaata hai — production mein Pinecone/Qdrant/Supabase vector store lagao (same wiring)

✅ Test kaise karein

1. Pehle "Load Docs" wala Test chalao
2. Phir Chat button se PDF ke baare mein sawaal pucho
3. Aisa sawaal bhi pucho jo PDF mein nahi hai — bot ko mana karna chahiye

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

Data ka safar — har node ke baad

Aaj ke build mein data kaise badalta hai. Expressions samajhne ki chaabi yahi hai.

1 📄 Download PDF

Drive se file binary mein aayi.


```
{
  "[binary] data": {
    "fileName": "refund-policy.pdf",
    "mimeType": "application/pdf",
    "fileSize": "86 kB"
  }
}
```


2 🔧 Insert into Store

Loader ne text nikaala, Splitter ne 15 chunks banaye, Embeddings ne har chunk ka vector banaya, sab store mein.


```
{
  "pageContent": "Refund Policy\n\nPehli 2 live classes ke baad 7 din ke andar full refund milta hai…",
  "metadata": {
    "source": "blob",
    "blobType": "application/pdf",
    "loc": {
      "lines": {
        "from": 1,
        "to": 14
      }
    }
  },
  "…": "(+14 aur chunks)"
}
```


3 🔧 Chat

User ne chat window mein sawaal likha.


```
{
  "sessionId": "b7f3c2e0-5a1d-4e8b-9c6f-2d1e0a9b8c7d",
  "action": "sendMessage",
  "chatInput": "Course ki refund policy kya hai?"
}
```


4 📁 Docs Search Tool (tool call)

Agent ne company_docs se search kiya → 4 sabse milte chunks aaye.


```
[
  {
    "pageContent": "Pehli 2 live classes ke baad 7 din ke andar full refund milta hai…",
    "metadata": {
      "loc": {
        "pageNumber": 2
      }
    }
  },
  "…(+3 chunks)"
]
```

5 🤖 Support Agent

Chunks ke basis par jawab, source ke saath.

```
{
  "output": "Pehli 2 live classes ke baad 7 din ke andar full refund milta hai. (Source: refund-policy.pdf, page 2)"
}
```


AdifySkills
DIGITAL MARKETING INSTITUTE
+91 83838 91716

Node anatomy — har setting ka matlab

Har zaroori option kya karta hai aur kab badalna hai. Isse aap khud naye workflows bana paoge.

Recursive Character Text Splitter

PDF ke text ko chunks mein kaatta hai.




📸 Asli n8n: Recursive Character Text Splitter

Setting	Kya karti hai	Aaj ki value	Kab badlein
Chunk Size	Ek chunk ke max characters	`800`	FAQ: 500 · lambe docs: 1000
Chunk Overlap	Agle chunk mein pichhle ke kitne characters	`100`	Size ka 10–15%
Kahan juda	PDF Loader ke "Text Splitter" connector se	–	Loader → Splitter → Store

Vector Store — Insert

Chunks + embeddings ko store mein daalta hai.




📸 Asli n8n: Vector Store — Insert

Setting	Kya karti hai	Aaj ki value	Kab badlein
Operation Mode	Insert Documents	`insert`	Search ke liye doosra node (retrieve)
Memory Key	Store ka naam	`course_kb`	Search node mein bhi exact same
Document (connector)	Default Data Loader — PDF binary se text	`PDF Loader (Binary)`	Type of Data: Binary
Embedding (connector)	Embeddings OpenAI	`text-embedding-3-small`	Search wale se same model

Vector Store — as Tool

Agent is tool se documents mein search karta hai.




📸 Asli n8n: Vector Store — as Tool

Setting	Kya karti hai	Aaj ki value	Kab badlein
Operation Mode	Retrieve Documents (As Tool for AI Agent)	`retrieve-as-tool`	—
Name	Tool ka naam (agent ko dikhega)	`company_docs`	Chhota, saaf, underscore wala
Description	Kab use karna hai	`Company ke PDFs (policies, pricing, FAQ) mein search…`	Achha description = sahi time par search
Limit	Kitne chunks laane	`4 (default)`	Jawab adhoora ho to 6–8
Memory Key	Same store	`course_kb`	—

Chat Trigger

Ready-made chat window — website par lagao ya link share karo.



📸 Asli n8n: Chat Trigger

Setting	Kya karti hai	Aaj ki value	Kab badlein
Make Chat Publicly Available	Bina login ke koi bhi chat kar sake	`On`	Workflow Active hone par URL milta hai
Mode	Hosted Chat (n8n ka page) ya Embedded Chat (apni website ka widget)	`Hosted Chat`	Website ke liye Embedded + @n8n/chat script
Initial Message(s)	Chat khulte hi bot ka pehla message	`Namaste! 👋 Course ke documents…`	Default "My name is Nathan" zaroor badlo
Options → Title	Chat window ka title	`Ask our docs 📚`	—
Authentication	None / Basic Auth / n8n user	`None`	Internal bot ke liye Basic Auth

Pehle vs Ab — farak dekho

Yahi farak client ko dikhana hai. Time bachta hai = paisa bachta hai.

😫 Pehle (manual)

Customer sawaal → PDF mein dhoondhna → reply — **12 min**

12 min

⚡ Ab (n8n)

RAG bot turant source ke saath — **0.5 min**

0.5 min

⏱ 50 sawaal/din par ~10 ghante bache.

⌨️ Aaj ka key snippet

Copy karke n8n mein paste karo 📋 Select karke copy karo

```
Answer ONLY from the context. If not found, say "Mujhe iski jaankari nahi hai, main team se confirm karke batata hoon." Cite the source file.
```

📦 Sample data — input se output tak

📥 Input 📋 Select karke copy karo

```
{
  "chatInput": "Course ki refund policy kya hai?"
}
```

📤 Output 📋 Select karke copy karo

```
{
  "output": "Pehli 2 live classes ke baad 7 din ke andar full refund milta hai. (Source: policy.pdf, page 2)"
}
```

💬 Copy-paste prompts

ChatGPT / Claude mein seedha paste karo. PDF mein text select karke copy ho jata hai.

💬 RAG agent system prompt 📋 Select karke copy karo

```
Tum company ke support assistant ho. Har jawab se pehle "company_docs" tool se search karo. Sirf wahi bolo jo documents mein hai. Agar jawab nahi mila to bolo "Mujhe iska pakka jawab nahi pata, main aapko team se connect karta hoon." Jawab ke end mein source (file/section) likho.
```

💬 Build it with ChatGPT / Claude 📋 Select karke copy karo

```
Act as an n8n expert and teacher. Help me build this workflow in n8n step by step (n8n 1.x UI):

Goal: Do hisse: (1) Google Drive ki PDF ko chunks mein kaat ke vector store mein daalo. (2) Chat widget par sawaal pucho — agent sirf aapke documents se jawab deta hai, source ke saath. In-memory store use kiya hai taaki koi extra account na lage.

Flow: Manual + Drive (PDF download) → Vector Store (insert) (Chunks + embeddings) → Chat Trigger (Sawaal) → AI Agent + Store tool (Docs se jawab)

For each node tell me: which node to add, exact settings, and the expressions to use. Then tell me how to test it and the 3 most common errors beginners hit.
```

💬 **Debug helper prompt** 📋 Select karke copy karo

```
I'm building the n8n workflow "RAG Bot: Chat With Your PDFs" (nodes: Load Docs (run once), Download PDF,
Insert into Store, Embeddings (insert), PDF Loader, Splitter, Chat, Support Agent, Chat Model, Memory,
Docs Search Tool, Embeddings (search)).
Node "<NODE NAME>" gives this error:
<PASTE ERROR>

Input JSON of that node:
<PASTE INPUT>

Explain the cause in simple words and give me the exact fix (settings or expression).
```

📥 Workflow ko n8n mein kaise laayein

1. **Workflow JSON** wale button par click karo (ya lesson page par 📋 **Copy workflow JSON** dabao).
2. Poora text copy karo (`Ctrl` + `A` , `Ctrl` + `C`).
3. n8n mein naya workflow kholo → canvas par click → `Ctrl` + `V` . Ya … menu → *Import from File*.
4. Upar wala Setup checklist poora karo aur **Test** dabao.

⚡ **Workflow JSON**
12 nodes · ready to import
`adifyskills.com/workflows/day-16-rag-support-bot.json`

🌐 **Lesson page**
Copy buttons, quiz aur video links
`adifyskills.com/day/16`

🧯 Atak gaye? Yeh check karo

Error aana seekhne ka hissa hai — sab atakte hain. Neeche wale points se 90% problems solve ho jaati hain.

Agar yeh ho raha hai…	To yeh karo
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Google Drive (Google OAuth)" connect karo.
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "OpenAI API key" connect karo.
Webhook/Form test par kuch nahi ho raha?	"Listen for test event" / Test URL use karo aur 2 minute ke andar request bhejo. Production URL sirf Active workflow par chalta hai.
AI node par 401 / 429 error?	401 = API key galat. 429 = credit khatam ya bahut jaldi requests. OpenAI billing page check karo.

⚠️ Yeh galtiyan sabse common hain

- ! Chunk size bahut bada/chhota — jawab adhoore
- ! Purane vectors delete kiye bina naye add (duplicate answers)
- ! AI ko context ke bahar jawab dene dena (hallucination)

⭐ Pro tips — time bachane wali tricks

- ★ Metadata (file name, page) save karo — citations ke liye
- ★ File update par pehle us file ke vectors delete
- ★ 20 test questions ki list banao aur har change ke baad test

Phir bhi atke? Koi baat nahi 🙂
Screenshot + error message ke saath WhatsApp par poochho →

🏋️ Practice + Challenge

Padhne se zyada banane se seekhte hain. Ek-ek level upar jaao.

🛠 Live lab

Google Drive PDFs ko ingest karke website chat widget par RAG support bot.

📝 Homework

Kisi coaching/clinic ke 5 documents par RAG bot banao aur 20 questions test karo.

- ☐ Homework ho gaya

BEGINNER
In-memory vector store se 1 PDF ☐

INTERMEDIATE
Drive update par auto re-index ☐

ADVANCED
Answer quality eval with test set ☐

🧩 Aaj ka challenge — pehle khud try karo

🎯 Bot har jawab ke end mein "Kya aur kuch poochna hai? 😊" likhe aur jawab 80 words se lamba na ho.

💡 **Hint 1**
Yeh rules agent ke system prompt mein jaate hain.

💡 **Hint 2**
System message ke end mein 2 rules aur jodo.

✅ Solution aakhri page par hai — pehle 5 minute khud socho 😉

Expression practice sheet

Input dekho aur khaali jagah mein expression likho. Jawab aakhri page par hain.

1. User ka sawaal

```
{"chatInput":"Course ki refund policy kya hai?"}
```

Mera jawab: _____

2. Lagbhag kitne chunks banenge?

```
{"chars":10400}
```

Mera jawab: _____

3. Chunk ka source file

```
{"metadata":{"source":"refund-policy.pdf","page":2}}
```

Mera jawab: _____

4. Source line banao

```
{"metadata":{"source":"refund-policy.pdf","page":2}}
```

Mera jawab: _____

5. Chunk kitna lamba hai?

```
{"pageContent":"Pehli 2 live classes ke baad 7 din ke andar full refund."}
```

Mera jawab: _____

2 minute ka self-check

Sahi option par gol ghera lagao. Answers aakhri page par — score sirf aapke liye hai.

Q1. Text ko vectors mein badalne wala?

- (A) Embeddings
- (B) Parser
- (C) Memory
- (D) Merge

Q2. RAG mein "R"?

- (A) Regex
- (B) Retrieval
- (C) Random
- (D) Reply

Q3. Hallucination kam karne ke liye?

- (A) Bada font
- (B) Kuch nahi
- (C) "Only from context" instruction
- (D) Temperature 2

Q4. Lambe PDF ko todne wala?

- (A) Sort
- (B) Limit
- (C) IF
- (D) Text Splitter

📖 Aaj ke naye shabd

Trigger
Jo workflow ko START karta hai — jaise alarm, naya email, ya form submit.

LLM
Large Language Model — ChatGPT/Claude jaisa AI jo text samajhta aur likhta hai.

RAG
AI ko pehle aapke documents mein se sahi hissa dhoondh ke dena, phir jawab banwana — open-book exam.

Vector Store
Embeddings rakhne ka database — AI ki library.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

👨‍🏫 Mentor notes — class kaise lein

Yeh page sirf aapki copy mein hai. Students ki PDF mein nahi jaata.

- [ ] Library analogy + diagram
- [ ] Live: ek PDF ingest, phir galat aur sahi sawaal poochho
- [ ] Students apne niche (coaching/clinic) ke docs par bot banayein

🗣️ Har block ke liye mentor tip

10m — Recap

2 students se homework screen share karwao. Galti wala homework bhi dikhao — sabse zyada seekh wahin se aati hai.

Class se poochho: Kal wale workflow mein sabse mushkil step kaunsa laga? · Homework mein kahan error aaya aur kaise theek kiya? · Kal ka ek node naam batao aur woh kya karta hai?

40m — Concept: RAG

Pehle real-life example se shuru karo, phir n8n screen dikhao. Har concept ke baad 1 student se apne shabdon mein dobara bulwao.

Class se poochho: Chunk bahut bada ho to kya problem? · Embedding kya hoti hai simple shabdon mein? · Bot galat bole to kaise sudhaaren?

40m — Live Build

Har 10 minute par poocho "sabka green tick aaya?". Jaan-boojh ke ek galti live hone do aur use debug karke dikhao.

Class se poochho: Is node ka output agle node mein kaise ja raha hai? · Agar yeh node fail ho to kya hoga? · Isko apne kaam/business mein kahan use kar sakte ho?

20m — Challenge

Pehle 5 minute akele try karne do, phir hint do. Jo solve kare use screen share karwao.

Class se poochho: Text ko vectors mein badalne wala? · RAG mein "R"? · Hallucination kam karne ke liye?

10m — Q&A + Homework

Chat se top 3 doubts live solve karo. Homework ka pehla step class mein hi karwa do, taaki koi blank na baithe.

Class se poochho: Aaj ka sabse useful node kaunsa laga? · Homework mein pehla step kya hoga? · Aaj ki class 1 line mein summarize karo.

✍️ Meri notes

Class mein jo naya laga, jo doubt aaya — yahan likho. Kal revise karna aasaan hoga.

⏭ Kal kya seekhenge — Day 17

Document AI, Vision & Voice Automation

"Invoices padho, images samjho, voice notes transcribe karo."

☐ **Day 16 complete! 🎉**

Tick karo aur website par bhi ✅ dabao.

🔑 Answer key + useful links

Pehle khud try kiya? Ab check karo. Galat hua to explanation padho — wahi asli seekh hai.

Q1 → A
Embeddings

Q2 → B
Retrieval

Q3 → C
"Only from context" instruction

Q4 → D
Text Splitter

✅ Challenge ka solution

Support Agent → System Message mein jodo: "- Jawab max 80 words. - End mein likho: Kya aur kuch poochna hai? 😊"

🧪 Expression sheet ke jawab

1. `{{ $json.chatInput }}` → **Course ki refund policy kya hai?**
2. `{{ Math.ceil($json.chars / (800 - 100)) }}` → **15**
3. `{{ $json.metadata.source }}` → **refund-policy.pdf**
4. `{{ "Source: " + $json.metadata.source + ", page " + $json.metadata.page }}` → **Source: refund-policy.pdf, page 2**
5. `{{ $json.pageContent.length }}` → **56**

📚 Official docs

- RAG in n8n ↗
- Vector stores ↗
- Embeddings ↗
- Q&A Chain ↗
- Text splitters ↗

▶ Videos

- n8n rag chatbot tutorial ↗
- n8n supabase vector store ↗

💬 Doubt poochho
WhatsApp: +91 83838 91716
wa.me/918383891716 ↗

🌐 Day 16 lesson page
Quiz, copy buttons, videos
adifyskills.com/day/16 ↗

📞 +91 83838 91716
Call / WhatsApp — Adify Skills