AdifySkills

n8n Automation Mastery
+91 83838 91716

MENTOR COPY

Module 6 · Production-Grade Engineering

DAY 18 of 25

Error Handling, Sub-Workflows & Reliability

"Production mein workflow ka fail hona = client ka gussa."

⚡ AAJ HUM YEH BANAYENGE

Global Error Workflow → Telegram + Log

Ek baar banao, sab workflows par lagao: koi bhi workflow fail ho to 2 second mein Telegram par alert (workflow, node, error, execution link) aur error log sheet mein entry.

Error Trigger | Execute Workflow | Stop and Error

Naam: _____ Class date: _____

2 ghante ki live class · 7:00 PM – 9:00 PM IST

🧭 Aaj ka roadmap

Ek nazar mein poori class — kya, kyun aur kitne time mein.

💡 Yeh lesson kyun zaroori hai?

Demo aur production mein farak: production workflow fail hone par bhi graceful rehta hai aur aapko turant batata hai.

🎯 Aaj ke baad aap yeh kar paoge

01 Error Trigger & global error workflows
🌍 Station master ko har problem ki khabar.
⚙️ Error Trigger workflow → Settings mein har workflow ka Error Workflow set.

02 Retry on fail, continue on error, fallback paths
🌍 Ghanti nahi baji? Phir bajao.
⚙️ Node Settings: Retry on Fail (3, 5s), On Error: Continue (output).

03 Stop and Error node — custom failures
🌍 Teacher ne bola "galat hai, ruko".
⚙️ IF amount < 0 → Stop and Error "Invalid amount".

04 Sub-workflows: Execute Workflow & reusable modules
🌍 Lego ka ek block baar-baar use.
⚙️ Execute Workflow (sub-workflow) with inputs.

05 Idempotency & duplicate prevention
🌍 Attendance do baar nahi lagti.
⚙️ Sheet/DB mein order_id check → mila to skip.

06 Logging & alerting (Slack/Telegram)
🌍 CCTV + alarm.
⚙️ Slack/Telegram alert: workflow, node, error, execution URL.

⏱ Class ka plan (2 ghante)

10m	35m	45m	20m	10m

`0:00-0:10` **Recap**

🪄 Cricket match se pehle warm-up karte ho na? Recap dimaag ka warm-up hai.

👩‍🏫 2 students se homework screen share karwao. Galti wala homework bhi dikhao — sabse zyada seekh wahin se aati hai.

`0:10-0:45` **Concept: Reliability Engineering**

🪄 Cycle ki chain utar gayi to tum ro ke nahi baithte — chadhate ho, nahi chadhi to papa ko bulate ho.

👩‍🏫 Pehle real-life example se shuru karo, phir n8n screen dikhao. Har concept ke baad 1 student se apne shabdon mein dobara bulwao.

`0:45-1:30` **Live Build**

Central error handler + alert + retry queue

🪄 Aaj ki kahani yaad hai — 'Train ka safety system'? Ab wahi kahani n8n mein banayenge. Har scene ek node hai: ek-ek block jodo aur har block ke baad dekho sab chal raha hai ya nahi.

👩‍🏫 Har 10 minute par poocho "sabka green tick aaya?". Jaan-boojh ke ek galti live hone do aur use debug karke dikhao.

`1:30-1:50` **Chaos Lab**

Hum workflow todenge, aap bachaoge

🪄 Practice match — jitna yahan girenge, utna asli match mein kam girenge.

👩‍🏫 Pehle 5 minute akele try karne do, phir hint do. Jo solve kare use screen share karwao.

1:50–2:00 **Q&A + Homework**

🪄 Ghar jaane se pehle bag check — sab samajh aaya? Homework diary mein likha?

👩‍🏫 Chat se top 3 doubts live solve karo. Homework ka pehla step class mein hi karwa do, taaki koi blank na baithe.

🧠 Concepts — aasaan bhasha mein

Har concept ke saath ek real-life analogy. Analogy yaad rahegi to concept bhi yaad rahega.

CONCEPT 01

Error workflow

Har workflow ki settings mein ek "Error workflow" set karo.

🪄 **Analogy:** Fire alarm

CONCEPT 02

Retry on fail

Node fail ho to X baar, Y second ke gap par retry.

🪄 **Analogy:** Phone na lage to dobara try

CONCEPT 03

Continue on fail

Error ko output mein bhejo aur alag handle karo.

🪄 **Analogy:** Plan B

CONCEPT 04

Sub-workflows

Common logic ek jagah — 10 workflows reuse.

🪄 **Analogy:** Lego blocks

🔑 Aaj ka main idea

Reliability = workflow fail ho to bhi system sambhal le: retry kare, alternate raasta le, duplicate na kare, aur turant batade. Production mein yeh sabse zaroori skill hai.

- API down → 3 baar retry → phir Telegram alert
- Duplicate order webhook → ek hi baar process
- Common "send WhatsApp" sub-workflow sab jagah use

📖 Ek kahani se samjho: Train ka safety system

1 🚆 **Train chal rahi hai** = Workflow run

2 ⚠️ **Signal fail ho gaya** = Node error

3 🔁 **Driver ne dobara try kiya** = Retry on fail

4 🛤️ **Doosri line par moda** = Fallback path

5 📟 **Station master ko alert** = Error Trigger → Telegram

🪄 Ek line mein: “Cycle ki chain utar gayi to tum ro ke nahi baithte — chadhate ho, nahi chadhi to papa ko bulate ho.”

🔬 Gehraai se samjho — har concept andar se

Kya hai, n8n andar kya karta hai, kab use karein, kab nahi, example aur common galti.

01 Error workflow

📖 **Kya hai:** Error workflow ek alag workflow hai jo tab chalta hai jab koi doosra workflow fail ho. Ek baar banao, sab workflows ki Settings mein laga do — fire alarm ki tarah.

⚙️ **Andar kaise:** Error workflow Error Trigger node se shuru hota hai. Jab kisi workflow (jiski Settings → Error Workflow mein yeh chuna hai) ka production execution fail hota hai, n8n Error Trigger ko ek item deta hai: workflow ka naam/ID, execution ka ID/URL, last node, aur error message. Manual test runs par error workflow nahi chalta — sirf Active/production executions par.

✅ **Kab use karein**
Har client project mein, pehle din se. Client ko pata chalne se pehle aapko pata chalna chahiye.

⛔ **Kab nahi**
Error workflow ke andar bhaari kaam (AI, 10 APIs) mat daalo — woh khud fail hua to alert bhi nahi aayega. Simple rakho: details + alert + log.

🧪 **Example:** Lead Engine ka HubSpot node 401 deta hai → Global Error Workflow → Telegram: "🚨 Lead Engine · Node: HubSpot · 401".

⚠️ **Common galti:** Error workflow bana diya par kisi workflow ki Settings mein select hi nahi kiya — fail hote rahe, alert kabhi nahi aaya. Har naye workflow ki checklist mein daalo.

🪄 **Error workflow = fire alarm. Settings → Error Workflow mein lagana mat bhoolo.**

02 Retry on fail

📖 **Kya hai:** Node ki Settings mein "Retry On Fail" on karne se node fail hone par apne aap dobara try karta hai — X baar, Y milliseconds ke gap par.

⚙️ **Andar kaise:** Bahut saari failures temporary hoti hain: network hiccup, API ka 429 (bahut requests) ya 503 (server busy). Retry se aisi 80% failures khud theek ho jaati hain. Max Tries (default 3, max 5) aur Wait Between Tries (default 1000 ms, max 5000) set hote hain. Retry ke baad bhi fail ho to node fail maana jaata hai aur error workflow chalta hai.

✅ **Kab use karein**
Har bahar wali API call: HTTP Request, Gmail, Sheets, Telegram, AI models.

⛔ **Kab nahi**
400/401/404 jaise permanent errors par retry bekaar hai (galat data/key se 3 baar bhi galat hi aayega). POST jo payment/order banata hai — retry se duplicate ho sakta hai, idempotency key lagao.

🧪 **Example:** Telegram Alert: Retry On Fail ON — alert khud fail na ho jaaye.

⚠️ **Common galti:** Retry ko "fix" samajhna — 401 error par 3 baar retry karke bhi credential expired hi rahega. Pehle error padho.

🪄 **Retry = phone na lage to dobara try. Temporary errors ke liye, permanent ke liye nahi.**

03 Continue on fail

📖 **Kya hai:** Node ki Settings → On Error se aap tay karte ho fail hone par kya ho: Stop Workflow (default), Continue (regular output), ya Continue (using error output) — ek alag "error" raasta.

⚙️ **Andar kaise:** "Continue (using error output)" chunne par node ke do outputs ban jaate hain: success aur error. Fail hue items error output par jaate hain jahan aap Plan B laga sakte ho (alert, fallback API, "Review" sheet). Baaki items normal chalte rehte hain — 100 mein se 1 fail ho to 99 nahi rukte.

✅ **Kab use karein**
Bulk kaam (100 emails, 500 rows) jahan ek ki galti se poora batch nahi rukna chahiye; fallback chahiye (AI model A fail → model B).

⛔ **Kab nahi**
Har node par continue laga dena — errors chupchaap nigal liye jaate hain aur kisi ko pata nahi chalta. Error output ko hamesha kahin jodo.

🧪 **Example:** Send Email (error output) → "Failed emails" sheet + Telegram summary. Day 19 mein Ping n8n: On Error = Continue — taaki down hone par bhi IF tak pahunche.

⚠️ **Common galti:** "Continue (regular output)" laga kar aage wale node mein error item ko normal data samajhna — khaali fields wali rows ban jaati hain.

🪄 **Continue on fail = Plan B. Error output ko kahin na kahin jodo.**

04 Sub-workflows

📖 **Kya hai:** Sub-workflow ek chhota workflow hai jise doosre workflows "Execute Workflow" node se call karte hain — jaise ek function. Common kaam ek jagah, sab jagah reuse.

⚙️ **Andar kaise:** Sub-workflow "When Executed by Another Workflow" trigger se shuru hota hai aur input fields define karta hai. Parent workflow Execute Workflow node se data bhejta hai aur jawab (last node ka output) wapas leta hai. "Wait for sub-workflow completion" off karke background mein bhi chala sakte ho. Ek fix = sab workflows mein fix.

✅ **Kab use karein**
Same logic 3+ jagah: phone clean karna, CRM mein lead upsert, WhatsApp bhejna, error alert. Bade workflow ko chhote hisson mein todna.

⛔ **Kab nahi**
2 node ka kaam sub-workflow mein daalna — debug karna mushkil ho jaata hai (do jagah executions dekhne padte hain).

🧪 **Example:** "Send WhatsApp" sub-workflow (phone, message) → Lead Engine, Payment, Booking — teeno use karte hain.


⚠️ **Common galti:** Sub-workflow ke input/output ka format badal dena bina parents check kiye — 5 workflows ek saath toot jaate hain. Input fields fix rakho.

🪄 **Sub-workflow = Lego block. Ek baar banao, har jagah lagao.**

🗺️ Aaj ka workflow: Global Error Workflow → Telegram + Log

Data left se right chalta hai. Har dabba ek n8n node hai.





📸 Asli n8n mein import karne par yeh dikhega. Laal ⚠️ = account (credential) connect karna baaki.

💰 Isse kitna kama sakte ho?

Har client project mein add-on (error monitoring) — aam taur par **₹3,000 – ₹8,000 add-on**. *(Andaaza hai; client aur scope ke hisaab se badalta hai.)*

🛠 Step-by-step build — n8n kholo aur saath chalo

1. ⚡ **Error Trigger**
   Kisi bhi workflow ka failure
2. ✏️ **Edit Fields (Set)**
   workflow name, node, error message, execution URL
3. ✈️ **Telegram**
   Alert: "❌ Lead Engine fail — HubSpot 401"
4. 📊 **Google Sheets**
   Error log
5. 🔀 **IF**
   Retryable error (429/5xx)?
6. 🧩 **Execute Workflow (Sub-workflow)**
   Retry queue workflow call

✅ Har step ke baad **Execute step** dabao aur output check karo. Sab green ho to workflow **Active** karo.

🔑 Setup (import ke baad)

- [ ] Connect: **Telegram bot token (BotFather se)**
- [ ] Connect: **Google Sheets (Google OAuth)**
- [ ] Is workflow ko save karo (Active karne ki zaroorat nahi)
- [ ] Har doosre workflow mein: Settings → Error Workflow → "Day 18 — Global Error Workflow" chuno
- [ ] "Errors" tab headers: workflow, node, error, url, time

✅ Test kaise karein

1. Ek test workflow banao jisme HTTP node galat URL par jaaye, uska Error Workflow set karo
2. Use Active karke fail karwao → Telegram alert aaya?

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

🚚 Data ka safar — har node ke baad

Aaj ke build mein data kaise badalta hai. Expressions samajhne ki chaabi yahi hai.

1 🚨 On Any Error

"Day 11 — Lead Engine" ka CRM Sheet node fail hua — Error Trigger ko poori detail mili.


```
{
  "execution": {
    "id": "3481",
    "url": "https://n8n.adifyskills.com/workflow/aB12cD/executions/3481",
    "error": {
      "message": "The caller does not have permission",
      "name": "NodeApiError"
    },
    "lastNodeExecuted": "CRM Sheet",
    "mode": "trigger"
  },
  "workflow": {
    "id": "aB12cD",
    "name": "Day 11 — Lead Engine"
  }
}
```


2 🚨 Error Details

5 saaf fields — alert aur log dono ke liye.


```
{
  "workflow": "Day 11 — Lead Engine",
  "node": "CRM Sheet",
  "error": "The caller does not have permission",
  "url": "https://n8n.adifyskills.com/workflow/aB12cD/executions/3481",
  "time": "2026-12-08 10:14:52"
}
```


3 ✈️ Telegram Alert

Owner ke phone par alert.


```
{
  "ok": true,
  "result": {
    "message_id": 902,
    "text": "🚨 Workflow failed!\n\n📦 Day 11 — Lead Engine\n🧩 Node: CRM Sheet\n❌ The caller does not have permission\n…"
  }
}
```

4 🚨 Error Log

"Errors" tab mein row — mahine ke end mein dekh sakte ho kaunsa workflow sabse zyada fail hota hai.

```
{
  "workflow": "Day 11 — Lead Engine",
  "node": "CRM Sheet",
  "error": "The caller does not have permission",
  "time": "2026-12-08 10:14:52"
}
```


AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

Node anatomy — har setting ka matlab

Har zaroori option kya karta hai aur kab badalna hai. Isse aap khud naye workflows bana paoge.

Error Trigger

Kisi bhi workflow ke fail hone par chalta hai.




📸 Asli n8n: Error Trigger

Setting	Kya karti hai	Aaj ki value	Kab badlein
Parameters	Koi setting nahi — bas lagao	–	—
Kab chalta hai	Jab kisi workflow ki Settings → Error Workflow mein yeh workflow chuna ho aur woh production mein fail ho	`production fails`	Manual test par nahi chalta
Output	execution { id, url, error, lastNodeExecuted, mode } + workflow { id, name }	–	Test ke liye "Fetch Test Event" se sample data
Is workflow ko Active?	Zaroorat nahi — bas save karo	`Inactive OK`	—

Edit Fields — error details

Gehre error object se 5 saaf fields.




📸 Asli n8n: Edit Fields — error details

Setting	Kya karti hai	Aaj ki value	Kab badlein
workflow	Kaunsa workflow	`{{ $json.workflow.name }}`	—
node	Kaunse node par fail	`{{ $json.execution.lastNodeExecuted }}`	—
error	Error message	`{{ $json.execution.error.message }}`	Lamba ho to .slice(0, 300)
url	Seedha us execution ka link	`{{ $json.execution.url }}`	Self-hosted par WEBHOOK_URL / N8N_EDITOR_BASE_URL sahi ho tabhi sahi link
time	Kab	`{{ $now.toFormat("yyyy-MM-dd HH:mm:ss") }}`	—

✈️ Telegram — with retry

Alert khud fail na ho, isliye retry on.



📸 Asli n8n: Telegram — with retry

Setting	Kya karti hai	Aaj ki value	Kab badlein
Text	Emoji + 5 lines	`🚨 Workflow failed! 📦 … 🧩 … ❌ … 🔗 …`	Link sabse zaroori — ek click mein execution
Settings → Retry On Fail	Fail ho to dobara	`On`	Alert ka fail hona sabse bura
Settings → Max Tries	Kitni baar	`3`	Max 5
Settings → Wait Between Tries (ms)	Kitna rukna	`1000`	Rate limit ho to 5000
Settings → On Error	Phir bhi fail ho to	`Stop Workflow`	Error Log branch alag hai, woh chalegi

⚖️ Pehle vs Ab — farak dekho

Yahi farak client ko dikhana hai. Time bachta hai = paisa bachta hai.

😩 Pehle (manual)

Client bole "kaam nahi hua" tab pata chalna — **120 min**

120 min

➜

⚡ Ab (n8n)

2 second mein alert + link — **1 min**

1 min

⏱ Downtime ghante se minute mein. Client ka bharosa bacha.

⌨️ Aaj ka key snippet

Copy karke n8n mein paste karo — 📋 Select karke copy karo

```
❌ {{ $json.workflow.name }} failed at {{ $json.execution.error.node.name }}
{{ $json.execution.error.message }}
🔗 {{ $json.execution.url }}
```

📦 Sample data — input se output tak

📥 Input 📋 Select karke copy karo

```
{
  "execution": {
    "id": "2231",
    "url": "https://n8n.you.com/execution/2231",
    "error": {
      "message": "401 Unauthorized",
      "node": {
        "name": "HubSpot"
      }
    }
  },
  "workflow": {
    "name": "Lead Engine"
  }
}
```

📤 Output 📋 Select karke copy karo

```
{
  "alerted": true,
  "logged": true,
  "retry": false
}
```

💬 Copy-paste prompts

ChatGPT / Claude mein seedha paste karo. PDF mein text select karke copy ho jata hai.

💬 Build it with ChatGPT / Claude 📋 Select karke copy karo

```
Act as an n8n expert and teacher. Help me build this workflow in n8n step by step (n8n 1.x UI):

Goal: Ek baar banao, sab workflows par lagao: koi bhi workflow fail ho to 2 second mein Telegram par alert (workflow, node, error, execution link) aur error log sheet mein entry.

Flow: Error Trigger (Koi workflow fail) → Edit Fields (Details nikaalo) → Telegram (Alert) → Google Sheets (Error log)

For each node tell me: which node to add, exact settings, and the expressions to use. Then tell me how to test it and the 3 most common errors beginners hit.
```

💬 Debug helper prompt 📋 Select karke copy karo

```
I'm building the n8n workflow "Global Error Workflow → Telegram + Log" (nodes: On Any Error, Error Details, Telegram Alert, Error Log).
Node "<NODE NAME>" gives this error:
<PASTE ERROR>

Input JSON of that node:
<PASTE INPUT>

Explain the cause in simple words and give me the exact fix (settings or expression).
```

📥 Workflow ko n8n mein kaise laayein

1. **Workflow JSON** wale button par click karo (ya lesson page par 📋 **Copy workflow JSON** dabao).
2. Poora text copy karo (`Ctrl` + `A` , `Ctrl` + `C`).
3. n8n mein naya workflow kholo → canvas par click → `Ctrl` + `V` . Ya … menu → *Import from File*.
4. Upar wala Setup checklist poora karo aur **Test** dabao.

⚡ **Workflow JSON**
4 nodes · ready to import
`adifyskills.com/workflows/day-18-global-error-alert.json`

🌐 **Lesson page**
Copy buttons, quiz aur video links
`adifyskills.com/day/18`

🧯 Atak gaye? Yeh check karo

Error aana seekhne ka hissa hai — sab atakte hain. Neeche wale points se 90% problems solve ho jaati hain.

Agar yeh ho raha hai…	To yeh karo
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Telegram bot token (BotFather se)" connect karo.
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Google Sheets (Google OAuth)" connect karo.
Time par apne aap nahi chala?	"Active" toggle on hai? Settings mein timezone Asia/Kolkata check karo.
"Sheet not found" / column khaali?	Sheet ID aur tab ka naam (capital/small bhi) check karo. Pehli row mein headers hone chahiye.

⚠️ Yeh galtiyan sabse common hain

- ! Error workflow banaya par workflows ki settings mein set nahi kiya
- ! Har error par retry (401 retry karne se theek nahi hota)
- ! Alerts itne zyada ki koi dekhe hi nahi

⭐ Pro tips — time bachane wali tricks

- ★ Idempotency key (order ID) se duplicate side-effects roko
- ★ Sub-workflow inputs ko clearly define karo
- ★ Weekly error report — trends dekho

Phir bhi atke? Koi baat nahi 🙂
Screenshot + error message ke saath WhatsApp par poochho →

Practice + Challenge

Padhne se zyada banane se seekhte hain. Ek-ek level upar jaao.

🛠 Live lab

Global error workflow: kisi bhi workflow fail par Telegram alert with error details + execution link.

📝 Homework

Apne purane 3 workflows mein proper error handling + sub-workflows add karo.

- [ ] Homework ho gaya

BEGINNER

Error workflow → Telegram

- [ ]

INTERMEDIATE

Retry on fail + fallback path

- [ ]

ADVANCED

Dead-letter queue in Postgres + replay

- [ ]

🧩 Aaj ka challenge — pehle khud try karo

🎯 Same workflow 10 minute mein 3 baar fail ho to alert mein "🔥 Repeated failure" likha aaye.

💡 Hint 1

Pichhle errors Error Log sheet mein hain — unhe padh sakte ho.

💡 Hint 2

Sheets read → Code mein last 10 min ke same workflow errors gino.

✅ Solution aakhri page par hai — pehle 5 minute khud socho 😉

Adify DIGITAL MARKETING INSTITUTE +91 83838 91716

🧪 Expression practice sheet

Input dekho aur khaali jagah mein expression likho. Jawab aakhri page par hain.

1. Fail hue workflow ka naam

```
{"workflow":{"name":"Day 11 — Lead Engine"}}
```

Mera jawab: _____

2. Error message

```
{"execution":{"error":{"message":"Request failed with status code 401"}}}
```

Mera jawab: _____

3. Rate limit (429) error hai?

```
{"execution":{"error":{"message":"Request failed with status code 429"}}}
```

Mera jawab: _____

4. Retry karne layak? (429 ya 5xx)

```
{"execution":{"error":{"message":"Request failed with status code 503"}}}
```

Mera jawab: _____

5. Lamba error chhota karo (19 chars)

```
{"execution":{"error":{"message":"The caller does not have permission"}}}
```

Mera jawab: _____

🎯 2 minute ka self-check

Sahi option par gol ghera lagao. Answers aakhri page par — score sirf aapke liye hai.

Q1. Global failure handler ka trigger?

- (A) Manual
- (B) Form
- (C) Error Trigger
- (D) Webhook

Q2. Kaunsa error retry karne layak?

- (A) 401
- (B) 400 validation
- (C) 404
- (D) 429 / 503

Q3. Reusable logic ke liye?

- (A) Sub-workflow
- (B) Copy-paste
- (C) Sticky note
- (D) Pin

Q4. Custom failure throw karne ka node?

- (A) Sort
- (B) Stop and Error
- (C) NoOp
- (D) Merge

📖 Aaj ke naye shabd

Workflow
Steps ki ek chain jo apne aap chalti hai — jaise recipe ke steps.

Node
Workflow ka ek dabba/step. Har node ek kaam karta hai (email bhejna, data laana…).

Trigger
Jo workflow ko START karta hai — jaise alarm, naya email, ya form submit.

Execution
Workflow ka ek baar chalna. Har run ka record Executions tab mein dikhta hai.

Retry
Fail hone par apne aap dobara try karna.

Sub-Workflow
Ek workflow jo doosre workflow ke andar se chalaya jaata hai — reusable block.

Idempotency
Ek hi kaam do baar aaye to bhi result ek hi baar ho (duplicate se bachna).

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

👨‍🏫 Mentor notes — class kaise lein

Yeh page sirf aapki copy mein hai. Students ki PDF mein nahi jaata.

- [ ] Chaos Lab: hum jaan-boojh kar credentials todenge
- [ ] Students apne purane workflows "harden" karein
- [ ] Error ko "kab retry, kab alert" matrix se samjhao

🗣️ Har block ke liye mentor tip

10m — Recap

2 students se homework screen share karwao. Galti wala homework bhi dikhao — sabse zyada seekh wahin se aati hai.

Class se poochho: Kal wale workflow mein sabse mushkil step kaunsa laga? · Homework mein kahan error aaya aur kaise theek kiya? · Kal ka ek node naam batao aur woh kya karta hai?

35m — Concept: Reliability Engineering

Pehle real-life example se shuru karo, phir n8n screen dikhao. Har concept ke baad 1 student se apne shabdon mein dobara bulwao.

Class se poochho: Retry aur Continue on Fail mein farak? · Idempotency ka ek example? · Error alert mein kya-kya hona chahiye?

45m — Live Build

Har 10 minute par poocho "sabka green tick aaya?". Jaan-boojh ke ek galti live hone do aur use debug karke dikhao.

Class se poochho: Is node ka output agle node mein kaise ja raha hai? · Agar yeh node fail ho to kya hoga? · Isko apne kaam/business mein kahan use kar sakte ho?

20m — Chaos Lab

Pehle 5 minute akele try karne do, phir hint do. Jo solve kare use screen share karwao.

Class se poochho: Global failure handler ka trigger? · Kaunsa error retry karne layak? · Reusable logic ke liye?

10m — Q&A + Homework

Chat se top 3 doubts live solve karo. Homework ka pehla step class mein hi karwa do, taaki koi blank na baithe.

Class se poochho: Aaj ka sabse useful node kaunsa laga? · Homework mein pehla step kya hoga? · Aaj ki class 1 line mein summarize karo.

✍️ Meri notes

Class mein jo naya laga, jo doubt aaya — yahan likho. Kal revise karna aasaan hoga.

⏭ Kal kya seekhenge — Day 19

Self-Hosting n8n: Docker, VPS & Domains

"Apna khud ka n8n server — unlimited workflows."

☐ **Day 18 complete! 🎉**

Tick karo aur website par bhi ✅ dabao.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

🔑 Answer key + useful links

Pehle khud try kiya? Ab check karo. Galat hua to explanation padho — wahi asli seekh hai.

Q1 → C
Error Trigger

Q2 → D
429 / 503

Q3 → A
Sub-workflow

Q4 → B
Stop and Error

✅ Challenge ka solution

Error Details → Google Sheets (read Errors) → Code: count rows where workflow same and time > now-10min → Telegram text mein count >= 3 ho to 🔥 prefix.

🧪 Expression sheet ke jawab

1. `{{ $json.workflow.name }}` → **Day 11 — Lead Engine**
2. `{{ $json.execution.error.message }}` → **Request failed with status code 401**
3. `{{ $json.execution.error.message.includes("429") }}` → **true**
4. `{{ /429|5\d\d/.test($json.execution.error.message) }}` → **true**
5. `{{ $json.execution.error.message.slice(0, 19) }}` → **The caller does not**

📚 Official docs

- Error handling ↗
- Sub-workflows ↗
- Execute Workflow ↗
- Error Trigger ↗
- Workflow settings ↗

▶ Videos

- n8n error handling workflow ↗
- n8n sub workflows tutorial ↗

Doubt poochho
WhatsApp: +91 83838 91716
wa.me/918383891716 ↗

Day 18 lesson page
Quiz, copy buttons, videos
adifyskills.com/day/18 ↗

+91 83838 91716
Call / WhatsApp — Adify Skills