AdifySkills

n8n Automation Mastery
+91 83838 91716

📘 CLASS NOTES

🧩 Module 2 · Core Nodes & Data Mastery

DAY 05 of 25

Logic & Flow Control: IF, Switch, Merge, Loop

"Workflows jo khud decision lete hain."

⚡ AAJ HUM YEH BANAYENGE

Lead Scoring + Smart Routing

Webhook par lead aata hai, Code node score banata hai (budget, urgency, source), aur Switch hot lead ko Slack, warm ko nurture email, cold ko archive sheet mein bhejta hai.

IF | Switch | Merge | Loop Over Items | Wait

Naam: _____ Class date: _____

2 ghante ki live class · 7:00 PM – 9:00 PM IST

🧭 Aaj ka roadmap

Ek nazar mein poori class — kya, kyun aur kitne time mein.

💡 Yeh lesson kyun zaroori hai?

Real business processes seedhe nahi hote — "agar yeh, to woh". Flow control se n8n decisions leta hai.

🎯 Aaj ke baad aap yeh kar paoge

01 IF node & conditions (AND/OR)

🌍 Paise hain AUR dukaan khuli hai → shopping. (AND); chai YA coffee → kuch bhi chalega (OR).
⚙️ IF: {{ $json.paid }} is true AND amount > 0 → invoice branch.

02 Switch node — multi-route routing

🌍 Post office sorting: har letter pin code ke hisaab se alag bag mein.
⚙️ Switch on city: Delhi → rep A, Mumbai → rep B, fallback → manager.

03 Merge node modes: append, combine, by key

🌍 Do registers ko roll number se milana.
⚙️ Merge (matching fields: email) → CRM data + Sheet data ek item mein.

04 Loop Over Items (batching) & rate limits

🌍 Lift mein ek baar 8 log — baaki agli baar.
⚙️ Loop Over Items batch 50 + Wait 1s → API rate limit safe.

05 Wait node — delays & resume on webhook

🌍 Doctor: "3 din baad wapas aana".
⚙️ Wait 3 days → follow-up email; ya Wait "on webhook" → approval ke baad aage.

06 Filter, Remove Duplicates, Sort & Limit

🌍 Chhalni se kankad nikaalna, duplicate photos delete, marks ke hisaab se rank, top 10.
⚙️ Filter (city = Pune) → Remove Duplicates (email) → Sort (score desc) → Limit 10.

⏱ Class ka plan (2 ghante)

10m	35m	45m	20m	10m

`0:00-0:10` **Recap**

🪄 *Cricket match se pehle warm-up karte ho na? Recap dimaag ka warm-up hai.*

`0:10-0:45` **Concept: Flow Control**

Flowchart → n8n mapping

🪄 *Traffic police: green to chalo, red to ruko (IF). Chauraha: left, right, seedha (Switch).*

`0:45-1:30` **Live Build**

Smart lead router: hot/warm/cold → different actions

🪄 *Aaj ki kahani yaad hai — 'Railway junction — kaun si train kis platform'? Ab wahi kahani n8n mein banayenge. Har scene ek node hai: ek-ek block jodo aur har block ke baad dekho sab chal raha hai ya nahi.*

`1:30-1:50` **Challenge**

Batch 500 records with rate limit

🪄 *Practice match — jitna yahan girenge, utna asli match mein kam girenge.*

`1:50-2:00` **Q&A + Homework**

🪄 *Ghar jaane se pehle bag check — sab samajh aaya? Homework diary mein likha?*

🧠 Concepts — aasaan bhasha mein

Har concept ke saath ek real-life analogy. Analogy yaad rahegi to concept bhi yaad rahega.

CONCEPT 01

IF

2 raaste: true / false.

🪄 **Analogy:** Traffic signal: green ya red

CONCEPT 02

Switch

3+ raaste, value ke hisaab se.

🪄 **Analogy:** Railway junction

CONCEPT 03

Merge

Alag branches ka data wapas jodna.

🪄 **Analogy:** Do nadiyan milkar ek

CONCEPT 04

Loop Over Items

Batch-by-batch processing — API rate limit ke liye.

🪄 **Analogy:** Ek baar mein 10 log lift mein

🔑 Aaj ka main idea

Flow control = workflow ka dimaag. IF 2 raaste banata hai (haan/naa), Switch kai raaste, Merge raaston ko wapas jodta hai, Loop bade data ko chhote batches mein chalata hai, Wait ruk ke baad mein chalata hai.

- IF: baarish ho rahi hai? → chhata lo, warna nahi
- Switch: marks 90+ A, 75+ B, baaki C
- Wait: chai ubalne tak 3 minute ruko

📖 Ek kahani se samjho: Railway junction — kaun si train kis platform

1	2	3	4	5
🚆	🧮	🔀	🔥	🐢
Train aayi (lead)	Ticket check (score)	Junction: 3 raaste	Express → Platform 1	Passenger → Platform 3
= Webhook	= Code / Set	= Switch	= HOT → Slack sales	= COLD → archive

🪄 Ek line mein: “Traffic police: green to chalo, red to ruko (IF). Chauraha: left, right, seedha (Switch).”

🔬 Gehraai se samjho — har concept andar se

Kya hai, n8n andar kya karta hai, kab use karein, kab nahi, example aur common galti.

01 IF

📖 **Kya hai:** IF node ek haan/na wala sawaal poochta hai — "kya budget 30,000 se zyada hai?". Jawab haan to item upar wale (true) raaste par, na to neeche wale (false) raaste par.

⚙️ **Andar kaise:** IF har item ko alag check karta hai. 10 items mein se 6 true aur 4 false ho sakte hain — dono branches ek hi execution mein chalti hain. Conditions mein pehle data type chuno (String, Number, Boolean, Date, Array) fir operator (equals, contains, greater than, is empty…). Kai conditions ko AND ya OR se jod sakte ho.

✅ **Kab use karein**
Jab sirf 2 raaste hon: valid/invalid, paid/unpaid, India/abroad, naya/purana customer.

⛔ **Kab nahi**
3 ya zyada categories hon to IF ke andar IF ke andar IF mat banao (tree uljh jaata hai) — Switch use karo.

🧪 **Example:** Budget > 30000 AND timeline = "this week" → true → sales team ko call ka task.

⚠️ **Common galti:** Number ko String condition se compare karna: "9000" > "30000" text mein TRUE aata hai (kyunki "9" > "3")! Number check ke liye operator type Number chuno.

🪄 **IF = 2 raaste. Number ka check Number operator se.**

02 Switch

📖 **Kya hai:** Switch ek junction hai jahan se 3, 4 ya zyada raaste nikalte hain. Har raaste ka ek rule hota hai, aur item us raaste jaata hai jiska rule match kare.

⚙️ **Andar kaise:** Switch rules ko upar se neeche check karta hai aur PEHLA match milte hi item wahan bhej deta hai (jab tak "Send data to all matching outputs" off hai). Isliye order zaroori hai: score 85 ≥ 70 bhi hai aur ≥ 40 bhi — "hot" upar hai, to hot mein jaayega. "Rename Output" se raaston ke naam (hot/warm/cold) canvas par dikhte hain. "Fallback Output" un items ke liye hai jo kisi rule se match nahi hue.

✅ **Kab use karein**
Category ke hisaab se routing: lead score, ticket type (billing/technical/sales), city, language, product.

⛔ **Kab nahi**
Sirf 2 raaste hon to IF zyada simple hai. Aur agar har category ka kaam same hai, sirf ek value alag hai, to Switch ki jagah ek expression ya lookup kaafi hai.

🧪 **Example:** Route by Score: hot (≥70) → Slack, warm (≥40) → nurture email, cold (<40) → archive sheet.

⚠️ **Common galti:** Rules ka order ulta rakhna (pehle ≥40, fir ≥70) — tab sab hot leads bhi warm mein chali jaayengi. Bada number pehle.

🪄 **Switch = junction. Pehla match jeetta hai. Fallback on rakho.**

03 Merge

📖 **Kya hai:** Merge do raaston (inputs) ka data wapas ek mein jodta hai. Jaise do nadiyan milkar ek nadi.

⚙️ **Andar kaise:** Merge ke modes: Append (pehle input 1 ke saare items, fir input 2 ke), Combine → Matching Fields (dono taraf ek common field, jaise email, se jodo — SQL join jaisa), Combine → By Position (1st ke saath 1st), Combine → All Possible Combinations, aur Choose Branch (sirf ek input ka data aage). Merge dono inputs ka intezaar karta hai.

✅ **Kab use karein**
IF/Switch ke baad sab branches ko ek report mein jodna; do alag sources (CRM + payments) ko customer ID se milana.

⛔ **Kab nahi**
Agar ek branch kabhi chalti hi nahi (0 items), to "Combine" modes kuch output nahi denge. Aise case mein Append ya "Always Output Data" setting socho.

🧪 **Example:** Input 1: leads (email, name). Input 2: payments (email, amount). Matching Fields "email" → har lead ke saath uska payment.

⚠️ **Common galti:** "All Possible Combinations" galti se chun lena — 10 × 10 = 100 items ban jaate hain, duplicates ki baarish.

🪄 **Merge = jodna. Common field se jodna ho to Matching Fields.**

04 Loop Over Items

📖 **Kya hai:** Loop Over Items (Split in Batches) items ko chhote-chhote batches mein chalata hai — jaise lift mein ek baar mein 10 log.

⚙️ **Andar kaise:** Normally n8n saare items ek saath agle node ko de deta hai. Loop Over Items mein "Batch Size" (jaise 10) set karo — node 10 items "loop" output par bhejta hai, aap unpar kaam karte ho, aur aakhri node ko wapas Loop node se jodte ho. Saare batches khatam hone par items "done" output se nikalte hain. Beech mein Wait node lagakar API ko saans lene ka time dete hain.

✅ **Kab use karein**
API ki rate limit ho (jaise 1 second mein 10 requests), 1000+ items hon, ya har batch ke baad kuch rukna ho.

⛔ **Kab nahi**
Har normal kaam ke liye loop mat lagao — n8n waise bhi har item par node chalata hai. Loop tab jab batch ya rukna zaroori ho.

🧪 **Example:** 500 contacts ko WhatsApp: Loop (Batch 50) → HTTP Request → Wait 2 sec → wapas Loop. "done" → Telegram "500 bhej diye".


⚠️ **Common galti:** Loop ke aakhri node ko wapas Loop Over Items ke input se jodna bhool jaana — sirf pehla batch chalta hai aur workflow ruk jaata hai.

🪄 **Loop = batch-batch kaam. Aakhri node wapas loop se jodo. "done" = sab khatam.**

🗺️ Aaj ka workflow: Lead Scoring + Smart Routing

Data left se right chalta hai. Har dabba ek n8n node hai.





📸 Asli n8n mein import karne par yeh dikhega. Laal ⚠️ = account (credential) connect karna baaki.

💰 Isse kitna kama sakte ho?

Sales teams, B2B companies (lead scoring + routing) — aam taur par **₹10,000 – ₹25,000**. *(Andaaza hai; client aur scope ke hisaab se badalta hai.)*

🛠 Step-by-step build — n8n kholo aur saath chalo

1. ⚡ **Webhook**
   Lead aata hai: budget, timeline, source
2. 👨‍💻 **Code**
   Score calculate: budget + urgency + source points
3. 🔀 **Switch**
   score ≥ 70 HOT, 40–69 WARM, baaki COLD
4. 💼 **Slack**
   HOT → #sales channel turant
5. 📧 **Gmail**
   WARM → nurture email sequence
6. 📊 **Google Sheets**
   COLD → archive sheet

✅ Har step ke baad **Execute step** dabao aur output check karo. Sab green ho to workflow **Active** karo.

🔑 Setup (import ke baad)

- [ ] Connect: **Slack (OAuth / bot token)**
- [ ] Connect: **Gmail (Google OAuth)**
- [ ] Connect: **Google Sheets (Google OAuth)**
- [ ] Slack mein #sales channel banao (ya Slack node ko Telegram se replace karo)

✅ Test kaise karein

1. Webhook node → "Listen for test event" dabao
2. Neeche wala curl command chalao (ya Postman / Hoppscotch se bhejo)
3. Budget badal-badal ke teeno routes test karo

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

Data ka safar — har node ke baad

Aaj ke build mein data kaise badalta hai. Expressions samajhne ki chaabi yahi hai.

1 ⚡ Lead Webhook

Webhook ne poori request di. Kaam ka data "body" ke andar hai; headers, query bhi saath aaye.


```
{
  "headers": {
    "host": "localhost:5678",
    "content-type": "application/json"
  },
  "params": {},
  "query": {},
  "body": {
    "name": "Ravi Mehta",
    "email": "ravi@example.com",
    "phone": "+919876543210",
    "budget": 60000,
    "urgency": "this week",
    "source": "referral",
    "company": "Mehta Traders"
  },
  "webhookUrl": "http://localhost:5678/webhook-test/score-lead",
  "executionMode": "test"
}
```


2 🔧 Score Lead

Code ne body ko bahar nikaala aur score joda: budget 40 + this week 30 + referral 20 + company 10 = 100.


```
{
  "name": "Ravi Mehta",
  "email": "ravi@example.com",
  "phone": "+919876543210",
  "budget": 60000,
  "urgency": "this week",
  "source": "referral",
  "company": "Mehta Traders",
  "score": 100
}
```


3 🔧 Route by Score

Score 100 ≥ 70 → "hot" output par 1 item. warm aur cold outputs par 0 items — woh nodes chale hi nahi.


```
{
  "hot (1 item)": "Ravi Mehta · 100",
  "warm (0)": "—",
  "cold (0)": "—"
}
```

4 💼 Hot → Slack Sales

Slack ne message post karke confirmation lautaya.


```
{
  "ok": true,
  "channel": "C07SALES01",
  "message": {
    "text": "🔥 HOT lead (100): Ravi Mehta · ₹60000 · +919876543210",
    "ts": "1764601234.000200"
  }
}
```



AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

Node anatomy — har setting ka matlab

Har zaroori option kya karta hai aur kab badalna hai. Isse aap khud naye workflows bana paoge.

Webhook

Bahar ki duniya (website form, Zapier, koi app) n8n ko data bhej sake, iske liye ek URL banata hai.




📸 Asli n8n: Webhook

Setting	Kya karti hai	Aaj ki value	Kab badlein
HTTP Method	Kaunsa request accept karna hai	`POST`	Form/app data bheje to POST; link click ke liye GET
Path	URL ka aakhri hissa	`score-lead`	Chhota aur yaad rehne wala; har workflow ka alag
Test URL vs Production URL	Test URL sirf "Listen for test event" ke waqt; Production URL workflow Active hone par	`Test se shuru`	Website par hamesha Production URL lagao
Authentication	Koi bhi bhej sake ya sirf password/header wala	`None`	Live par Header Auth lagao (Day 8)
Respond	Jawab kab dena: Immediately, When Last Node Finishes, ya Respond to Webhook node se	`Immediately`	Jawab mein data lautana ho to Respond to Webhook

Code — scoring

Kai shartein jodkar ek number (score) banata hai.




📸 Asli n8n: Code — scoring

Setting	Kya karti hai	Aaj ki value	Kab badlein
item.json.body || item.json	Webhook ka data body ke andar aata hai	`const b = item.json.body || item.json`	Isse test aur doosre triggers dono chalte hain
Number(b.budget) || 0	Text budget ko number banao; khaali ho to 0	`60000`	Bina Number() ke "9000" > 15000 galat nikal sakta hai
score += …	Har shart ke points jodo	`budget 40 + urgency 30 + referral 20 + company 10`	Points ko Sheet mein rakh do to bina code badle tweak kar sakte ho
Math.min(score, 100)	Score 100 se upar na jaaye	`100`	Report/graph saaf dikhta hai
return { json: { ...b, score } }	...b = purane saare fields + naya score	`name, email, …, score`	...b bhoola to sirf score bachega

🔀 Switch

Score ke hisaab se 3 raaste.




📸 Asli n8n: Switch

Setting	Kya karti hai	Aaj ki value	Kab badlein
Mode	Rules (har output ka rule) ya Expression (formula se output number)	`Rules`	Bahut saare outputs ho to Expression
Routing Rule 1	{{ $json.score }} Number ≥ 70	`hot`	Sabse bada pehle
Routing Rule 2	{{ $json.score }} Number ≥ 40	`warm`	Hot wale yahan nahi aayenge (pehla match jeetta hai)
Routing Rule 3	{{ $json.score }} Number < 40	`cold`	—
Rename Output	Output ka naam canvas par	`On (hot/warm /cold)`	Workflow padhna aasaan
Options → Fallback Output	Koi rule match na ho to kahan	`None`	"Extra Output" chuno aur alert lagao
Options → Send data to all matching outputs	Ek item kai raaston par	`Off`	On kiya to score 85 hot AUR warm dono mein jaayega

💼 Slack — Send Message

Team ke channel mein turant message.



📸 Asli n8n: Slack — Send Message

Setting	Kya karti hai	Aaj ki value	Kab badlein
Credential	Slack app (OAuth2 ya Bot token)	`Slack account`	Bot ko channel mein invite karna zaroori
Resource / Operation	Message → Send	`Send`	—
Send Message To	Channel ya User	`Channel`	Kisi ek salesperson ko DM ke liye User
Channel	By name, ID ya list se	`#sales`	Naam badalta hai, ID nahi — live par ID behtar
Message Text	Expression ke saath	`🔥 HOT lead ({{ $json.score }}): {{ $json.name }} · ₹{{ $json.budget }}`	Phone number daalo taaki seedha call ho sake

⚖️ Pehle vs Ab — farak dekho

Yahi farak client ko dikhana hai. Time bachta hai = paisa bachta hai.

😩 Pehle (manual)

Har lead padh ke decide karna	5 min
Sahi insaan ko forward	3 min
Follow-up yaad rakhna	5 min
	13 min

⚡ Ab (n8n)

Score + routing auto	
Follow-up Wait node se	
	0 min

⏱ Har lead par 13 min bache, hot lead 1 minute mein sales tak.

⌨️ Aaj ka key snippet

Copy karke n8n mein paste karo — 📋 Select karke copy karo

```
const s = ($json.budget > 30000 ? 40 : 10) + ($json.timeline === "this week" ? 30 : 5);
return { ...$json, score: s };
```

📦 Sample data — input se output tak

📥 Input — 📋 Select karke copy karo

```
{
  "name": "Neha",
  "budget": 50000,
  "timeline": "this week",
  "source": "referral"
}
```

📤 Output — 📋 Select karke copy karo

```
{
  "name": "Neha",
  "score": 85,
  "label": "HOT",
  "routedTo": "slack#sales"
}
```

💬 Copy-paste prompts

ChatGPT / Claude mein seedha paste karo. PDF mein text select karke copy ho jata hai.

💬 Build it with ChatGPT / Claude — 📋 Select karke copy karo

```
Act as an n8n expert and teacher. Help me build this workflow in n8n step by step (n8n 1.x UI):

Goal: Webhook par lead aata hai, Code node score banata hai (budget, urgency, source), aur Switch hot lead ko Slack, warm ko nurture email, cold ko archive sheet mein bhejta hai.

Flow: Webhook (POST /score-lead) → Code (Score 0-100) → Switch (Hot / Warm / Cold) → Slack · Gmail · Sheets (Route karo)

For each node tell me: which node to add, exact settings, and the expressions to use. Then tell me how to test it and the 3 most common errors beginners hit.
```

💬 **Debug helper prompt** 📋 Select karke copy karo

```
I'm building the n8n workflow "Lead Scoring + Smart Routing" (nodes: Lead Webhook, Score Lead, Route by Score, Hot → Slack Sales, Warm → Nurture Email, Cold → Archive).
Node "<NODE NAME>" gives this error:
<PASTE ERROR>

Input JSON of that node:
<PASTE INPUT>

Explain the cause in simple words and give me the exact fix (settings or expression).
```

📥 Workflow ko n8n mein kaise laayein

1. **Workflow JSON** wale button par click karo (ya lesson page par 📋 **Copy workflow JSON** dabao).
2. Poora text copy karo (`Ctrl` + `A` , `Ctrl` + `C`).
3. n8n mein naya workflow kholo → canvas par click → `Ctrl` + `V` . Ya … menu → *Import from File*.
4. Upar wala Setup checklist poora karo aur **Test** dabao.

⚡ **Workflow JSON**
6 nodes · ready to import
`adifyskills.com/workflows/day-05-lead-scoring-router.json`

🌐 **Lesson page**
Copy buttons, quiz aur video links
`adifyskills.com/day/5`

🧯 Atak gaye? Yeh check karo

Error aana seekhne ka hissa hai — sab atakte hain. Neeche wale points se 90% problems solve ho jaati hain.

Agar yeh ho raha hai…	To yeh karo
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Slack (OAuth / bot token)" connect karo.
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Gmail (Google OAuth)" connect karo.
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Google Sheets (Google OAuth)" connect karo.
Webhook/Form test par kuch nahi ho raha?	"Listen for test event" / Test URL use karo aur 2 minute ke andar request bhejo. Production URL sirf Active workflow par chalta hai.
"Sheet not found" / column khaali?	Sheet ID aur tab ka naam (capital/small bhi) check karo. Pehli row mein headers hone chahiye.

⚠️ Yeh galtiyan sabse common hain

- ! Merge node ka galat mode — data duplicate ho jaata hai
- ! IF mein string "10" vs number 10 compare karna
- ! Loop ke andar "done" output ko connect na karna

⭐ Pro tips — time bachane wali tricks

- Switch mein "Fallback output" on rakho — unexpected values ke liye
- Wait node se "3 din baad" follow-up — server restart par bhi resume hota hai
- Remove Duplicates (past executions) se same lead dobara process na ho

Phir bhi atke? Koi baat nahi 🙂
Screenshot + error message ke saath WhatsApp par poochho →

🏋️ Practice + Challenge

Padhne se zyada banane se seekhte hain. Ek-ek level upar jaao.

🛠 Live lab

Lead scoring + routing workflow: score ke hisaab se Sales Slack, nurture email ya archive.

📝 Homework

Do data sources ko Merge (by key) karke unified customer list banao.

- [ ] Homework ho gaya

BEGINNER
Budget 0 wale leads filter karo

INTERMEDIATE
Round-robin: leads 3 sales reps mein baanto

ADVANCED
Wait node + approval link se manager approval flow

🧩 Aaj ka challenge — pehle khud try karo

🎯 Agar lead ka source "referral" hai to score ke bawajood hamesha hot maano.

💡 Hint 1
Yeh logic Code node mein ek extra line se ho sakta hai.

💡 Hint 2
return se pehle: agar source referral hai to score ko 70 ya usse upar kar do.

✅ Solution aakhri page par hai — pehle 5 minute khud socho 😉

🧪 Expression practice sheet

Input dekho aur khaali jagah mein expression likho. Jawab aakhri page par hain.

1. Score 70 ya upar to "HOT"

```
{"score":85}
```

Mera jawab: _____

2. Text budget ko number maan kar check

```
{"budget":"60000"}
```

Mera jawab: _____

3. Source in dono mein se ek hai?

```
{"source":"referral"}
```

Mera jawab: _____

4. Do shartein ek saath (AND)

```
{"urgency":"this week","budget":50000}
```

Mera jawab: _____

5. 3 labels ek expression mein

```
{"score":55}
```

Mera jawab: _____

🎯 2 minute ka self-check

Sahi option par gol ghera lagao. Answers aakhri page par — score sirf aapke liye hai.

Q1. 5 alag categories ke liye best node?

(A) Switch
(B) Merge
(C) Wait
(D) IF

Q2. API 1 sec mein sirf 10 requests leti hai — kya use karein?

(A) Loop Over Items + Wait
(B) IF
(C) Merge
(D) Sort

Q3. Do sources ko customer ID se jodna?

(A) Filter
(B) Merge (by key/matching fields)
(C) Aggregate
(D) Split Out

Q4. IF node ke kitne outputs?

(A) 3
(B) Unlimited
(C) 1
(D) 2

📖 Aaj ke naye shabd

Node
Workflow ka ek dabba/step. Har node ek kaam karta hai (email bhejna, data laana…).

Webhook
Ek URL jis par koi doosra app data bhejta hai aur aapka workflow turant chal padta hai.

API
Do apps ke baat karne ka tareeka. Ek app sawaal bhejta hai, doosra jawab (data) deta hai.

IF Node
Haan/naa wala decision — condition sahi to ek raasta, galat to doosra.

Switch
Kai raaston mein se ek chunna — jaise traffic police kisi gaadi ko alag lane mein bhejta hai.

Merge
Do raaston ka data wapas ek jagah jodna.

Rate Limit
API ki speed limit — ek minute mein kitni requests allowed hain.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

✍️ Meri notes

Class mein jo naya laga, jo doubt aaya — yahan likho. Kal revise karna aasaan hoga.

⏭ Kal kya seekhenge — Day 6

Code Node: JavaScript for Automators

"Jahan node khatam, wahan Code node shuru."

☐ **Day 5 complete! 🎉**

Tick karo aur website par bhi ✅ dabao.

🔑 Answer key + useful links

Pehle khud try kiya? Ab check karo. Galat hua to explanation padho — wahi asli seekh hai.

Q1 → A
Switch

Q2 → A
Loop Over Items + Wait

Q3 → B
Merge (by key/matching fields)

Q4 → D
2

✅ Challenge ka solution

Score Lead code mein: if (b.source === 'referral') score = Math.max(score, 70);

🧪 Expression sheet ke jawab

1. `{{ $json.score >= 70 ? "HOT" : "NOT HOT" }}` → **HOT**
2. `{{ Number($json.budget) >= 50000 }}` → **true**
3. `{{ ["referral", "website"].includes($json.source) }}` → **true**
4. `{{ $json.urgency === "this week" && $json.budget > 30000 }}` → **true**
5. `{{ $json.score >= 70 ? "HOT" : $json.score >= 40 ? "WARM" : "COLD" }}` → **WARM**

📚 Official docs

- Flow logic ↗
- Merging data ↗
- Looping ↗
- Splitting with conditionals ↗

▶ Videos

- n8n if switch merge tutorial ↗
- n8n loop over items batching ↗

Doubt poochho
WhatsApp: +91 83838 91716
wa.me/918383891716

Day 5 lesson page
Quiz, copy buttons, videos
adifyskills.com/day/5

+91 83838 91716
Call / WhatsApp — Adify Skills