AdifySkills

n8n Automation Mastery
+91 83838 91716

CLASS NOTES

Module 1 · Automation Foundations

DAY 01 of 25

Automation Mindset & Welcome to n8n

"Aaj aap apna pehla workflow live chalaoge — sirf 2 ghante mein."

⚡ AAJ HUM YEH BANAYENGE

Daily Quote Mailer

Har subah 8 baje internet se ek motivational quote laata hai aur aapko email kar deta hai. Pehla real automation — trigger, API, data set karna aur email.

n8n Cloud | Schedule Trigger | HTTP Request | Gmail

Naam: _____ Class date: _____

2 ghante ki live class · 7:00 PM – 9:00 PM IST

🧭 Aaj ka roadmap

Ek nazar mein poori class — kya, kyun aur kitne time mein.

💡 Yeh lesson kyun zaroori hai?

Automation ka asli matlab hai: jo kaam aap roz same tareeke se karte ho, woh computer khud kare. Aaj student ko "aha moment" milna chahiye — ek workflow jo khud chalta hai.

🎯 Aaj ke baad aap yeh kar paoge

01 Automation kya hai & businesses kyun pay karte hain

🌍 Ek coaching owner roz 2 ghante students ko fee reminder WhatsApp karta hai — yahi kaam automation 0 minute mein karta hai, isliye businesses pay karte hain.
⚙️ Schedule Trigger + Google Sheets + WhatsApp: har mahine 5 tareekh ko pending fees walon ko reminder.

02 n8n vs Zapier vs Make — kab kya use karein

🌍 Zapier = ready-made tiffin (easy, mehenga), Make = restaurant thali (visual), n8n = apni kitchen (thodi mehnat, poora control, sasta).
⚙️ Simple 2-step zap → Zapier theek; AI agent + 20 steps + self-host → n8n.

03 n8n Cloud account setup + local install (npx)

🌍 Cloud = rent ka ghar (turant shift), self-host = apna ghar (setup lagta hai, par kiraya nahi).
⚙️ n8n.io par trial account ya terminal mein: npx n8n → localhost:5678

04 Editor tour: canvas, nodes, connections, executions

🌍 Canvas ek whiteboard hai, nodes us par chipke sticky notes, connections unke beech ki lines.
⚙️ Canvas par "+" dabao → node add, drag karke connect, "Executions" tab mein history.

05 Trigger vs action nodes

🌍 Doorbell (trigger) bajti hai → aap darwaza kholte ho (action).
⚙️ Schedule Trigger (trigger) → Gmail "Send" (action).

06 Pehla workflow: Schedule → HTTP → Email

🌍 Subah ka akhbaar: hawker roz 6 baje (schedule) laata hai (HTTP), darwaze par daal deta hai (email).
⚙️ Schedule Trigger → HTTP Request (quote API) → Gmail.

⏱ Class ka plan (2 ghante)

15m	30m	45m	20m	10m

`0:00-0:15` **Kickoff & Orientation**

Course roadmap, community join, tools checklist

🪄 Jaise school ke pehle din pata chalta hai saal bhar kya padhenge aur bag mein kya laana hai. Bag = tools, syllabus = roadmap.

`0:15-0:45` **Concept: Automation Thinking**

Process mapping — trigger, steps, output

🪄 Beta, subah alarm bajta hai to tum uthte ho, brush karte ho, nahate ho, school jaate ho. Alarm = trigger, baaki sab = steps. Agar ek robot yeh sab tumhare liye kar de — wahi automation hai.

`0:45-1:30` **Live Build**

Daily motivational quote email workflow

🪄 Aaj ki kahani yaad hai — 'Gaadi aur automation — same soch'? Ab wahi kahani n8n mein banayenge. Har scene ek node hai: ek-ek block jodo aur har block ke baad dekho sab chal raha hai ya nahi.

`1:30-1:50` **Your Turn**

Workflow ko apne naam/email ke saath customize karo

🪄 Board par drawing ban gayi, ab apni copy mein apne rang bharo.

1:50–2:00 **Q&A + Homework**
Doubts, homework brief
🪄 Ghar jaane se pehle bag check — sab samajh aaya? Homework diary mein likha?

🧠 Concepts — aasaan bhasha mein

Har concept ke saath ek real-life analogy. Analogy yaad rahegi to concept bhi yaad rahega.

CONCEPT 01

Workflow

Nodes ki ek chain jo ek kaam poora karti hai. Jaise recipe — steps ek ke baad ek.

🪄 **Analogy:** Chai banana: paani → patti → doodh → cheeni = workflow

CONCEPT 02

Trigger vs Action

Trigger batata hai KAB chalna hai, actions batate hain KYA karna hai.

🪄 **Analogy:** Alarm (trigger) bajta hai → aap uthte ho (action)

CONCEPT 03

Execution

Workflow ka ek run. Har execution ka log n8n save karta hai.

🪄 **Analogy:** Bank statement ki ek entry

CONCEPT 04

Cloud vs Self-hosted

n8n Cloud = ready-made, monthly fee. Self-hosted = apna server, unlimited, thoda setup.

🪄 **Analogy:** Rent ka ghar vs apna ghar

🔑 Aaj ka main idea

Automation thinking ka matlab hai har kaam ko 3 hisson mein todna: KAB shuru hota hai (trigger), KYA-KYA steps hote hain (actions), aur END mein kya milta hai (output). Jo kaam roz same tareeke se hota hai, woh automate ho sakta hai.

- Washing machine: button dabaya (trigger) → paani, wash, rinse, spin (actions) → saaf kapde (output)
- School bell: 8 baje (trigger) → ghanti bajti hai (action) → class shuru (output)
- Dukaan: customer ne UPI kiya (trigger) → "₹500 received" bolne wala speaker (action)

📖 Ek kahani se samjho: Gaadi aur automation — same soch

1 🔑 **Chaabi ghumayi** = Trigger (kab shuru ho)

2 ⚙️ **Engine chalu hua** = Action node

3 🛣️ **Gaadi road par chali** = Data flow (connections)

4 🚦 **Signal laal hai? Ruk jao** = IF node (decision)

5 🏁 **Manzil par pahunche** = Output (email/message)

🪄 Ek line mein: “Beta, subah alarm bajta hai to tum uthte ho, brush karte ho, nahate ho, school jaate ho. Alarm = trigger, baaki sab = steps. Agar ek robot yeh sab tumhare liye kar de — wahi automation hai.”

🔬 Gehraai se samjho — har concept andar se

Kya hai, n8n andar kya karta hai, kab use karein, kab nahi, example aur common galti.

01 Workflow

📖 **Kya hai:** Workflow ek recipe hai jo n8n ke andar save rehti hai. Usme boxes hote hain jinhe "nodes" kehte hain, aur unke beech lines ("connections") hoti hain. Har node ek chhota kaam karta hai — data laana, data badalna ya kahin bhejna. Saare nodes milkar ek poora kaam karte hain, jaise "har subah quote email karna".

⚙️ **Andar kaise:** Jab workflow chalta hai, n8n sabse pehle trigger node chalata hai. Trigger jo data deta hai, woh connection ke through agle node mein jaata hai. Har node apna kaam karke naya data aage bhejta hai. Data hamesha left se right flow karta hai — ek node ka output = agle node ka input.

✅ **Kab use karein**

Jab koi kaam baar-baar, ek hi tareeke se hota hai: roz ki report, har naya lead, har form submit, har naya email.

⛔ **Kab nahi**

Jo kaam sirf ek baar karna hai, ya jisme har baar insaan ka faisla chahiye (jaise "yeh design achha lag raha hai ya nahi"), usko automate karne mein time waste hoga.

🧪 **Example:** Daily Quote Mailer = 4 nodes ki chain: Schedule Trigger (8 baje) → HTTP Request (quote laao) → Edit Fields (quote + author alag karo) → Gmail (email bhejo).

⚠️ **Common galti:** Naye log ek hi workflow mein 30–40 nodes daal dete hain. Fir error dhoondhna mushkil ho jaata hai. Fix: ek workflow = ek kaam. Bada kaam ho to chhote workflows banao aur unhe jodo (Day 18 mein seekhenge).

🪄 **Workflow = trigger + steps + result. Data left se right chalta hai.**

02 Trigger vs Action

📖 **Kya hai:** Trigger node batata hai workflow KAB chalega. Action node batata hai KYA karna hai. Har workflow mein kam se kam ek trigger hona zaroori hai, warna woh apne aap kabhi nahi chalega.

⚙️ **Andar kaise:** Trigger nodes canvas par sabse left mein hote hain aur unke paas ⚡ icon hota hai. Workflow "Active" hone par n8n trigger ko sunta rehta hai — time ka (Schedule), URL ka (Webhook/Form) ya kisi app ka (naya Gmail, naya Sheet row). Trigger fire hote hi ek naya "execution" shuru hota hai aur baaki action nodes ek-ek karke chalte hain.

✅ **Kab use karein**

Time par chalana hai → Schedule Trigger. Koi form bhare → Form Trigger. Koi app data bheje → Webhook. Khud test karna hai → Manual Trigger ("Execute workflow" button).

⛔ **Kab nahi**

Ek workflow mein bina wajah 2–3 alag triggers mat lagao. Har trigger alag execution banata hai aur data mix ho sakta hai.

🧪 **Example:** Schedule Trigger "roz 8 baje" fire hota hai → HTTP Request, Edit Fields aur Gmail actions chalte hain.

⚠️ **Common galti:** Workflow banaya, test bhi ho gaya, par "Active" toggle on karna bhool gaye — fir subah 8 baje kuch nahi hua. Trigger sirf Active workflow mein apne aap chalta hai.

🪄 **Trigger = KAB (alarm). Action = KYA (kaam). Active toggle ON karna mat bhoolna.**

03 Execution

📖 **Kya hai:** Workflow ka ek run = ek execution. Workflow roz 8 baje chalta hai to mahine mein 30 executions banenge. n8n har execution ka record rakhta hai — kab chala, kitna time laga, success hua ya error aaya.

⚙️ **Andar kaise:** Har execution mein n8n har node ka input aur output save karta hai. "Executions" tab (left menu ya workflow ke upar) mein kisi bhi purane run ko kholo to poora workflow us waqt ke data ke saath dikhta hai — har node par click karke dekh sakte ho ki kya data aaya tha.

✅ **Kab use karein**
Kuch galat hua ho, client complain kare, ya check karna ho ki subah wala run chala ya nahi — sabse pehle Executions tab kholo.

⛔ **Kab nahi**
Har test run ko production samajh kar mat ghabrao. Test executions alag dikhte hain aur unse kuch kharab nahi hota (bas email/message sach mein jaata hai, dhyan rakho).

🧪 **Example:** Kal subah email nahi aaya → Executions kholo → laal (error) execution dikha → Gmail node par click → "Credential expired" likha tha → reconnect kiya → fixed.

⚠️ **Common galti:** Error aane par workflow dobara-dobara chalana, bina Executions mein asli error message padhe. Pehle error padho — 80% baar wahi jawab bata deta hai.

🪄 **Execution = ek run ki poori history. Error aaye to pehle Executions tab.**

04 Cloud vs Self-hosted

📖 **Kya hai:** n8n do tareeke se chala sakte ho. n8n Cloud: n8n company ka server, login karo aur shuru — monthly fee lagti hai. Self-hosted: n8n ko apne computer ya VPS server par install karo — software free (Community Edition), bas server ka kharcha.

⚙️ **Andar kaise:** Dono mein editor, nodes aur workflows same hain. Farak sirf yeh hai ki server kaun sambhalta hai: Cloud mein updates, backup aur uptime n8n sambhalta hai; self-hosted mein yeh sab aapki zimmedari hai (Day 19 mein Docker se seekhenge).

✅ **Kab use karein**
Seekhne aur pehle clients ke liye Cloud (ya local install) aasaan hai. Bahut zyada executions, data apne server par rakhna ho, ya kharcha kam karna ho to self-hosted.

⛔ **Kab nahi**
Pehle hi din VPS aur Docker mein mat uljho. Pehle workflows banana seekho, server baad mein.


🧪 **Example:** Class ke liye: n8n Cloud free trial ya laptop par "npx n8n". Client ke production ke liye: ₹500–800/month ka VPS + Docker.


⚠️ **Common galti:** Local laptop par bana workflow client ko de diya — laptop band, workflow band. Production hamesha 24×7 chalne wale server (Cloud ya VPS) par.

🪄 **Cloud = rent ka ghar (aasaan). Self-hosted = apna ghar (control + zimmedari).**

🗺️ Aaj ka workflow: Daily Quote Mailer

Data left se right chalta hai. Har dabba ek n8n node hai.





📸 Asli n8n mein import karne par yeh dikhega. Laal ⚠️ = account (credential) connect karna baaki.

💰 Isse kitna kama sakte ho?

Coaches, schools, gyms (daily motivation / tips email) — aam taur par **₹2,000 – ₹5,000 setup**. *(Andaaza hai; client aur scope ke hisaab se badalta hai.)*

🛠 Step-by-step build — n8n kholo aur saath chalo

1 ⚡ **Schedule Trigger**
Trigger Interval: Days, Hour: 8 — roz subah 8 baje

2 🌐 **HTTP Request**
GET https://zenquotes.io/api/random — free quote API

3 ✏️ **Edit Fields (Set)**
quote = {{ $json.q }}, author = {{ $json.a }} (n8n API ki list ko khud items mein tod deta hai)

4 📧 **Gmail**
To: apna email, Subject: "Aaj ka quote ☀️", Message: quote + author

✅ Har step ke baad **Execute step** dabao aur output check karo. Sab green ho to workflow **Active** karo.

🔑 Setup (import ke baad)

- ☐ Connect: **Gmail (Google OAuth)**
- ☐ Gmail node mein "your-email@gmail.com" ki jagah apna email likho

✅ Test kaise karein

1. Workflow open karke "Test workflow" dabao
2. Inbox check karo — quote aaya?
3. Sab theek ho to upar "Active" toggle on karo

🚚 Data ka safar — har node ke baad

Aaj ke build mein data kaise badalta hai. Expressions samajhne ki chaabi yahi hai.

1 🔧 Every Day 8 AM

Schedule Trigger time ki details deta hai. Aage ke nodes is data ko use nahi karte — yeh sirf "chalo" ka signal hai.


```
{
  "timestamp": "2026-12-01T08:00:00.000+05:30",
  "Readable date": "December 1st 2026, 8:00:00 am",
  "Day of week": "Tuesday",
  "Hour": "08",
  "Timezone": "Asia/Kolkata (UTC+05:30)"
}
```


2 🔧 Get Random Quote

API ne array [{...}] bheja. n8n array ko khol kar har cheez ko alag ITEM bana deta hai — isliye aage $json.q likhte hain, $json[0].q nahi.


```
{
  "q": "The best way to get started is to quit talking and begin doing.",
  "a": "Walt Disney",
  "h": "<blockquote>…</blockquote>"
}
```


3 🔧 Pick Quote + Author

Sirf kaam ke 2 fields bache, saaf naamon ke saath. "h" (HTML) field hat gaya kyunki Include Other Fields off hai.


```
{
  "quote": "The best way to get started is to quit talking and begin doing.",
  "author": "Walt Disney"
}
```


4 📧 Send Quote Email

Gmail ne email bhej diya aur uski ID wapas di. labelIds mein SENT = email chala gaya.



```
{
  "id": "18c4f2a9b7e1d3c0",
  "threadId": "18c4f2a9b7e1d3c0",
  "labelIds": [
    "SENT"
  ]
}
```

Node anatomy — har setting ka matlab

Har zaroori option kya karta hai aur kab badalna hai. Isse aap khud naye workflows bana paoge.

Schedule Trigger

Workflow ko tay time par apne aap chalata hai.




📸 Asli n8n: Schedule Trigger

Setting	Kya karti hai	Aaj ki value	Kab badlein
Trigger Interval	Kitne gap par chalna hai: Seconds, Minutes, Hours, Days, Weeks, Months ya Custom (Cron)	`Days`	Roz ke kaam ke liye Days; har 15 min check ke liye Minutes
Days Between Triggers	Kitne din chhod kar chalega	`1`	2 likho to ek din chhod kar chalega
Trigger at Hour	Din ka kaunsa ghanta (24-hour)	`8am`	Shaam 6 baje ke liye 6pm
Trigger at Minute	Us ghante ka kaunsa minute	`0`	8:30 ke liye 30
Timezone (workflow Settings)	Time kis desh ke hisaab se gina jaaye	`Asia/Kolkata`	Cloud par default timezone alag ho sakta hai — hamesha check karo

HTTP Request

Kisi bhi website/API se data laata ya bhejta hai. "Har app se baat karne wala node".




📸 Asli n8n: HTTP Request

Setting	Kya karti hai	Aaj ki value	Kab badlein
Method	Kya karna hai: GET (data lo), POST (data bhejo), PUT/PATCH (update), DELETE	`GET`	Form data bhejna ho to POST
URL	API ka address	`https://zenquotes.io/api/random`	API ke docs se copy karo
Authentication	API key / login kaise dena hai	`None`	Paid APIs mein "Generic Credential → Header Auth"
Send Query Parameters	URL ke ? ke baad wale filters	`Off`	Jaise ?city=Delhi&limit=10
Send Headers	Extra info jaise API key ya content type	`Off`	Authorization: Bearer xxx
Send Body	POST mein bhejne wala data (JSON/Form)	`Off`	Lead create karte waqt name/phone
Options → Response Format	Jawab ko kaise padhna hai: Autodetect, JSON, Text, File	`Autodetect`	CSV/PDF download ke liye File
Options → Timeout	Kitni der jawab ka intezaar	`default`	Slow API ke liye 30000 ms

✏️ Edit Fields (Set)

Data ko saaf karta hai: naye fields banana, naam badalna, sirf kaam ke fields rakhna.




📸 Asli n8n: Edit Fields (Set)

Setting	Kya karti hai	Aaj ki value	Kab badlein
Mode	Manual Mapping (form jaisa) ya JSON (khud likho)	`Manual Mapping`	Bahut saare fields hon to JSON
Fields to Set → Name	Naye field ka naam	`quote`	Chhota, saaf naam rakho (space ki jagah _)
Fields to Set → Type	String, Number, Boolean, Array, Object	`String`	Amount ke liye Number, warna jodna galat hoga
Fields to Set → Value	Fixed value ya expression {{ }}	`{{ $json.q }}`	Pichhle node ke field ko drag karke daal sakte ho
Include Other Input Fields	Purane fields bhi saath rakhne hain ya sirf naye	`Off`	Sab data aage chahiye to On

📧 Gmail (Send)

Aapke Gmail account se email bhejta hai.



📸 Asli n8n: Gmail (Send)

Setting	Kya karti hai	Aaj ki value	Kab badlein
Credential	Kaunse Gmail account se bhejna hai	`Gmail account (OAuth)`	Ek baar connect karo, har workflow mein reuse
Resource / Operation	Message → Send	`Message, Send`	Reply ke liye Operation: Reply
To	Kisko bhejna hai (comma se kai log)	`your-email@gmail.com`	{{ $json.email }} se har lead ko alag
Subject	Email ka subject — expressions bhi chalte hain	`☀️ Aaj ka quote — {{ $now.format("dd LLL yyyy") }}`	Date daalne se har email unique lagta hai
Email Type	Text (simple) ya HTML (design wala)	`Text`	Table/colors ke liye HTML
Message	Email ki body	`"{{ $json.quote }}" — {{ $json.author }}`	Line break ke liye Enter dabao
Options → Append n8n Attribution	Neeche "sent by n8n" line	`On (default)`	Client ke liye Off kar do

Pehle vs Ab — farak dekho

⚖️ Yahi farak client ko dikhana hai. Time bachta hai = paisa bachta hai.

😩 Pehle (manual)

Roz quote website kholna	5 min
Quote copy karna	2 min
Gmail kholke email likhna	5 min
Bhejna aur yaad rakhna kal bhi karna hai	3 min
	15 min

➜

⚡ Ab (n8n)

n8n khud 8 baje chalta hai	
Quote fetch + email automatic	
Aap sirf inbox mein padhte ho	1 min
	1 min

⏱ Roz 15 minute → 1 minute. Saal mein ~85 ghante bache.

⌨️ Aaj ka key snippet

Copy karke n8n mein paste karo — 📋 Select karke copy karo

```
{{ $json.q }} — {{ $json.a }}
```

📦 Sample data — input se output tak

📥 Input — 📋 Select karke copy karo

```
[
  {
    "q": "The best way to get started is to quit talking and begin doing.",
    "a": "Walt Disney"
  }
]
```

📤 Output — 📋 Select karke copy karo

```
{
  "quote": "The best way to get started is to quit talking and begin doing.",
  "author": "Walt Disney",
  "sent": true
}
```

💬 Copy-paste prompts

ChatGPT / Claude mein seedha paste karo. PDF mein text select karke copy ho jata hai.

💬 Build it with ChatGPT / Claude — 📋 Select karke copy karo

```
Act as an n8n expert and teacher. Help me build this workflow in n8n step by step (n8n 1.x UI):

Goal: Har subah 8 baje internet se ek motivational quote laata hai aur aapko email kar deta hai. Pehla real automation — trigger, API, data set karna aur email.

Flow: Schedule Trigger (Roz 8:00 AM) → HTTP Request (zenquotes.io se quote) → Edit Fields (quote + author nikaalo) → Gmail (Email bhejo)

For each node tell me: which node to add, exact settings, and the expressions to use. Then tell me how to test it and the 3 most common errors beginners hit.
```

💬 **Debug helper prompt** 📋 Select karke copy karo

```
I'm building the n8n workflow "Daily Quote Mailer" (nodes: Every Day 8 AM, Get Random Quote, Pick Quote + Author, Send Quote Email).
Node "<NODE NAME>" gives this error:
<PASTE ERROR>

Input JSON of that node:
<PASTE INPUT>

Explain the cause in simple words and give me the exact fix (settings or expression).
```

📥 Workflow ko n8n mein kaise laayein

1. **Workflow JSON** wale button par click karo (ya lesson page par 📋 **Copy workflow JSON** dabao).
2. Poora text copy karo (`Ctrl` + `A` , `Ctrl` + `C`).
3. n8n mein naya workflow kholo → canvas par click → `Ctrl` + `V` . Ya … menu → *Import from File*.
4. Upar wala Setup checklist poora karo aur **Test** dabao.

⚡ **Workflow JSON**
4 nodes · ready to import
`adifyskills.com/workflows/day-01-daily-quote-mailer.json` ↗

🌐 **Lesson page**
Copy buttons, quiz aur video links
`adifyskills.com/day/1` ↗

🧯 Atak gaye? Yeh check karo

Error aana seekhne ka hissa hai — sab atakte hain. Neeche wale points se 90% problems solve ho jaati hain.

Agar yeh ho raha hai…	To yeh karo
Node par laal ⚠️ triangle?	Account connect nahi hua. Node kholo → Credential → "Gmail (Google OAuth)" connect karo.
Time par apne aap nahi chala?	"Active" toggle on hai? Settings mein timezone Asia/Kolkata check karo.

⚠️ Yeh galtiyan sabse common hain

- ! Workflow ko "Active" karna bhool jaana — tab Schedule chalega hi nahi
- ! Test URL aur production run mein confusion
- ! Gmail credential mein galat Google account select karna

⭐ Pro tips — time bachane wali tricks

- ★ Har node ke baad "Execute step" dabake output check karo
- ★ Workflow ka naam clear rakho: "Daily – Quote Mailer"
- ★ Sticky note se workflow ka purpose likho

Phir bhi atke? Koi baat nahi 🙂
Screenshot + error message ke saath WhatsApp par poochho →

🏋️ Practice + Challenge

Padhne se zyada banane se seekhte hain. Ek-ek level upar jaao.

🛠 Live lab

Daily Quote Mailer — har subah 8 baje ek quote API se fetch karke email bhejna.

📝 Homework

Apne kaam/business ke 5 repetitive tasks list karo aur unka trigger-action map banao.

- [ ] Homework ho gaya

BEGINNER

Quote ki jagah daily joke API use karo

- [ ]

INTERMEDIATE

Email ke saath Telegram par bhi bhejo

- [ ]

ADVANCED

Sirf weekdays (Mon–Fri) par chalao using cron expression

- [ ]

🧩 Aaj ka challenge — pehle khud try karo

🎯 Quote email sirf Monday se Friday subah 8 baje aaye, weekend par nahi.

💡 Hint 1

Schedule Trigger mein "Days" ki jagah "Custom (Cron)" mode dekho.

💡 Hint 2

Cron mein 5 hisse hote hain: minute hour day month weekday. Weekday 1–5 = Mon–Fri.

✅ Solution aakhri page par hai — pehle 5 minute khud socho 😉

Adify DIGITAL MARKETING INSTITUTE +91 83838 91716

Expression practice sheet

Input dekho aur khaali jagah mein expression likho. Jawab aakhri page par hain.

1. Quote ka text nikaalo

```
{"q":"Dream big.","a":"Anon"}
```

Mera jawab: _____

2. Author ka naam CAPITAL mein

```
{"q":"Dream big.","a":"Anon"}
```

Mera jawab: _____

3. Quote aur author ek line mein jodo

```
{"q":"Dream big.","a":"Anon"}
```

Mera jawab: _____

4. Aaj ki date "01 Dec 2026" format mein

Input ki zaroorat nahi

Mera jawab: _____

5. Quote kitne characters ka hai?

```
{"q":"Dream big.","a":"Anon"}
```

Mera jawab: _____

2 minute ka self-check

Sahi option par gol ghera lagao. Answers aakhri page par — score sirf aapke liye hai.

Q1. Workflow kab start hoga, yeh kaun decide karta hai?

- (A) Trigger node
- (B) Credential
- (C) Sticky note
- (D) Action node

Q2. Schedule Trigger ke liye workflow ko kya karna zaroori hai?

- (A) Delete
- (B) Duplicate
- (C) Activate (publish)
- (D) Export

Q3. n8n ka self-hosted version kaisa hai?

(A) Sirf Windows
(B) Sirf paid
(C) Free Community Edition available
(D) Sirf mobile

Q4. Ek workflow run ko kya kehte hain?

(A) Node
(B) Pin
(C) Execution
(D) Credential

📖 Aaj ke naye shabd

Workflow
Steps ki ek chain jo apne aap chalti hai — jaise recipe ke steps.

Trigger
Jo workflow ko START karta hai — jaise alarm, naya email, ya form submit.

API
Do apps ke baat karne ka tareeka. Ek app sawaal bhejta hai, doosra jawab (data) deta hai.

JSON
Data likhne ka format: { "naam": "Ravi", "city": "Delhi" } — key aur value ke jode.

Execution
Workflow ka ek baar chalna. Har run ka record Executions tab mein dikhta hai.

HTTP Request
Node jo kisi bhi API ko call kar sakta hai — n8n ka universal connector.

Schedule
Fixed time par workflow chalana — roz, har ghante, har Monday.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

✍️ Meri notes

Class mein jo naya laga, jo doubt aaya — yahan likho. Kal revise karna aasaan hoga.

⏭ Kal kya seekhenge — Day 2

Triggers, Nodes & Executions Deep-Dive

"Workflow kab start ho — yeh control aapke haath mein."

☐ **Day 1 complete! 🎉**

Tick karo aur website par bhi ✅ dabao.

AdifySkills DIGITAL MARKETING INSTITUTE +91 83838 91716

🔑 Answer key + useful links

Pehle khud try kiya? Ab check karo. Galat hua to explanation padho — wahi asli seekh hai.

Q1 → A
Trigger node
Trigger node hi workflow ko start karta hai.

Q2 → C
Activate (publish)
Inactive workflow automatic nahi chalta.

Q3 → C
Free Community Edition available
Community Edition self-host karne ke liye free hai.

Q4 → C
Execution
Har run = ek execution.

✅ Challenge ka solution

Schedule Trigger → Trigger interval: Custom (Cron) → Expression: 0 8 * * 1-5

🧪 Expression sheet ke jawab

1. `{{ $json.q }}` → **Dream big.**
2. `{{ $json.a.toUpperCase() }}` → **ANON**
3. `"{{ $json.q }}" — {{ $json.a }}` → **"Dream big." — Anon**
4. `{{ $now.format("dd LLL yyyy") }}` → **01 Dec 2026**
5. `{{ $json.q.length }}` → **10**

📚 Official docs

- n8n Quickstart ↗
- Editor UI guide ↗
- Install via npm ↗
- n8n Level One course ↗
- Workflows overview ↗
- Keyboard shortcuts ↗
- n8n Glossary ↗

▶ Videos

- n8n beginner tutorial first workflow ↗
- n8n schedule trigger tutorial ↗

💬 Doubt poochho
WhatsApp: +91 83838 91716
wa.me/918383891716 ↗

🌐 Day 1 lesson page
Quiz, copy buttons, videos
adifyskills.com/day/1 ↗

📞 +91 83838 91716
Call / WhatsApp — Adify Skills