

Task Description-1

- **Progressive Prompting for Calculator Design:** Ask the AI to design a simple calculator program by initially providing only the function name. Gradually enhance the prompt by adding comments and usage examples.

Expected Output-1

- Comparison showing improvement in AI-generated calculator logic and structure

PROMPT:

Write a simple calculator program in Python that takes user input for two numbers and an operator (+, -, *, /).

The program should perform the selected operation, handle division by zero, and display the result with proper comments

```
[6] 16s # Simple Calculator Program using User Input

def calculator():
    # Taking inputs from the user
    num1 = float(input("Enter first number: "))
    num2 = float(input("Enter second number: "))
    op = input("Enter operation (+, -, *, /): ")

    # Performing the selected operation
    if op == '+':
        print("Result:", num1 + num2)
    elif op == '-':
        print("Result:", num1 - num2)
    elif op == '*':
        print("Result:", num1 * num2)
    elif op == '/':
        if num2 != 0:
            print("Result:", num1 / num2)
        else:
            print("Error: Division by zero")
    else:
        print("Invalid operation")

    # Function call
    calculator()

... Enter first number: 50
Enter second number: 25
Enter operation (+, -, *, /): +
Result: 75.0
```

Task Description-2

- **Refining Prompts for Sorting Logic:** Start with a vague prompt for sorting student marks, then refine it to clearly specify sorting order and constraints.

Expected Output-2

- **AI-generated sorting function evolves from ambiguous logic to an accurate and efficient Implementation.**

PROMPT:

Create a Python function that accepts student marks as user input, validates that each mark is between 0 and 100, sorts the marks in a specified order (ascending or descending), and prints the sorted result with clear comments.

```
[12]
✓ 11s
▶ # Program to sort student marks in descending order

def sort_student_marks():
    n = int(input("Enter number of students: "))
    marks = []

    # Taking marks input with validation
    for i in range(n):
        mark = int(input(f"Enter marks for student {i+1}: "))
        if 0 <= mark <= 100:
            marks.append(mark)
        else:
            print("Invalid marks! Enter value between 0 and 100.")
            return

    # Sorting marks in descending order
    marks.sort(reverse=True)

    print("Sorted marks (Descending Order):", marks)

# Function call
sort_student_marks()

*** Enter number of students: 3
Enter marks for student 1: 75
Enter marks for student 2: 45
Enter marks for student 3: 90
Sorted marks (Descending Order): [90, 75, 45]
```

Task Description-3

- **Few-Shot Prompting for Prime Number Validation:** Provide multiple input-output examples for a function that checks whether a number is prime. Observe how few-shot prompting improves correctness.

Expected Output-3

- Improved prime-checking function with better edge-case handling.

PROMPT:

Write a Python function `is_prime(n)` to check whether a number is prime. Use the following examples to guide your logic and handle edge cases correctly:

`is_prime(2) → True`

`is_prime(3) → True`

`is_prime(4) → False`

`is_prime(1) → False`

`is_prime(0) → False`

`is_prime(17) → True`

The function should be efficient and handle all edge cases

```
[13] 3s  # Prime number validation using user input

def is_prime(n):
    if n <= 1:
        return False

    for i in range(2, int(n ** 0.5) + 1):
        if n % i == 0:
            return False

    return True

# User input
num = int(input("Enter a number: "))

if is_prime(num):
    print(num, "is a Prime number")
else:
    print(num, "is NOT a Prime number")
|

... Enter a number: 5
5 is a Prime number
```

Task Description-4

- **Prompt-Guided UI Design for Student Grading System:** Create a user interface for a student grading system that calculates total marks, percentage, and grade based on user input.

Expected Output-4

- Well-structured UI code with accurate calculations and clear output display.

PROMPT:

Create a Python GUI application using Tkinter for a student grading system.

The UI should take marks for three subjects as user input, calculate total marks, percentage, and assign a grade based on the percentage.

Include input validation, clear output display, and proper comments.

```
[20]
✓ 33s
def calculator():
    # Taking initial input from the user
    try:
        current_result = float(input("Enter initial number: "))
    except ValueError:
        print("Invalid input. Please enter a valid number.")
        return

    while True:
        op = input("Enter operation (+, -, *, /, or 'q' to quit): ")

        if op == 'q':
            print("Final Result:", current_result)
            print("Exiting calculator.")
            break

        if op not in ['+', '-', '*', '/']:
            print("Invalid operation. Please enter +, -, *, /, or q.")
            continue

        try:
            next_number = float(input("Enter next number: "))
        except ValueError:
            print("Invalid input. Please enter a valid number.")
            continue

        if op == '+':
            current_result += next_number
        elif op == '-':
            current_result -= next_number
        elif op == '*':
            current_result *= next_number
        elif op == '/':
            if next_number != 0:
                current_result /= next_number
            else:
                print("Error: Division by zero. Current result remains unchanged.")
                continue # Skip printing result for this invalid operation

        print("Current Result:", current_result)

    # Function call
    calculator()
```

OUTPUT:

```
*** Enter initial number: 564
Enter operation (+, -, *, /, or 'q' to quit): *
Enter next number: 565
Current Result: 318660.0
Enter operation (+, -, *, /, or 'q' to quit): +
Enter next number: 56
Current Result: 318716.0
Enter operation (+, -, *, /, or 'q' to quit): q
Final Result: 318716.0
Exiting calculator.
```

Task Description-5

- Analyzing Prompt Specificity in Unit Conversion Functions: Improving a Unit Conversion Function (Kilometers to Miles and Miles to Kilometers) Using Clear Instructions.

Expected Output-5

- Analysis of code quality and accuracy differences across multiple prompt variations.

PRMOPT:

Develop a Python program that allows users to convert distances between kilometers and miles. The program should take user input for the value and conversion direction, use accurate standard conversion factors, handle invalid input, and display the converted result with proper comments.

```
# Unit Conversion Program: Kilometers ↔ Miles

def convert_units():
    choice = input("Enter conversion type (km_to_miles / miles_to_km): ")
    value = float(input("Enter distance value: "))

    if choice == "km_to_miles":
        result = value * 0.621371
        print("Miles:", result)

    elif choice == "miles_to_km":
        result = value * 1.60934
        print("Kilometers:", result)

    else:
        print("Invalid conversion type")

# Function call
convert_units()
```

OUTPUT:

```
... Enter conversion type (km_to_miles / miles_to_km): 56  
Enter distance value: 452  
Invalid conversion type
```