

# Digital Signal Processing

Mannem Charan AI21BTECH11019

## CONTENTS

1	Software Installation	1
2	Digital Filter	1
3	Difference Equation	2
4	Z-transform	2
5	Impulse Response	3

**Abstract**—This document provides the solution of Assignment 1.

## 1 SOFTWARE INSTALLATION

Run the following commands

```
sudo apt-get update
sudo apt-get install libffi-dev libsndfile1 python3-
  scipy python3-numpy python3-matplotlib
sudo pip install cffi pysoundfile
```

## 2 DIGITAL FILTER

### 2.1 Download the sound file from

```
wget https://github.com/Charanyash/EE3900-
  Digital_Signal_Processing/blob/main/
  Assignment-1/Codes/
  filter_codes_Sound_Noise.wav
```

2.2 You will find a spectrogram at <https://academo.org/demos/spectrum-analyzer>. Upload the sound file that you downloaded in Problem 2.1 in the spectrogram and play. Observe the spectrogram. What do you find?

**Solution:** There are a lot of yellow lines between 440 Hz to 5.1 KHz. These represent the synthesizer key tones. Also, the key strokes are audible along with background noise.

2.3 Write the python code for removal of out of band noise and execute the code.

**Solution:**

```
from scipy.fft import fftfreq
import soundfile as sf
from scipy import signal

#read .wav file
input_signal,fs= sf.read('
  filter_codes_Sound_Noise.wav')

#sampling frequency of Input signal
sampl_freq = fs

# order of the filter
order = 4

#cutoff frequency 4kHz
cutoff_freq = 4000

#digital frequency
Wn = 2*cutoff_freq/sampl_freq

#b and a are numerator and denominator
  polynomials respectively.
b,a = signal.butter(order,Wn,'low')

#filter the input signal with butterworth filter.
output_signal = signal.filtfilt(b,a,input_signal
  )
#output_signal = signal.lfilter(b,a,
  input_signal)

#write the output signal into .wav file.
sf.write('Sound_With_ReducedNoise.wav',
  output_signal, fs)
```

2.4 The output of the python script in Problem 2.3 is the audio file Sound\_With\_ReducedNoise.wav. Play the file in the spectrogram in Problem 2.2. What do you observe?

**Solution:** The key strokes as well as background noise is subdued in the audio. Also, the signal is blank for frequencies

above 5.1 kHz.

### 3 DIFFERENCE EQUATION

3.1 Let

$$x(n) = \left\{ \underset{\uparrow}{1}, 2, 3, 4, 2, 1 \right\} \quad (3.1)$$

Sketch  $x(n)$ .

**Solution:** The plot of  $x(n)$  is given in 3.2

3.2 Let

$$y(n) + \frac{1}{2}y(n-1) = x(n) + x(n-2),$$

$$y(n) = 0, n < 0 \quad (3.2)$$

Sketch  $y(n)$ .

**Solution:** The following code yields Fig. 3.2.

```
wget https://github.com/Charanyash/EE3900-
Digital_Signal_Processing/blob/main/
Assignment-1/Codes/xnyn.py
```




Fig. 3.2

### 4 Z-TRANSFORM

4.1 The Z-transform of  $x(n]$  is defined as

$$X(z) = \mathcal{Z}\{x(n)\} = \sum_{n=-\infty}^{\infty} x(n)z^{-n} \quad (4.1)$$

Show that

$$\mathcal{Z}\{x(n-1)\} = z^{-1}X(z) \quad (4.2)$$

and find

$$\mathcal{Z}\{x(n-k)\} \quad (4.3)$$

**Solution:** Given that,

$$X(z) = \mathcal{Z}\{x(n)\} \quad (4.4)$$

$$= \sum_{n=-\infty}^{\infty} x(n)z^{-n} \quad (4.5)$$

So,

$$\mathcal{Z}\{x(n-1)\} = \sum_{n=-\infty}^{\infty} x(n-1)z^{-n} \quad (4.6)$$

Take  $k = n - 1$ ,

$$= \sum_{k=-\infty}^{\infty} x(k)z^{-(k+1)} \quad (4.7)$$

$$= z^{-1} \sum_{k=-\infty}^{\infty} x(k)z^{-k} \quad (4.8)$$

$$= z^{-1} \sum_{n=-\infty}^{\infty} x(n)z^{-n} \quad (4.9)$$

$$= z^{-1}X(z) \quad (4.10)$$

resulting in (4.2) and similarly following the above steps you will get,

$$\mathcal{Z}\{x(n-k)\} = z^{-k}X(z) \quad (4.11)$$

Hence proved.

4.2 Find

$$H(z) = \frac{Y(z)}{X(z)} \quad (4.12)$$

from (3.2) assuming that the Z-transform is a linear operation.

**Solution:** Applying (4.11) in (3.2),

$$Y(z) + \frac{1}{2}z^{-1}Y(z) = X(z) + z^{-2}X(z) \quad (4.13)$$

$$\Rightarrow \frac{Y(z)}{X(z)} = \frac{1 + z^{-2}}{1 + \frac{1}{2}z^{-1}} \quad (4.14)$$

**Solution:** Now we will rewrite (3.2),

$$y(n) + \frac{1}{2}y(n-1) = x(n) + x(n-2) \quad (4.15)$$

Now since Z-transform is a linear operator we can write that,

$$Y(z) + \frac{1}{2}Y(z)z^{-1} = X(z) + X(z)z^{-2} \quad (4.16)$$

From (4.11),

$$Y(n) + \frac{z^{-1}}{2} Y(n) = X(n) + z^{-2} X(n) \quad (4.17)$$

$$\Rightarrow \frac{Y(n)}{X(n)} = \frac{1 + z^{-2}}{1 + \frac{z^{-1}}{2}} \quad (4.18)$$

4.3 Find the Z transform of

$$\delta(n) = \begin{cases} 1 & n = 0 \\ 0 & \text{otherwise} \end{cases} \quad (4.19)$$

and show that the Z-transform of

$$u(n) = \begin{cases} 1 & n \geq 0 \\ 0 & \text{otherwise} \end{cases} \quad (4.20)$$

is

$$U(z) = \frac{1}{1 - z^{-1}}, \quad |z| > 1 \quad (4.21)$$

**Solution:** The Z-transform of  $\delta n$  is,

$$\mathcal{Z}\{\delta n\} = \sum_{n=-\infty}^{\infty} \delta(n) z^{-n} \quad (4.22)$$

$$= \delta(0) z^0 + 0 \quad (\text{Using (4.19)}) \quad (4.23)$$

$$= 1 \quad (4.24)$$

and the Z-transform of unit-step function  $u(n)$  is,

$$U(n) = \sum_{n=-\infty}^{\infty} u(n) z^{-n} \quad (4.25)$$

$$= 0 + \sum_{n=0}^{\infty} 1 \cdot z^{-n} \quad (4.26)$$

$$= 1 + z^{-1} + z^{-2} + \dots \quad (4.27)$$

Above is a infinite geometric series with  $z^{-1}$  as common ratio, so we can write it as

$$U(n) = \frac{1}{1 - z^{-1}} \quad \because |z| > 1 \quad (4.28)$$

4.4 Show that

$$a^n u(n) \stackrel{\mathcal{Z}}{\Leftrightarrow} \frac{1}{1 - az^{-1}} \quad |z| > |a| \quad (4.29)$$

**Solution:** The Z- transform will be

$$\mathcal{Z}\{a^n u(n)\} = \sum_{n=0}^{\infty} a^n z^{-n} \quad (4.30)$$

$$= 1 + \frac{a}{z} + \left(\frac{a}{z}\right)^2 + \dots \quad (4.31)$$

Above is a infinite geometric series with first

term 1 and common ratio as  $\frac{a}{z}$  and it can be written as,

$$\mathcal{Z}\{a^n u(n)\} = \frac{1}{1 - \frac{a}{z}} \quad \because |a| < |z| \quad (4.32)$$

Therefore,

$$a^n u(n) \stackrel{\mathcal{Z}}{\Leftrightarrow} \frac{1}{1 - az^{-1}} \quad |z| > |a| \quad (4.33)$$

4.5 Let

$$H(e^{j\omega}) = H(z = e^{j\omega}). \quad (4.34)$$

Plot  $|H(e^{j\omega})|$ . Comment.  $H(e^{j\omega})$  is known as the *Discret Time Fourier Transform* (DTFT) of  $x(n)$ .

**Solution:** Download the code for the plot 4.5 from the link below

```
wget https://github.com/Charanyash/EE3900-Digital_Signal_Processing/blob/main/Assignment-1/Codes/dtft.py
```




Fig. 4.5:  $|H(e^{j\omega})|$

The graph is symmetric about origin and has a period of 6.25.

## 5 IMPULSE RESPONSE

5.1 Find an expression for  $h(n)$  using  $H(z)$ , given that

$$h(n) \stackrel{\mathcal{Z}}{\Leftrightarrow} H(z) \quad (5.1)$$

and there is a one to one relationship between  $h(n)$  and  $H(z)$ .  $h(n)$  is known as the *impulse*

response of the system defined by (3.2).

**Solution:** The  $H(z)$  can be written as,

$$H(z) = \frac{1}{1 + \frac{z^{-1}}{2}} + \frac{z^{-2}}{1 + \frac{z^{-1}}{2}} \quad (5.2)$$

From (4.29) we can write it as,

$$h(n) = \left(\frac{-1}{2}\right)^n u(n) + \left(\frac{-1}{2}\right)^{n-2} u(n-2) \quad (5.3)$$

5.2 Sketch  $h(n)$ . Is it bounded? Convergent?

**Solution:** Download the code for the plot 5.2 from the below link,

wget [https://github.com/Charanyash/EE3900-Digital\\_Signal\\_Processing/blob/main/Assignment-1/Codes/hn.py](https://github.com/Charanyash/EE3900-Digital_Signal_Processing/blob/main/Assignment-1/Codes/hn.py)




Fig. 5.2:  $h(n)$  as inverse of  $H(n)$

From the plot 5.2, we can say that  $h(n)$  is bounded and converges to 0 as  $n$  increases. And theoretically we can the same using (5.3),

$$h(n) = \begin{cases} 0 & , n \leq 0 \\ \left(\frac{-1}{2}\right)^n & , 0 < n < 2 \\ 5\left(\frac{1}{2}\right)^n & , n \geq 2 \end{cases} \quad (5.4)$$

As  $5\left(\frac{1}{2}\right)^n \rightarrow 0$  as  $n \rightarrow \infty$  we can say  $h(n)$  is bounded and Convergent.

5.3 The system with  $h(n)$  is defined to be stable if

$$\sum_{n=-\infty}^{\infty} h(n) < \infty \quad (5.5)$$

Is the system defined by (3.2) stable for the impulse response in (5.1)?

**Solution:** From (5.3),

$$\sum_{n=-\infty}^{\infty} h(n) = \sum_{n=-\infty}^{\infty} \left( \left(\frac{-1}{2}\right)^n u(n) + \left(\frac{-1}{2}\right)^{n-2} u(n-2) \right) \quad (5.6)$$

$$= 2 \left( \frac{1}{1 + \frac{1}{2}} \right) \quad (5.7)$$

$$= \frac{4}{3} \quad (5.8)$$

$\therefore$  the system is stable.

5.4 Compute and sketch  $h(n)$  using

$$h(n) + \frac{1}{2}h(n-1) = \delta(n) + \delta(n-2), \quad (5.9)$$

This is the definition of  $h(n)$ .

**Solution:** Download the code for the plot 5.4 from the below link,

wget [https://github.com/Charanyash/EE3900-Digital\\_Signal\\_Processing/blob/main/Assignment-1/Codes/hndef.py](https://github.com/Charanyash/EE3900-Digital_Signal_Processing/blob/main/Assignment-1/Codes/hndef.py)

Note that this is same as 5.2.




Fig. 5.4: From the definition of  $h(n)$

5.5 Compute

$$y(n) = x(n) * h(n) = \sum_{k=-\infty}^{\infty} x(k)h(n-k) \quad (5.10)$$

Comment. The operation in (5.10) is known as *convolution*.

**Solution:** Download the code for plot 5.5 from the below link

wget [https://github.com/Charanyash/EE3900-Digital\\_Signal\\_Processing/blob/main/Assignment-1/Codes/ynconv.py](https://github.com/Charanyash/EE3900-Digital_Signal_Processing/blob/main/Assignment-1/Codes/ynconv.py)

Note that the plot is same that as in 3.2.




Fig. 5.5:  $y(n)$  using the convolution definition

5.6 Show that

$$y(n) = \sum_{k=-\infty}^{\infty} x(n-k)h(k) \quad (5.11)$$

**Solution:** Substitute  $k := n - k$  in (5.10), we will get

$$y(n) = \sum_{k=-\infty}^{\infty} x(k)h(n-k) \quad (5.12)$$

$$= \sum_{n-k=-\infty}^{\infty} x(n-k)h(k) \quad (5.13)$$

$$= \sum_{k=-\infty}^{\infty} x(n-k)h(k) \quad (5.14)$$