PH : GATE 2023

ai24btech11014
Charitha Sri

I. 27-39

1) The Ξ^{0^*} particle is a member of the Baryon decuplet with isospin state $|I, I_3\rangle = |\frac{1}{2}, \frac{1}{2}\rangle$ and strangeness quantum number -2. In the quark model, which one of the following is the flavour part of the Ξ^{0^*} wavefunction?

   a) $\frac{1}{\sqrt{2}}(uss - ssu)$ b) $\frac{1}{\sqrt{3}}(uss + sus + ssu)$ c) $\frac{1}{\sqrt{2}}(uss + ssu)$ d) $\frac{1}{\sqrt{3}}(uss - sus + ssu)$

2) Which of the following is(are) the CORRECT option(s) for the Joule-Thomson effect?

   a) It is an isentropic process
   b) It is an isenthalpic process
   c) It can result in cooling as well as heating
   d) For an ideal gas, it always results in cooling

3) The deuteron is a bound state of a neutron and a proton. Which of the following statements is (are) CORRECT?
   a) The deuteron has a finite value of electric quadrupole moment due to non-spherical electronic charge distribution
   b) The magnetic moment of the deuteron is equal to the sum of the magnetic moments of the neutron and the proton
   c) The deuteron state is an admixture of $^3S_1$ and $^3D_1$ states
   d) The deuteron state is an admixture of $^3S_1$ and $^3P_1$ states

4) The Geiger-Muller counter is a device to detect α, β, and γ radiations. It is a cylindrical tube filled with monatomic gases like argon and polyatomic gases such as ethyl alcohol. The inner electrode is along the axis of the cylindrical tube, and the outer electrode is the tube. Which of the following statements is(are) CORRECT?
   a) Argon is used so that ambient light coming from the surroundings does not produce any signal in the detector
   b) Ethyl alcohol is used as a quenching gas
   c) The electric field strength decreases from the axis to the edge of the tube and the direction of the field is radially outward
   d) The electric field increases from the axis to the edge of the tube and the field direction is radially inward

5) Consider an isolated magnetized sphere of radius R with a uniform magnetization $\mathbf{M}$ along the positive z direction, with the north and south poles of the sphere lying on the z axis. It is given that the magnetic field inside the sphere is $\mathbf{B} = \frac{2\mu_0}{3}\mathbf{M}$ where μ_0 is thepermeability of vacuum. Which of the following statements is(are) CORRECT?
   a) The bound volume current density is zero
   b) The bound surface current density has maximum magnitude at the equator, where this magnitude equals $|\vec{M}|$
   c) The auxiliary field $\mathbf{H} = -\frac{2}{3}\mathbf{M}$
   d) Far from the sphere, the magnetic field is due to a dipole of moment m , where $\frac{\mathbf{m}}{4\pi R^3} = \frac{B}{2\mu_0}\hat{z}$

6) Which of the following options represent(s) linearly independent pair(s) of functions of a real variable x?

   a) e^{ix} and e^{-ix}
   b) x and e^x
   c) 2^x and 2^{-3+x}
   d) e^{ix} and $\sin x$

7) In the vector model of angular momentum applied to atoms, what is the minimum angle in degrees (in integer) made by the orbital angular momentum vector and the positive z axis for a $2p$ electron?

8) For a transistor amplifier, the frequency response is such that the mid-band voltage gain is 200. The cutoff frequencies are $20Hz$ and $20kHz$. What is the ratio (rounded off to two decimal places) of the voltage gain at $10Hz$ to that at $100kHz$?

9) An electric field as a function of radial coordinate r has the form $\overrightarrow{E} = \alpha \frac{e^{-r^2}}{r}\hat{r}$, where α is a constant. Assume that dimensions are appropriately taken care of. The electric flux through a sphere of radius $\sqrt{2}$, centered at the origin, is Φ. What is the value of $\frac{\Phi}{2\pi\alpha}$ (rounded off to two decimal places)?

10) It is given that the electronic ground state of a diatomic molecule X_2 has even parity and the nuclear spin of X is 0. Which one of the following is the CORRECT statement with regard to the rotational quantum number J of this molecule?

   a) Lines of all J values are present
   b) Lines have alternating intensity in the ratio of $3 : 1$
   c) Lines of only even J values are present
   d) Lines of only odd J values are present

11) An input voltage in the form of a square wave of frequency $1kHz$ is given to a circuit, which results in the output shown schematically below. Which one of the following options is the CORRECT representation of the circuit?

$$C = 0.1 \ \mu F$$

V_{in}

V_{out}

a)

$$R = 0.5k\Omega$$

$$C = 0.1 \ \mu F$$

V_{in} V_{out}

$$R = 5k\Omega$$

b)

$$R = 0.5k\Omega$$

V_{in} V_{out}

$$C = 0.1 \ \mu F$$

c)

$$R = 5k\Omega$$

V_{in} V_{out}

$$C = 1 \ \mu F$$

d)

12) A simple harmonic oscillator with an angular frequency ω is in thermal equilibrium with a reservoir at absolute temperature T, with $\omega = \frac{2k_B T}{\hbar}$. Which one of the following is the partition function Z of the system?

a) $\frac{e}{e^2 - 1}$

b) $\frac{e}{e^2 + 1}$

c) $\frac{e}{e - 1}$

d) $\frac{e}{e + 1}$

13) Which one of the following options is the most appropriate match between the items given in Column 1 and Column 2?

Column 1	Column 2
(i) Visible light	P. Transition between core energy levels of atoms
(ii) X-rays	Q. Transition between nuclear energy levels
(iii) Gamma rays	R. Pair production
(iv) Thermal neutrons	S. Crystal structure determination
	T. Photoelectric effect

a) (i) T; (ii) P,S,T; (iii) Q,R; (iv) S

b) (i) P, T; (ii) S; (iii) R, S; (iv) S, T

c) (i) T; (ii) R, S; (iii) Q, R; (iv) S

d) (i) S, T; (ii) P, S; (iii) R, T; (iv) S