Charitha Sri Borra
1002203550

Date: / /

Correctness of selection Sort Algorithm

let us find the smallest element in the unsorted part of array and swap it with the first element in the part of array.

```
for i=0 to n-1 {

    minimum = i
    for j= i+1 to n {
        if (arr [j] < arr [min] {
            minimum = j
        }
    }
    if (i= 1) {
        swap (ithelement, minimum element))
    }
}
```

Correctness :-

The correctness of the selection sort algorithm can be proven by using a loop invariant and demonstrating that it holds true during the collition of algorithm.

Initialization:-

Invariant

At the start of each iteration of the outlet of loop, the subarray before the current index "i" is sorted, and all element in this subarray are smaller than or in equal to any

Date: / /

element in the unsolved portion of array

```
for i=0 to n-1 {
        minimum = i
}
```

Maintenance - Before the execution of inner loop, all the elements of before i are sorted. The inner loop identifies the minimum elements in the array and swaps the values accordingly

```
for (j=i+1 to n) {
        if (arr[j] (arr[minimum]] {
        minimum = j
    }
}
```

Swap [arr[i], arr[minimum]]

The algorithm sorts the element at index p which belongs at the index minimum.

The outer loop runs from 0 to n-1, iterating through array.

Termination:-

Once the outer loop completes the algorithm terminates, the entire array is sorted, and here are no infinite loops of conditions that would present the completion.