

Practical No 2: Jenkins Pipeline for File and Folder Operations with Multi-Stage Execution

localhost:9090/view/all/newJob

Jenkins

/ All / New Item

New Item

Enter an item name

file-folder-pipeline

Select an item type

Pipeline

Build, test, and deploy using pipelines. Supports stages, parallel work, and running on multiple agents.

Freestyle project

Classic, general-purpose job type that checks out from up to one SCM, executes build steps serially, followed by post-build steps like archiving artifacts and sending email notifications.

Multi-configuration project

Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.

Folder

Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter, a folder creates a separate namespace, so you can have multiple things of the same name as long as they are in different folders.

Multibranch Pipeline

OK

Jenkins

/ file-folder-pipeline / Configure

Configure

General

Triggers

Pipeline

Advanced

Pipeline

Define your Pipeline using Groovy directly or pull it from source control.

Definition

Pipeline script

Script

```
1 pipeline {
2   agent any
3
4   stages {
5     stage('Project 1: Create Folder') {
6       steps {
7         echo "Creating folder Folder1Jenkins"
8         sh 'mkdir -p Folder1Jenkins'
9       }
10    }
11
12    stage('Project 2: Create File') {
13      steps {
14        echo "Creating file myFile.txt"
15        sh 'touch Folder1Jenkins/myFile.txt'
```

☒ Use Groovy Sandbox

Save Apply

```
pipeline {  
    agent any  
  
    stages {  
        stage('Project 1: Create Folder') {  
            steps {  
                echo "Creating folder Folder1Jenkins"  
                sh 'mkdir -p Folder1Jenkins'  
            }  
        }  
  
        stage('Project 2: Create File') {  
            steps {  
                echo "Creating file myFile.txt"  
                sh 'touch Folder1Jenkins/myFile.txt'  
            }  
        }  
  
        stage('Project 3: Write Contents to File') {  
            steps {  
                echo "Writing content to file"  
                sh 'echo "Hello, this is the content added by Project 3" > Folder1Jenkins/myFile.txt'  
            }  
        }  
    }  
}
```

```
post {  
  always {  
    echo "Displaying file contents:"  
    sh 'cat Folder1Jenkins/myFile.txt'  
  }  
}  
}
```

Builds >

...

Today



#1 7:14 AM





Jenkins / file-folder-pipeline / #1

Status

Changes

Console Output

Edit Build Information

Delete build '#1'

Timings

Pipeline Overview

Restart from Stage

Replay

Pipeline Steps

Workspaces

✓ #1 (Apr 21, 2026, 7:14:20 AM)



Started by user [Charleen Anotida Nyere](#)



This run spent:

- 0.37 sec waiting;
- 44 sec build duration;
- 45 sec total from scheduled to completion.



No changes.

Jenkins / file-folder-pipeline / #1

Status

Changes

Console Output

Edit Build Information

Delete build '#1'

Timings

Pipeline Overview

Restart from Stage

Replay

Pipeline Steps

Workspaces

Console

Download

Copy

View as plain text

```
Started by user Charleen Anotida Nyere
[Pipeline] Start of Pipeline
[Pipeline] node
Running on Jenkins in /var/jenkins_home/workspace/file-folder-pipeline
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Project 1: Create Folder)
[Pipeline] echo
Creating folder Folder1Jenkins
[Pipeline] sh
+ mkdir -p Folder1Jenkins
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Project 2: Create File)
[Pipeline] echo
Creating file myFile.txt
[Pipeline] sh
+ touch Folder1Jenkins/myFile.txt
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Project 3: Write Contents to File)
[Pipeline] echo
Writing content to file
[Pipeline] sh
```