

Name: Anotida Charleen Nyere

Roll:7

Terminal

```
PS C:\Users\charl> mkdir compose3
```

Directory: C:\Users\charl

Mode	LastWriteTime	Length	Name
d----	3/5/2026 12:44 PM		compose3

Terminal

```
PS C:\Users\charl> cd compose3
PS C:\Users\charl\compose3> notepad docker-compose.yml
PS C:\Users\charl\compose3> mkdir html
```

Directory: C:\Users\charl\compose3

Mode	LastWriteTime	Length	Name
d----	3/5/2026 12:45 PM		html

app.py php.file dockerfile.txt index.html docker-compose.yml index.html

File Edit View

```
version: '3'

services:
  web:
    image: httpd:latest
    container_name: apache_container
    ports:
      - "8089:80"
    volumes:
      - ./html:/usr/local/apache2/htdocs/
```

app.pyphp.filedockerfile.txtindex.htmlXdocker-compose.ymlindex.html


FileEditView

<h1>Hello from Docker Compose Apache Server</h1>

Terminal

d-----3/5/202612:45 PMhtml

PS C:\Users\charl\compose3> cd html
PS C:\Users\charl\compose3\html> notepad index.html
PS C:\Users\charl\compose3\html> cd ..
PS C:\Users\charl\compose3> docker compose up -d
time="2026-03-05T12:46:05:30" level=warning msg="C:\\Users\\charl\\compose3\\docker-compose.yml: the attribute `version` is obsolete, it will be ignored, please remove it to avoid potential confusion"
[+] Running 2/2
✔ Network compose3_default Created0.1s



Steps completed

1.Create a project folder: mkdir compose3

- 2 Go to the folder: `cd compose3`
- 3 Create a folder for web files: `mkdir html`
- 4 Create an HTML file: `notepad html/index.html`
- 5 Write a simple message in the file and save it.
- 6 Create a Docker Compose file: `notepad docker-compose.yml`
- 7 Write the service configuration for the Apache container in the YAML file.
- 8 Save the `docker-compose.yml` file.
- 9 Run the container using: `docker compose up -d`
- 10 Check running containers using: `docker ps`
- 11 Open a browser and go to `http://localhost:8089`.