

```

C:\Users\charl\myapp\myapp>cd C:\Users\charl

C:\Users\charl>mvn archetype:generate -DgroupId=com.example -DartifactId=docker-demo -DarchetypeArtifactId=maven-archetype-quickstart -DinteractiveMode=false
[INFO] Scanning for projects...
[INFO] -----< org.apache.maven:standalone-pom >-----
[INFO] Building Maven Stub Project (No POM) 1
[INFO] -----[ pom ]-----
[INFO] >>> archetype:3.4.1:generate (default-cli) > generate-sources @ standalone-pom >>>
[INFO] <<< archetype:3.4.1:generate (default-cli) < generate-sources @ standalone-pom <<<
[INFO] --- archetype:3.4.1:generate (default-cli) @ standalone-pom ---
[INFO] Generating project in Batch mode
[INFO] -----
[INFO] Using following parameters for creating project from Old (1.x) Archetype: maven-archetype-quickstart:1.0
[INFO] -----
[INFO] Parameter: basedir, Value: C:\Users\charl
[INFO] Parameter: package, Value: com.example
[INFO] Parameter: groupId, Value: com.example
[INFO] Parameter: artifactId, Value: docker-demo
[INFO] Parameter: packageName, Value: com.example
[INFO] Parameter: version, Value: 1.0-SNAPSHOT
[INFO] project created from Old (1.x) Archetype in dir: C:\Users\charl\docker-demo
[INFO] -----
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 3.683 s
[INFO] Finished at: 2026-03-26T12:36:26+05:30
[INFO] -----

```

```
03 Dir(s) 94,140,199,802 bytes free


C:\Users\charl>cd docker-demo

C:\Users\charl\docker-demo>dir
Volume in drive C is OS
Volume Serial Number is 5088-97B8

Directory of C:\Users\charl\docker-demo

03/26/2026  12:36 PM    <DIR>          .
03/26/2026  12:36 PM    <DIR>          ..
03/26/2026  12:36 PM             664 pom.xml
03/26/2026  12:36 PM    <DIR>          src
                1 File(s)             664 bytes
                3 Dir(s)  94,136,012,800 bytes free
```

```
C:\Users\charl\docker-demo>notepad src\main\java\com\example\App.java
```



```
File Edit View

package com.example;

/**
 * Hello World!
 */
public class App
{
    public static void main( String[] args )
    {
        System.out.println( "Learning the Intergration
of Docker and Maven" );
    }
}
```

```

C:\Users\charl\docker-demo>mvn clean package
[INFO] Scanning for projects...
[INFO]
[INFO] -----< com.example:docker-demo >-----
[INFO] Building docker-demo 1.0-SNAPSHOT
[INFO] from pom.xml
[INFO] -----[ jar ]-----
[INFO]
[INFO] --- clean:3.2.0:clean (default-clean) @ docker-demo ---
[INFO] Deleting C:\Users\charl\docker-demo\target
[INFO]
[INFO] --- resources:3.4.0:resources (default-resources) @ docker-demo ---
[WARNING] Using platform encoding (Cp1252 actually) to copy filtered resources, i.e. build is platform dependent!
[INFO] skip non existing resourceDirectory C:\Users\charl\docker-demo\src\main\resources
[INFO]
[INFO] --- compiler:3.15.0:compile (default-compile) @ docker-demo ---
[INFO] Recompiling the module because of changed source code.
[WARNING] File encoding has not been set, using platform encoding windows-1252, i.e. build is platform dependent!
[INFO] Compiling 1 source file with javac [debug target 1.8] to target\classes
[WARNING] bootstrap class path not set in conjunction with -source 8
[INFO]
[INFO] --- resources:3.4.0:testResources (default-testResources) @ docker-demo ---
[WARNING] Using platform encoding (Cp1252 actually) to copy filtered resources, i.e. build is platform dependent!
[INFO] skip non existing resourceDirectory C:\Users\charl\docker-demo\src\test\resources
[INFO]
[INFO] --- compiler:3.15.0:testCompile (default-testCompile) @ docker-demo ---
[INFO] Recompiling the module because of changed dependency.
[WARNING] File encoding has not been set, using platform encoding windows-1252, i.e. build is platform dependent!
[INFO] Compiling 1 source file with javac [debug target 1.8] to target\test-classes
[WARNING] bootstrap class path not set in conjunction with -source 8
[INFO]
[INFO] --- surefire:3.5.4:test (default-test) @ docker-demo ---
[INFO] Using auto detected provider org.apache.maven.surefire.junit.JUnit3Provider
[INFO]
[INFO] -----
[INFO] T E S T S
[INFO] -----
[INFO] Running com.example.AppTest
[INFO] Tests run: 1, Failures: 0, Errors: 0, Time elapsed: 0.040 s -- in com.example.AppTest
[INFO]
[INFO] Results:
[INFO]
[INFO] Tests run: 1, Failures: 0, Errors: 0, Skipped: 0
[INFO]
[INFO]
[INFO] --- jar:3.5.0:jar (default-jar) @ docker-demo ---
[INFO] Building jar: C:\Users\charl\docker-demo\target\docker-demo-1.0-SNAPSHOT.jar
[INFO]
[INFO] BUILD SUCCESS

```

```

C:\Users\charl\docker-demo>mvn clean package
[INFO] Scanning for projects...
[INFO]
[INFO] -----< com.example:docker-demo >-----
[INFO] Building docker-demo 1.0-SNAPSHOT
[INFO] from pom.xml
[INFO] -----[ jar ]-----
[INFO]
[INFO] --- clean:3.2.0:clean (default-clean) @ docker-demo ---
[INFO] Deleting C:\Users\charl\docker-demo\target
[INFO]
[INFO] --- resources:3.4.0:resources (default-resources) @ docker-demo ---
[WARNING] Using platform encoding (Cp1252 actually) to copy filtered resources, i.e. build is platform dependent!
[INFO] skip non existing resourceDirectory C:\Users\charl\docker-demo\src\main\resources
[INFO]
[INFO] --- compiler:3.15.0:compile (default-compile) @ docker-demo ---
[INFO] Recompiling the module because of changed source code.
[WARNING] File encoding has not been set, using platform encoding windows-1252, i.e. build is platform dependent!
[INFO] Compiling 1 source file with javac [debug target 1.8] to target\classes
[WARNING] bootstrap class path not set in conjunction with -source 8
[INFO]
[INFO] --- resources:3.4.0:testResources (default-testResources) @ docker-demo ---
[WARNING] Using platform encoding (Cp1252 actually) to copy filtered resources, i.e. build is platform dependent!
[INFO] skip non existing resourceDirectory C:\Users\charl\docker-demo\src\test\resources
[INFO]
[INFO] --- compiler:3.15.0:testCompile (default-testCompile) @ docker-demo ---
[INFO] Recompiling the module because of changed dependency.
[WARNING] File encoding has not been set, using platform encoding windows-1252, i.e. build is platform dependent!
[INFO] Compiling 1 source file with javac [debug target 1.8] to target\test-classes
[WARNING] bootstrap class path not set in conjunction with -source 8
[INFO]
[INFO] --- surefire:3.5.4:test (default-test) @ docker-demo ---
[INFO] Using auto detected provider org.apache.maven.surefire.junit.JUnit3Provider
[INFO]
[INFO] -----
[INFO] T E S T S
[INFO] -----
[INFO] Running com.example.AppTest
[INFO] Tests run: 1, Failures: 0, Errors: 0, Time elapsed: 0.040 s -- in com.example.AppTest
[INFO]
[INFO] Results:
[INFO]
[INFO] Tests run: 1, Failures: 0, Errors: 0, Skipped: 0
[INFO]
[INFO]
[INFO] --- jar:3.5.0:jar (default-jar) @ docker-demo ---
[INFO] Building jar: C:\Users\charl\docker-demo\target\docker-demo-1.0-SNAPSHOT.jar
[INFO]
[INFO] BUILD SUCCESS

```

```

C:\Users\charl\docker-demo>notepad dockerfile

```

```

FROM eclipse-temurin:17-jdk
WORKDIR /app
COPY target/docker-maven-demo-1.0-SNAPSHOT.jar app.jar
ENTRYPOINT ["java", "-jar", "app.jar"]

```

```
C:\Users\charl\docker-demo>notepad pom.xml
```

```
<project xmlns="http://maven.apache.org/POM/4.0.0"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://maven.apache.org/POM/4.0.0
    http://maven.apache.org/xsd/maven-4.0.0.xsd">

  <modelVersion>4.0.0</modelVersion>

  <groupId>com.example</groupId>
  <artifactId>docker-demo</artifactId>
  <version>1.0-SNAPSHOT</version>
  <packaging>jar</packaging>

  <name>docker-demo</name>
  <url>http://maven.apache.org</url>

  <!-- Java version -->
  <properties>
    <project.build.sourceEncoding>UTF-8</project.build.sourceEncoding>
    <maven.compiler.source>17</maven.compiler.source>
    <maven.compiler.target>17</maven.compiler.target>
  </properties>

  <!-- Dependencies -->
  <dependencies>
    <dependency>
      <groupId>junit</groupId>
      <artifactId>junit</artifactId>
      <version>4.13.2</version>
      <scope>test</scope>
    </dependency>
  </dependencies>

  <!-- Build plugins -->
  <build>
    <plugins>

      <!-- Make JAR executable -->
      <plugin>
        <groupId>org.apache.maven.plugins</groupId>
        <artifactId>maven-jar-plugin</artifactId>
        <version>3.3.0</version>
        <configuration>
          <archive>
            <manifest>
              <mainClass>com.example.App</mainClass>
            </manifest>
          </archive>
        </configuration>
      </plugin>

      <!-- Docker plugin -->
      <plugin>
        <groupId>com.spotify</groupId>
        <artifactId>dockerfile-maven-plugin</artifactId>
        <version>1.4.13</version>
        <configuration>
          <repository>docker-demo</repository>
          <tag>1.0-SNAPSHOT</tag>
        </configuration>
      </plugin>

    </plugins>
  </build>
</project>
```

```
C:\Users\charl\docker-demo>dir
Volume in drive C is OS
Volume Serial Number is 5088-97B8
```

Directory of C:\Users\charl\docker-demo

```
03/26/2026  01:26 PM    <DIR>          .
03/26/2026  12:36 PM    <DIR>          ..
03/26/2026  12:42 PM                165 dockerfile.txt
03/26/2026  01:25 PM            1,792 pom.xml
03/26/2026  12:36 PM    <DIR>          src
03/26/2026  01:26 PM    <DIR>          target
                2 File(s)            1,957 bytes
                4 Dir(s)  96,270,819,328 bytes free
```

```
C:\Users\charl\docker-demo>ren dockerfile.txt dockerfile
```

```
C:\Users\charl\docker-demo>mvn dockerfile:build
[INFO] Scanning for projects...
Downloading from central: https://repo.maven.apache.org/maven2/com/spotify/maven-metadata.xml
Downloaded from central: https://repo.maven.apache.org/maven2/com/spotify/maven-metadata.xml (511 B at 550 B/s)
Downloading from central: https://repo.maven.apache.org/maven2/com/spotify/dockerfile-maven-plugin/1.4.13/dockerfile-maven-plugin-1.4.13.pom
Downloaded from central: https://repo.maven.apache.org/maven2/com/spotify/dockerfile-maven-plugin/1.4.13/dockerfile-maven-plugin-1.4.13.pom (5.6 kB at 28 kB/s)
Downloading from central: https://repo.maven.apache.org/maven2/com/spotify/dockerfile-maven/1.4.13/dockerfile-maven-1.4.13.pom
Downloaded from central: https://repo.maven.apache.org/maven2/com/spotify/dockerfile-maven/1.4.13/dockerfile-maven-1.4.13.pom (2.4 kB at 9.2 kB/s)
Downloading from central: https://repo.maven.apache.org/maven2/com/spotify/foss-root/6/foss-root-6.pom
Downloaded from central: https://repo.maven.apache.org/maven2/com/spotify/foss-root/6/foss-root-6.pom (8.3 kB at 47 kB/s)
Downloading from central: https://repo.maven.apache.org/maven2/com/spotify/dockerfile-maven-plugin/1.4.13/dockerfile-maven-plugin-1.4.13.jar
Downloaded from central: https://repo.maven.apache.org/maven2/com/spotify/dockerfile-maven-plugin/1.4.13/dockerfile-maven-plugin-1.4.13.jar (39 kB at 228 kB/s)
[INFO]
[INFO] -----< com.example:docker-demo >-----
[INFO] Building docker-demo 1.0-SNAPSHOT
[INFO] from pom.xml
[INFO] -----[ jar ]-----
[INFO]
[INFO] --- dockerfile:1.4.13:build (default-cli) @ docker-demo ---
Downloading from central: https://repo.maven.apache.org/maven2/com/spotify/docker-client/8.16.0/docker-client-8.16.0.pom
Downloaded from central: https://repo.maven.apache.org/maven2/com/spotify/docker-client/8.16.0/docker-client-8.16.0.pom (16 kB at 71 kB/s)
Downloading from central: https://repo.maven.apache.org/maven2/com/spotify/foss-root/5/foss-root-5.pom
Downloaded from central: https://repo.maven.apache.org/maven2/com/spotify/foss-root/5/foss-root-5.pom (8.3 kB at 46 kB/s)
Downloading from central: https://repo.maven.apache.org/maven2/org/slf4j/slf4j-api/1.7.22/slf4j-api-1.7.22.pom
Downloaded from central: https://repo.maven.apache.org/maven2/org/slf4j/slf4j-api/1.7.22/slf4j-api-1.7.22.pom (2.8 kB at 14 kB/s)
Downloading from central: https://repo.maven.apache.org/maven2/org/slf4j/slf4j-parent/1.7.22/slf4j-parent-1.7.22.pom
Downloaded from central: https://repo.maven.apache.org/maven2/org/slf4j/slf4j-parent/1.7.22/slf4j-parent-1.7.22.pom (14 kB at 51 kB/s)
Downloading from central: https://repo.maven.apache.org/maven2/com/google/guava/guava/20.0/guava-20.0.pom
Downloaded from central: https://repo.maven.apache.org/maven2/com/google/guava/guava/20.0/guava-20.0.pom (6.8 kB at 26 kB/s)
Downloading from central: https://repo.maven.apache.org/maven2/com/google/guava/guava-parent/20.0/guava-parent-20.0.pom
Downloaded from central: https://repo.maven.apache.org/maven2/com/google/guava/guava-parent/20.0/guava-parent-20.0.pom (9.9 kB at 37 kB/s)
Downloading from central: https://repo.maven.apache.org/maven2/com/fasterxml/jackson/jaxrs/jackson-jaxrs-json-provider/2.9.8/jackson-jaxrs-json-provider-2.9.8.pom
Downloaded from central: https://repo.maven.apache.org/maven2/com/fasterxml/jackson/jaxrs/jackson-jaxrs-json-provider/2.9.8/jackson-jaxrs-json-provider-2.9.8.pom (3.9 kB at 15 kB/s)
Downloading from central: https://repo.maven.apache.org/maven2/com/fasterxml/jackson/jaxrs/jackson-jaxrs-providers/2.9.8/jackson-jaxrs-providers-2.9.8.pom
Downloaded from central: https://repo.maven.apache.org/maven2/com/fasterxml/jackson/jaxrs/jackson-jaxrs-providers/2.9.8/jackson-jaxrs-providers-2.9.8.pom (4.1 kB at 15 kB/s)
Downloading from central: https://repo.maven.apache.org/maven2/com/fasterxml/jackson/jackson-base/2.9.8/jackson-base-2.9.8.pom
```