



CANDIDATE
NAME

--

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

0620/41

May/June 2023

1 hour 15 minutes




No additional materials are needed.

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

This document has **16** pages. Any blank pages are indicated.

1 Some symbol equations and word equations, **A** to **J**, are shown.



Use the equations to answer the questions that follow.

Each equation may be used once, more than once, or not at all.

Give the letter, **A** to **J**, for the equation that represents:

(a) a neutralisation reaction [1]

(b) a precipitation reaction [1]

(c) the formation of an ester [1]

(d) photosynthesis [1]

(e) fermentation [1]

(f) cracking. [1]

[Total: 6]

- 2 (a) The symbols of the elements in Period 2 of the Periodic Table are shown.

Li Be B C N O F Ne

Use the symbols of the elements in Period 2 to answer the questions that follow.
Each symbol may be used once, more than once or not at all.

Give the symbol of the element that:

- (i) makes up approximately 78% of clean, dry air [1]
- (ii) contains atoms with only three electrons in the outer shell [1]
- (iii) contains atoms with only nine protons [1]
- (iv) exists as graphite [1]
- (v) is an alkali metal [1]
- (vi) **only** has an oxidation number of zero. [1]

- (b) Boron, B, has two isotopes.

- (i) State the meaning of the term isotopes.

.....
..... [2]

- (ii) Table 2.1 shows the relative masses and the percentage abundances of the two isotopes of boron.

Table 2.1

relative mass of isotope	percentage abundance of isotope
10	20
11	80

Calculate the relative atomic mass of boron to **one** decimal place.

relative atomic mass = [2]

[Total: 10]

3 This question is about ionic and covalent compounds.

- (a) (i) Sodium reacts with oxygen to form the ionic compound sodium oxide.
The electronic configurations of an atom of sodium and an atom of oxygen are shown in Fig. 3.1.




Fig. 3.1

Ions are formed by the transfer of electrons from sodium atoms to oxygen atoms.

Complete the dot-and-cross diagrams in Fig. 3.2 to show the electronic configuration of **one** sodium ion and **one** oxide ion. Show the charges on the ions.




Fig. 3.2

[3]

- (ii) Write the formula of sodium oxide.

..... [1]

- (b) Carbon dioxide, CO_2 , is a covalent compound.

Complete the dot-and-cross diagram in Fig. 3.3 to show the electronic configuration in a molecule of carbon dioxide. Show outer shell electrons only.




Fig. 3.3

[2]

- (c) The melting points of sodium oxide and carbon dioxide are shown in Table 3.1.

Table 3.1

	melting point/°C
sodium oxide	1275
carbon dioxide	–78

- (i) Explain, in terms of bonding, why sodium oxide has a high melting point.

.....
.....
.....
..... [2]

- (ii) Carbon dioxide has a low melting point.

State the general term for the weak forces that cause carbon dioxide to have a low melting point.

..... [1]

[Total: 9]

- 4 Oxygen is produced by the decomposition of aqueous hydrogen peroxide. Manganese(IV) oxide, MnO_2 , is a catalyst for this reaction.

(a) State the meaning of the term catalyst.

.....
..... [2]

- (b) A student adds powdered manganese(IV) oxide to aqueous hydrogen peroxide in a conical flask as shown in Fig. 4.1. The mass of the conical flask and its contents is measured at regular time intervals. The mass decreases as time increases.




Fig. 4.1

- (i) State why the mass of the conical flask and its contents decreases as time increases.

..... [1]

- (ii) The rate of reaction is highest at the start of the reaction. The rate decreases and eventually becomes zero.

Explain why the rate of reaction is highest at the start of the reaction.

.....
..... [1]

- (iii) Explain why the rate of reaction eventually becomes zero.

.....
..... [1]

- (c) The experiment is repeated at an increased temperature.
All other conditions stay the same.

Explain in terms of collision theory why the rate of reaction is higher at an increased temperature.


.....

.....

.....

..... [3]

- (d) The equation for the decomposition of aqueous hydrogen peroxide, $\text{H}_2\text{O}_2(\text{aq})$, is shown.



50.0 cm³ of a 0.200 mol/dm³ solution of $\text{H}_2\text{O}_2(\text{aq})$ is used.

Calculate the mass of O_2 that forms.
Use the following steps.

- Calculate the number of moles of H_2O_2 used.

..... mol

- Determine the number of moles of O_2 produced.

..... mol

- Calculate the mass of O_2 produced.

..... g
[3]

- (e) State the effect on the mass of oxygen produced if the mass of powdered manganese(IV) oxide catalyst is increased.

..... [1]

- (f) Oxygen can also be produced by the decomposition of mercury(II) oxide, HgO .
The only products of this decomposition are mercury and oxygen.

Write a symbol equation for this decomposition.

..... [2]

[Total: 14]

5 This question is about electricity and chemical reactions.

- (a) The electrolysis of concentrated aqueous potassium bromide using graphite electrodes forms:
- hydrogen at the cathode
 - bromine at the anode.

The electrolyte becomes aqueous potassium hydroxide.

- (i) State what is meant by the term electrolysis.

.....
 [2]

- (ii) State why graphite is suitable for use as an electrode.

..... [1]

- (iii) Write an ionic half-equation for the formation of hydrogen at the cathode.

..... [2]

- (iv) Name the type of particle responsible for the transfer of charge in the conducting wires.

..... [1]

- (v) Name the type of particle responsible for the transfer of charge in aqueous potassium bromide.

..... [1]

- (vi) State the names of the products formed when electricity is passed through **dilute** aqueous potassium bromide using graphite electrodes.

at the anode

at the cathode

[2]

- (b) Bauxite is an ore containing aluminium.

Aluminium is extracted by electrolysis of purified bauxite in molten cryolite using carbon electrodes.

- (i) Name the aluminium compound in purified bauxite.

..... [1]

- (ii) State **two** reasons why cryolite is used in this electrolysis.

1

2

[2]

- (iii) The anode is made from carbon.

Explain why the carbon anode has to be replaced regularly.

.....
..... [1]

- (c) Hydrogen–oxygen fuel cells can be used to produce electricity in vehicles.

- (i) Write the symbol equation for the overall reaction in a hydrogen–oxygen fuel cell.

..... [2]

- (ii) State **one** advantage of using hydrogen–oxygen fuel cells instead of petrol in vehicle engines.

..... [1]

[Total: 16]

- 6 This question is about sulfur and compounds of sulfur.

Sulfur is converted into sulfuric acid, H_2SO_4 , by the Contact process.

The process involves four stages.

stage 1 Molten sulfur is converted into sulfur dioxide.

stage 2 Sulfur dioxide reacts with oxygen to form sulfur trioxide.

stage 3 Sulfur trioxide combines with concentrated sulfuric acid to form oleum, $\text{H}_2\text{S}_2\text{O}_7$.

stage 4 Oleum reacts to form concentrated sulfuric acid.

- (a) (i) In **stage 1**, iron pyrites, FeS_2 , can be used instead of molten sulfur.
The iron pyrites is heated strongly in air.


Balance the equation for the reaction occurring when iron pyrites reacts with oxygen in the air.



- (ii) Name Fe_2O_3 . Include the oxidation number of iron.

..... [1]

- (b) The equation for **stage 2** is shown.



The forward reaction is exothermic.

The reaction is carried out at a temperature of 450°C and a pressure of 2 atm.

Using explanations that do **not** involve cost:

- (i) explain why a temperature greater than 450°C is **not** used

.....
..... [1]

- (ii) explain why a pressure lower than 2 atm is **not** used.

.....
..... [1]

- (c) When sulfuric acid reacts with ammonia the salt produced is ammonium sulfate.

Write the symbol equation for this reaction.

..... [2]

(d) Lead(II) sulfate is an insoluble salt.

Lead(II) sulfate can be made from aqueous ammonium sulfate using a precipitation reaction.

(i) Name a solution that can be added to aqueous ammonium sulfate to produce a precipitate of lead(II) sulfate.

..... [1]

(ii) Write an ionic equation for this precipitation reaction. Include state symbols.

..... [3]

(iii) The precipitate of lead(II) sulfate forms in an aqueous solution.


Describe how pure lead(II) sulfate can be obtained from the mixture.

.....
.....
..... [3]

[Total: 13]

7 This question is about organic compounds.

(a) Butane reacts with chlorine in a photochemical reaction.



(i) State the meaning of the term photochemical.

..... [1]

(ii) An organic compound with the formula $\text{C}_4\text{H}_9\text{Cl}$ is formed when one molecule of butane reacts with one molecule of chlorine.

Draw the displayed formulae of **two** possible structural isomers with the formula $\text{C}_4\text{H}_9\text{Cl}$ formed in this reaction.

[2]

(b) The structure of compound **A** is shown in Fig. 7.1.




Fig. 7.1

(i) Deduce the molecular formula of compound **A**.

..... [1]

(ii) There are three functional groups in compound **A**.

Name the homologous series of compounds that contain the following functional groups:

$-\text{C}=\text{C}-$

$-\text{OH}$

$-\text{COOH}$

[3]

(iii) State what is observed when compound **A** is added to:

aqueous bromine

aqueous sodium carbonate.

[2]

- (iv) Compound **A** can be used as a single monomer to produce two different polymers.

Draw **one** repeat unit of the addition polymer formed from compound **A**.

[2]

- (v) Compound **A** can be converted into a dicarboxylic acid.

Name the type of condensation polymer formed from a dicarboxylic acid and a diol.

..... [1]

[Total: 12]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

Group																	
I	II											III	IV	V	VI	VII	VIII
		1Hhydrogen1															
		Key															
		atomic number atomic symbol name relative atomic mass															
3Li lithium 7	4Be beryllium 9											5B boron 11	6C carbon 12	7N nitrogen 14	8O oxygen 16	9F fluorine 19	10Ne neon 20
11Na sodium 23	12Mg magnesium 24											13Al aluminium 27	14Si silicon 28	15P phosphorus 31	16S sulfur 32	17Cl chlorine 35.5	18Ar argon 40
19K potassium 39	20Ca calcium 40	21Sc scandium 45	22Ti titanium 48	23V vanadium 51	24Cr chromium 52	25Mn manganese 55	26Fe iron 56	27Co cobalt 59	28Ni nickel 59	29Cu copper 64	30Zn zinc 65	31Ga gallium 70	32Ge germanium 73	33As arsenic 75	34Se selenium 79	35Br bromine 80	36Kr krypton 84
37Rb rubidium 85	38Sr strontium 88	39Y yttrium 89	40Zr zirconium 91	41Nb niobium 93	42Mo molybdenum 96	43Tc technetium —	44Ru ruthenium 101	45Rh rhodium 103	46Pd palladium 106	47Ag silver 108	48Cd cadmium 112	49In indium 115	50Sn tin 119	51Sb antimony 122	52Te tellurium 128	53I iodine 127	54Xe xenon 131
55Cs caesium 133	56Ba barium 137	57–71 lanthanoids		72Hf hafnium 178	73Ta tantalum 181	74W tungsten 184	75Re rhenium 186	76Os osmium 190	77Ir iridium 192	78Pt platinum 195	79Au gold 197	80Hg mercury 201	81Tl thallium 204	82Pb lead 207	83Bi bismuth 209	84Po polonium —	85At astatine —
87Fr francium —	88Ra radium —	89–103 actinoids		104Rf rutherfordium —	105Db dubnium —	106Sg seaborgium —	107Bh bohrium —	108Hs hassium —	109Mt meitnerium —	110Ds darmstadtium —	111Rg roentgenium —	112Cn copernicium —	113Nh nihonium —	114Fl flerovium —	115Mc moscovium —	116Lv livermorium —	117Ts tennessine —
lanthanoids		57La lanthanum 139	58Ce cerium 140	59Pr praseodymium 141	60Nd neodymium 144	61Pm promethium —	62Sm samarium 150	63Eu europium 152	64Gd gadolinium 157	65Tb terbium 159	66Dy dysprosium 163	67Ho holmium 165	68Er erbium 167	69Tm thulium 169	70Yb ytterbium 173	71Lu lutetium 175	
actinoids		89Ac actinium —	90Th thorium 232	91Pa protactinium 231	92U uranium 238	93Np neptunium —	94Pu plutonium —	95Am americum —	96Cm curium —	97Bk berkelium —	98Cf californium —	99Es einsteinium —	100Fm fermium —	101Md mendelevium —	102No nobelium —	103Lr lawrencium —	

The volume of one mole of any gas is 24 dm^3 at room temperature and pressure (r.t.p.).