

# Project Name: Medsy

---

## About

This project includes Google Spreadsheet and serverless API routes. On visiting, the app calls get products method, which stores the product's info . On order, the app calls /api/order to place a order on google spreadsheet.


## Requirement:

1. Node Version: > 10.13.0
2. Yarn Version: 1.22.24
3. Google Account

## Technology we use


1. [React](#) (A JavaScript library for building user interfaces)
2. [NextJs](#) (React SSR and SSG Framework)
3. [Create Next App](#)
4. [yarn workspaces](#)
5. [Google Sheet](#) (As Database) with a serverless API
6. [API routes](#) by NextJs
7. [Instagram Oembed](#)

## Folder Structure



```
medsy
├── packages
│   ├── medsy-classic
│   ├── medsy-minimal
│   └── medsy-modern
├── .gitignore
├── README.md
├── babel.config.js
└── package.json
```

within individual packages



```
medsy-classic
├── public
│   └── favicon.ico
├── src
│   ├── assets
│   │   ├── icons
│   │   │   ├── arrow-left.tsx
│   │   │   ├── arrow-right.tsx
│   │   │   └── ...
│   │   └── image
│   │       ├── fb.svg
│   │       ├── git.svg
│   │       └── inst.svg
└── ...
```

```
├── ...
├── styles
├── index.css
├── scrollbar.css
├── components
├── carousel
├── carousel.tsx
├── active-link.tsx
├── button.tsx
├── cart-item.tsx
├── cart-modal.tsx
├── counter.tsx
├── customer-contact-form.tsx
├── feature-block.tsx
├── input.tsx
├── item-card.tsx
├── search.tsx
├── section-title.tsx
├── success-modal.tsx
├── containers
├── drawer
├── views
├── cart.tsx
├── checkout.tsx
├── menus.tsx
├── no-item.tsx
├── product-details.tsx
├── drawer.tsx
├── layout
├── footer.tsx
├── header.tsx
├── layout.tsx
├── call-to-action.tsx
├── hero-block.tsx
├── how-it-works.tsx
├── products.tsx
├── contexts
├── cart
├── cart.provider.tsx
├── cart.reducer.tsx
├── drawer
├── drawer.provider.tsx
├── search
├── use-search.tsx
├── helpers
├── constants.tsx
├── get-initials-or-option.tsx
├── use-ref-scroll.tsx
├── use-searchable.tsx
├── ...
├── pages
├── api
├── order.tsx
├── _app.tsx
├── _document.tsx
├── index.tsx
├── ....
├── .env.local.sample
```

```
.gitignore
README.md
babel.config.js
tsconfig.json
next.config.js
package.json
postcss.config.js
tailwind.config.js
```

## Getting Started

Go to project root like:

```
cd medsy
```

open this project with your favorite editor (recommended : [Visual Studio code](#) )

## configure google sheet:

BUT FIRST -- Set up your google project & enable the sheets API 🖱️

1. Go to the [Google Developers Console](#)
2. Select your project or create a new one (and then select it)
3. Enable the Sheets API for your project: \_ In the sidebar on the left, select APIs & Services > Library \_ Search for "sheets" \_ Click on "Google Sheets API" \_ Click the blue "Enable" button

## Setup Instructions

1. Follow steps above to set up project and enable sheets API
2. Create a service account for your project
  - In the sidebar on the left, select APIs & Services > Credentials
  - Click blue "+ CREATE CREDENTIALS" and select "Service account" option
  - Enter name, description, click "CREATE"
  - You can skip permissions, click "CONTINUE"
  - Click "+ CREATE KEY" button
  - Select the "JSON" key type option
  - Click "Create" button
  - your JSON key file is generated and downloaded to your machine (it is the only copy!)
  - Click "DONE"
  - note your service account's email address (also available in the JSON key file)
3. Create two [Google Spreadsheet](#) as **products** and **orders** Give it those column headers, give it some content for **products** sheet:

id	name	image	description	price	manufacturer	type	quantity	dosage	substance
value	value	value	value	value	value	value	value	value	value

for **orders** sheet:

items	address	phone_number	email	bill_amount
value	value	value	value	value

4. Share the doc (or docs) with your service account using the **email** noted above.

- Click the Share link in the upper right-hand corner
- Click the very pale Advanced button
- Click Save
- Copy the Link to Share. Your URL should look something like  
https://docs.google.com/spreadsheets/d/1lo6W5XitNvifEXER9ECTsbHhAjXsQLq6VEz7kSPDPiQ/edit?usp=sharing. It should not have a /d/e in it.
- note your doc (or docs) key (spreadsheet key is the long id in the sheets URL as:  
1lo6W5XitNvifEXER9ECTsbHhAjXsQLq6VEz7kSPDPiQ)

5. Copy the contents of **.env.local.sample** into a new file called **.env.local** (Which is define within every individual package like: **project/packages/medsy-modern/.env.local.sample**)

6. Get your account credentials from the downloaded **json** file, It will contain keys such as **project\_id**, **client\_email** and **private\_key**. Set them as environment variables in the **.env.local** file **at the root of your required project**.

7. if your demo uses instagram oembed then you also need to set those env to getting those value please follow [the link](#)

**At the end your **.env.local** file should be look like:**

```
GOOGLE_SPREADSHEET_ID_PRODUCT=1zg-EQsksjruriY5KisfrsYdMZc8o3g4BygcAu906aHUA
GOOGLE_SPREADSHEET_ID_ORDER=1CG0y7qQLCrY5ZKHVbt4nm7v5XInW9jdhduueUrrcf
GOOGLE_SERVICE_ACCOUNT_CLIENT_EMAIL=example@example.iam.gserviceaccount.com
GOOGLE_SERVICE_ACCOUNT_PRIVATE_KEY= "-----BEGIN PRIVATE KEY-----....-----END
PRIVATE KEY-----\n"
```

## NOTE:

for demo medsy-modern you need to

- create another google sheet for like **product** sheet called **category** which contain **id**, **name**, **slug**, **image\_icon\_url** columns.
- also add one more column at your **product** google sheet which is **category\_ids** (it's contain the category ids from your category sheet. for multiple category use **comma(,) as separator**)

Second, run the development server:

step-2: within the project root run

```
yarn
# or
yarn install
```

step-3: after successful installation of required packages run you required project or package like:

```
yarn dev:medsy-classic # to run the medsy-classic package or project
# or
yarn dev:medsy-minimal # to run the medsy-minimal package or project
# or
yarn dev:medsy-modern # to run the medsy-modern package or project
```

Open <http://localhost:3000> with your browser to see the result.

You can start editing the page by modifying `pages/index.tsx`. The page auto-updates as you edit the file.

## NOTE:

please check the `package.json` file for other useful scripts like `clean`

if you want to clean node\_modules and build's folder run

```
yarn clean
```

## Learn More

To learn more about Next.js, take a look at the following resources:

- [Next.js Documentation](#) - learn about Next.js features and API.
- [Learn Next.js](#) - an interactive Next.js tutorial.

## Email Integration and Base Email template:

1. nodemailer
2. mailgun

We provide integration code for nodemailer and mailgun you should find them at `src/helpers` folder called `nodemailer.ts` and `mailgun.ts` to use them go to the specific file and add your credentials then go to `src/pages/api/order.tsx` file and uncomment the commented code.

```
// import { sendMail } from 'helpers/nodemailer';
...
// await sendMail('support@redq.io', email, 'Order Received By Medsy', {
//   items,
//   bill_amount,
// });
```

Note We use [mailgen](#) for basic template for more information please visit their repository at github.

## Deployment

Deploy on Vercel(Previously known as ZEIT Now)

The easiest way to deploy your Next.js app is to use the [Vercel Now Platform](#) step-1: go to your project root like:

```
cd medsy
```

step-2: run deployment command like:

```
deploy-vercel:medsy-classic
```

which is promoted for some information fill your information or just stay with the defaults as

```
$ vercel
? Set up and deploy "~/your-directory-path"? [Y/n] y
? Which scope do you want to deploy to? your-scope
? Link to existing project? [y/N] n
? What's your project's name? your-project-name
? In which directory is your code located? ./
Auto-detected project settings (Next.js):
- Build Command: `next build` or `build` from `package.json`
- Output Directory: Next.js default
- Development Command: next dev --port $PORT
? Want to override the settings? [y/N] N
```

## IMPORTANT:

before deployment you need to setup your env variable on vercel go to your project root and set your env values within the `vercel.json` file. (you can also setup env value by others method supported by vercel for more details [follow the link](#))

## NOTE:

make sure you had the [vercel-cli](#) install and logged in your account.