



A human-centered workflow, in six stages

Zupic's six stages. Human judgment sits at every one: the model never decides what the rules are, it applies rules a person wrote, and a person confirms every change to them.



Data collection and preparation


Two Zotero sources become two disjoint corpora. Nothing is deleted: a paper that leaves is marked with a verdict, its file moved aside, and its reason recorded.



STAGE 3 ■ build split only

Promptbook development


Runs three times, once per task, never in parallel: exclusion, then power analysis, then data analysis. Each promptbook is tuned against its own misses.



STAGE 3, IN DETAIL

How a miss becomes a rule


A single wrong answer is not evidence of a missing rule. It may be an odd paper, or a label the humans got wrong. Only a repeated pattern earns a promptbook change, and a person signs off on every one.




STAGES 4 AND 5

Processing, then validation

Two sequential batch jobs, then the holdout. The second job cannot be sized until the first finishes, because the gate decides how many papers exist to analyse.




Legend




Model step

Claude performs this. Opus while building, Sonnet in production.




Human step

A person decides. No promptbook change commits without one.



Data store

A file or table on disk: manifest, cached text, SQLite.



Output / milestone

A finished artefact the study reports or depends on.



Papers removed

Never deleted. Marked with a verdict, files moved aside, reason logged.



flow of work



output carried from another stage



papers leaving the corpus

Stage numbers follow Zupic (2026),
*A Human-Centered Workflow for Using
Large Language Models in Content Analysis.*