Task 1

```
C:\Users\CharlotFirth\Desktop\2021春\数据库\数据库第10次上机\数据库第10次上机\Redis-x64-5.0.10>redis-server.exe --service-install redis.windows.conf
[25416] 06 Jun 21:05:06.292 # Granting read/write access to 'NT AUTHORITY\NetworkService' on: "C:\Users\CharlotFirth\Desktop\2021春\数据库\数据库第10次上机\数据库第10次上机\数据库第10次上机\X出库\2021春\数据库\数据库第10次上机\X出库第10次上机\X出库\数据库\数据库\30次上机\X出库\30.10\"
[25416] 06 Jun 21:05:06.296 # Redis successfully installed as a service.
```

安装成功

Task2

因为会出现奇怪的韩文,所以就把汉字全部换成英文了

1.

hmset student:19373073 name "He Xiaolong" age 20 class "192112" major "Software Engineering"

127.0.0.1:6379> hmset student:19373073 name "He Xiaolong" age 20 class "192112" major "Software Engineering"

2.

```
hmset course:B3I214910 courseId "B3I214910" name "Graduation Design Practice" type "compulsory" instructor "Tan Huobin" category "Core Specialty" credit 8.0 capacity 179
hmset course:B3J214620 courseId "B3J214620" name "Job hunting and thesis counseling II" type "limit" instructor "Tan Huobin" category "General Specialty" credit 1.0 capacity 179
hincrby course:B3I214910 capacity 11
hgetall course:B3J214620
```

```
127.0.0.1:6379> hmset course:B3I214910 courseId "B3I214910" name "Graduation Design Practice" type "compulsory"instructor "Tan Huobin" category "Core Specialty" credit 8.0 capacity 179
Invalid argument(s)
127.0.0.1:6379> hmset course:B3I214910 courseId "B3I214910" name "Graduation Design Practice" type "compulsory" instruct or "Tan Huobin" category "Core Specialty" credit 8.0 capacity 179
0K
127.0.0.1:6379> hmset course:B3J214620 courseId "B3J214620" name "Job hunting and thesis counseling II" type "limit" 0K
127.0.0.1:6379> hincrby course:B3J214910 capacity 11
(integer) 190
127.0.0.1:6379> hgetall course:B3J214620
1) "courseId"
2) "B3J214620"
3) "name"
4) "Job hunting and thesis counseling II"
5) "type"
6) "limit"
```

3.

```
sadd course:B3I214910:students "19373073" "19373001" "19373002"
sadd course:B3J214620:students "19373002" "19373003"
sismember course:B3J214620:students "19373073"
smembers course:B3I214910:students
scard course:B3J214620:students
sinter course:B3I214910:students course:B3J214620:students
```

Task3

a1

```
127.0.0.1:6379> SUBSCRIBE Shizurin Nagiha
Reading messages... (press Ctrl-C to quit)
   "subscribe
    Shizurin"
   (integer)
    subscribe"
   'Nagiha"
   (integer) 2
    message'
   "Shizurin
   "test message1"
    message
   "Nagiha"
   "test message3 PM"
   "message"
   "Shizurin"
    test message5"
    message"
   "Nagiha'
    test message6"
```

```
C:\Users\CharlotFirth\Desktop\2021春\数据库\数据库第10次上机\数据库第10次上机\Redis-x64-5.0.10>redis-cli
127.0.0.1:6379> SUBSCRIBE Shizurin CSZDCR
Reading messages... (press Ctrl-C to quit)

1) "subscribe"
2) "Shizurin"
3) (integer) 1
1) "subscribe"
2) "CSZDCR"
3) (integer) 2
1) "message"
2) "Shizurin"
3) "test message1"
1) "message"
2) "CSZDCR"
3) "test message2"
1) "message"
2) "CSZDCR"
3) "test message4"
1) "message"
2) "CSZDCR"
3) "test message4"
1) "message6"
2) "Shizurin"
3) "test message7
3) "test message8
4) "Shizurin"
3) "test message6"
5) "Shizurin"
6) "test message6"
7) "message7
8) "test message8
```

s1

```
C:\Users\CharlotFirth\Desktop\2021春\数据库\数据库第10次上机\数据库第10次上机\Redis-x64-5.0.10>redis-cli
127.0.0.1:6379> PUBLISH Shizurin "test message1"
(integer) 2
127.0.0.1:6379> PUBLISH Shizurin "test message5"
(integer) 2
127.0.0.1:6379>
```

s2

```
C:\Users\CharlotFirth\Desktop\2021春\数据库\数据库第10次上机\数据库第10次上机\Redis-x64-5.0.10>redis-cli
127.0.0.1:6379> PUBLISH Nagiha "test message3 PM"
(integer) 1
127.0.0.1:6379> PUBLISH Nagiha "test message6"
(integer) 1
127.0.0.1:6379>
```

s3

```
C:\Users\CharlotFirth\Desktop\2021春\数据库\数据库第10次上机\数据库第10次上机\Redis-x64-5.0.10>redis-cli
127.0.0.1:6379> PUBLISH CSZDCR "test message2"
(integer) 1
127.0.0.1:6379> PUBLISH CSZDCR "test message4"
(integer) 1
127.0.0.1:6379> _
```