



# Deployment Note for Product Item Module

Myanmar Software Engineer Contest 2020

Team Name: Charmers Tech

Date: 7/11/2020

Version: First Version

# Content

## Option 1

This application can be tested via following link,

<https://itemmodule.herokuapp.com/SE2020/App/>

## Option 2

1. Overview
2. Software Installation Steps
3. Getting Project Folder
4. Database Configuration
5. Testing the installation
6. References

## 1.Overview

Apache web server (Version: 2.4.46), MySQL (Version:15.1) and PHP (Version :7.4.11) are needed to run this “Product Item Module” application. In this place, all of the above requirements are included in XAMPP(Version:3.2.4) application. So, we will install XAMPP(Version:3.2.4) application.

## 2. Software Installation Steps

Installation of this product is supported on the following operation systems and versions:


Window 10 Pro (Version: 1903)

Window 10 Pro (Version: 2004)

### 2.1 Getting Xampp (Version:3.2.4)

You can download Xampp Installer from [apachefriends.org](http://apachefriends.org).

Choose PHP 7.4.11



Version		Checksum	Size
7.2.34 / PHP 7.2.34	What's Included?	md5 sha1	Download (64 bit) 153 Mb
7.3.23 / PHP 7.3.23	What's Included?	md5 sha1	Download (64 bit) 153 Mb
7.4.11 / PHP 7.4.11	What's Included?	md5 sha1	Download (64 bit) 154 Mb

[Requirements](#) [Add-ons](#) [More Downloads »](#)

Windows XP or 2003 are not supported. You can download a compatible version of XAMPP for these platforms [here](#).

**Figure 1: Getting Xampp**

## 2.2 Run .exe File

Once the software bundle has been downloaded, you can start the installation by double clicking on the file with the ending .exe.

## 2.3 Deactivate Antivirus Software

Since an active antivirus program can negatively affect the installation process, it's recommended to temporarily pause any antivirus software until all XAMPP components have successfully been installed.



**Figure 2: Deactivate Antivirus Software**

## 2.4 Deactivate UAC

User Account Control (UAC) can interfere with the XAMPP installation because it limits writing access to the C: drive, so we recommend you deactivate this too for the duration of the installation process.



**Figure 3: Deactivate UAC**

## 2.5 Start the setup wizard


After you've opened the .exe file, the start screen of the XAMPP setup wizard should appear automatically. Click on 'Next' to configure the installation settings.



**Figure 4: Installing Xampp**

## 2.6 Choose Software Components


Under 'Select Components', Apache, MySQL, PHP, phpMyAdmin must be chosen. After making your choice, click 'Next'.



**Figure 5: Choose Software Component**

## 2.7 Choose the Installation Directory

In this next step, a folder with the name “xampp” will be created under C:\ for you. After you’ve chosen a location, click ‘Next’.



**Figure 6: Choose the Installation Directory**

## 2.8 Start the Installation Process

This process can take several minutes in total. Appear like the following figure.



**Figure 7: Installation Process**

## 2.9 Window Firewall Blocking

Your Firewall may interrupt the installation process to block the some components of the XAMPP. Use the corresponding check box to enable communication between the Apache server and your private network or work network. Remember that making your XAMPP server available for public networks isn't recommended.



## 2.10 Complete Installation


Once all the components are unpacked and installed, you can close the setup wizard by clicking on 'Finish'. Click to tick the corresponding check box and open the XAMPP Control Panel once the installation process is finished.



**Figure 8: Complete Installation**

## 2.11 The Xampp Control Panel


After completing installation process, Xampp Control Panel will appear like the following figure 9.



**Figure 9: XAMPP Control Panel**

If XAMPP Control Panel does not appear,

1. Start Menu >>> Xampp Control Panel
- 2.Right Click On >>> Click “Run as Administrator”



**Figure 10: Run as Administrator**

## 2.12 Starting Module

Apache and MySQL modules can be started or stopped on the XAMPP Control Panel through the corresponding buttons under 'Actions'. You can see which modules have been started because their names are highlighted green under the 'Module' title.




Figure 11: Starting Module

## 2.13 Module Administration

If Apache Web Server is running, open your favorite browser and enter “<http://localhost>” at URL bar.




**Figure 12: XAMPP Dashboard**

## 2.14 Setting Up Xampp

A common source of error connected with Apache is blocked ports. If you're using the standard setup, then XAMPP will assign the web server to main port 80 and the SSL port 443. To solve this issue,

Change the Xampp Module port setting

- Click the “Config” button >>> Apache (httpd.conf)




- Replace Port Number 80 to 90 at “Listen”

```
*httpd.conf - Notepad
File Edit Format View Help
# for individual mutexes, or change the global defaults
#
# Uncomment and change the directory if mutexes are file-based and the default
# mutex file directory is not on a local disk or is not appropriate for some
# other reason.
#
# Mutex default:logs

#
# Listen: Allows you to bind Apache to specific IP addresses and/or
# ports, instead of the default. See also the <VirtualHost>
# directive.
#
# Change this to Listen on specific IP addresses as shown below to
# prevent Apache from glomming onto all bound IP addresses.
#
#Listen 12.34.56.78:80
Listen 90

#
# Dynamic Shared Object (DSO) Support
#
# To be able to use the functionality of a module which was built as a DSO you
# have to place corresponding 'LoadModule' lines at this location so the
```

➤ Replace Port Number 80 to 90 at “ServerName localhost”

 \*httpd.conf - Notepad

File Edit Format View Help

```
# virtual host being defined.
#
#
# ServerAdmin: Your address, where problems with the server should be
# e-mailed. This address appears on some server-generated pages, such
# as error documents. e.g. admin@your-domain.com
#
ServerAdmin postmaster@localhost
#
# ServerName gives the name and port that the server uses to identify itself.
# This can often be determined automatically, but we recommend you specify
# it explicitly to prevent problems during startup.
#
# If your host doesn't have a registered DNS name, enter its IP address here.
#
ServerName localhost:90
#
# Deny access to the entirety of your server's filesystem. You must
# explicitly permit access to web content directories in other
# <Directory> blocks below.
#
<Directory />
    AllowOverride none
    Require all denied
</Directory>
```




**Note: After solving above issue, repeat Section (2.12 and 2.13).**

### 3. Getting Project Folder


- To get the project folder, click the following link :

<https://github.com/Charmers-Tech/SE2020>

- Then, download the project folder.



- Place and extract downloaded file (SE2020-master.exe) under “C://xampp/htdocs/” and then rename the folder name as “SE2020”.




## 4. Database Configuration

- To start phpMyAdmin, open your favorite browser and enter “<http://localhost>” or “<http://localhost:90>” at URL bar.
- Click “phpMyAdmin” at Menu bar.




- To create a database,
  - 1) Click New.
  - 2) Database name must be “productitem” .
  - 3) Choose “utf8\_unicode\_ci” >>Click Create






## ➤ Importing into the database “productitem”

- 1) Click “Import”.
- 2) Choose File >> “C:\xampp\htdocs\SE2020\Docs\productitem.sql”
- 3) Click “Go”.



## ➤ Finishing Database Configuration



## 5. Testing the installation

To test the “Product Item Module” application, open your favorite browser and enter <http://localhost/SE2020/App/index.php> at URL bar.

## 6. References

- [digitalguide/xampp tutorial](#)
- **Professional-Web-Developer-4th-Edition-by-Ei-Maung.pdf**