HSI Database	Object Classes	λ -range	# of cubes
Harvard University [2]	Real world HSI database. Daylight illumination. Indoor/outdoor scenes	420:10:720 nm	75
Columbia University [13]	Real world materials and objects	400:10:700 nm	32
NTNU in Gjøvik [9]	Texture, wood, skin, paper, leaves, orange, hat, cork, and painting	410:5:1000 nm	10
Stanford University [10]	Faces, landscape, memorial church, fruit, and color target	400:10:2500 nm	70
University of Minho [7]	Rural and urban scenes	400:10:720 nm	30
University of Manchester [6]	Natural scenes	400:10:720 nm	25
NICTA [8]	Portraits, landscapes, close-ups, office scenes, fruits and vegetables	400:10:720 nm	73
Remote Sensing [1]	Indian pines, Salinas scene, and Pavia scene	400:10:2500 nm	1
UBonn [11]; UWA [12]; EPFL [3]	HSI Face database	400:10:2500 nm	20-100
CMU [4]	HSI Face database	450:10:1090 nm	580
HK Polytechnique University [5]	HSI Face database	400:10:720 nm	430

References

- [1] M. F. Baumgardner, L. L. Biehl, and D. A. Landgrebe. 220 band aviris hyperspectral image data set: June 12, 1992 indian pine test site 3. Sep 2015.
- [2] A. Chakrabarti and T. Zickler. Statistics of Real-World Hyperspectral Images. In Proc. IEEE Conf. on Computer Vision and Pattern Recognition (CVPR), pages 193–200, 2011.
- [3] I. Chingovska, A. Anjos, and S. Marcel. On the effectiveness of local binary patterns in face anti-spoofing. 2012.
- [4] L. J. Denes, P. Metes, and Y. Liu. Hyperspectral face database. Carnegie Mellon University, 2002.
- [5] W. Di, L. Zhang, D. Zhang, and Q. Pan. Studies on hyperspectral face recognition in visible spectrum with feature band selection. *Systems, Man and Cybernetics, Part A:* Systems and Humans, IEEE Transactions on, 2010.
- [6] D. H. Foster, K. Amano, and S. M. Nascimento. Time-lapse ratios of cone excitations in natural scenes. Vision research, 2015.
- [7] D. H. Foster, K. Amano, S. M. Nascimento, and M. J. Foster. Frequency of metamerism in natural scenes. volume 23, pages 2359–2372. Optical Society of America, 2006.
- [8] N. Habili and J. Oorloff. Scyllarus: From research to commercial software. In *Proceedings of the ASWEC 2015 24th Australasian Software Engineering Conference*, pages 119–122. ACM, 2015.
- [9] S. Le Moan, S. George, M. Pedersen, J. Blahova, and J. Y. Hardeberg. A database for spectral image quality. In IS&T/SPIE., 2015.
- [10] T. Skauli and J. E. Farrell. A collection of hyperspectral images for imaging systems research. In *Digital Photography IX, part of the IS&T-SPIE Electronic Imaging Symposium, Burlingame, California, USA, February 3, 2013, Proceedings.*, 2013.
- [11] H. Steiner, S. Sporrer, A. Kolb, and N. Jung. Design of an active multispectral swir camera system for skin detection and face verification. 2015.
- [12] M. Uzair, A. Mahmood, and A. Mian. Hyperspectral face recognition with spatiospectral information fusion and pls regression. TIP, 2015.
- [13] F. Yasuma, T. Mitsunaga, D. Iso, and S. Nayar. Generalized Assorted Pixel Camera: Post-Capture Control of Resolution, Dynamic Range and Spectrum. In *Technical Report, Department of Computer Science, Columbia University CUCS-061-08*, Nov 2008.