





Swagger

To use Swagger YAML/JSON to generate testcase



While uploading it is working fine





Once Url is given

The screenshot shows the 'STEP 1' interface of the 'estleaf API Testcase Generator'. It features a header with the Testleaf logo and navigation links. Below the header, there are three feature tags: 'AI-powered', 'Spec-grounded', and 'Postman & Excel export'. The main content area is titled 'Upload Swagger specification' and includes a sub-header 'Upload an OpenAPI YAML, YML, or JSON file, or import a public specification URL.' There are two radio button options: 'Upload a file' (YAML, YML, or JSON) and 'Import from URL' (Public OpenAPI document). The 'Import from URL' option is selected. Below this, there is a text input field for the 'OpenAPI specification URL' containing the value 'https://petstore.swagger.io/v2/swagger.json'. A green button labeled 'Import and generate testcases' is positioned below the input field. A note at the bottom states: 'The URL must be publicly reachable and return a YAML or JSON OpenAPI document.'

estleaf
API Testcase Generator

AI-powered Spec-grounded Postman & Excel export

STEP 1

Upload Swagger specification

Upload an OpenAPI YAML, YML, or JSON file, or import a public specification URL.

☐ Upload a file
YAML, YML, or JSON

☒ Import from URL
Public OpenAPI document

OpenAPI specification URL

https://petstore.swagger.io/v2/swagger.json

Import and generate testcases

The URL must be publicly reachable and return a YAML or JSON OpenAPI document.

Testleaf Software Solutions Pvt. Ltd. All rights reserved.

The screenshot shows the 'STEP 2' interface of the 'estleaf API Testcase Generator'. It features a header with the Testleaf logo and navigation links. Below the header, there is a large heading 'Generate reliable API testcases from Swagger' and a sub-header 'Upload, validate, generate, review, and export – through one controlled Testleaf-themed workflow.' There are three feature tags: 'AI-powered', 'Spec-grounded', and 'Postman & Excel export'. A progress bar at the top right shows four steps: 01 Upload, 02 Validate, 03 Generate, and 04 Export. The '02 Validate' step is currently active. The main content area is titled 'Validated' and includes the URL 'https://petstore.swagger.io/v2/swagger.json'. There are three status boxes: 'OpenAPI' with the value '2.0', 'Errors' with the value '0', and 'Warnings' with the value '0'. A green button labeled 'Generating...' is positioned at the bottom right.

estleaf
API Testcase Generator

Generate reliable API testcases from Swagger

Upload, validate, generate, review, and export – through one controlled Testleaf-themed workflow.

AI-powered Spec-grounded Postman & Excel export

01 Upload 02 Validate 03 Generate 04 Export

STEP 2

Validated

https://petstore.swagger.io/v2/swagger.json

OpenAPI
2.0

Errors
0

Warnings
0

Generating...

localhost:5173

stleafAPI Testcase Generator

Clear

Generated API testcases

Grounded in the validated OpenAPI operations and schemas.

Total Testcases
7

Positive
1

Negative
1

Boundary
1

Authentication
1

Authorization
1

Validation
1

All categories

ID	METHOD	ENDPOINT	CATEGORY	TITLE	PRIORITY	STATUS
TC-API-001	GET	/pet/findByStatus	positive	Find pets by valid status	High	View
TC-API-002	GET	/pet/{petId}	negative	Get pet with invalid ID format	High	View
TC-API-003	GET	/store/order/{orderId}	boundary	Get order with maximum allowed ID	Medium	View
TC-API-004	GET	/pet/{petId}	authentication	Access pet without API key header	High	View
TC-API-005	POST	/pet	validation	Add pet with missing required name field	High	View
TC-API-006	GET	/pet/findByTags	error-handling	Find pets with invalid tag parameter	Medium	View

Generate testcase based on Smoke, regression, sanity

localhost:5173

stleafAPI Testcase Generator

Upload, validate, generate, review, and export — through one controlled Testleaf-themed workflow.

AI-powered

✓ Spec-grounded

Postman & Excel export

STEP 1

Upload Swagger specification

Upload an OpenAPI YAML, YML, or JSON file, or import a public specification URL.

☐ Upload a file
YAML, YML, or JSON

☒ Import from URL
Public OpenAPI document

OpenAPI specification URL

Import and generate testcases

The URL must be publicly reachable and return a YAML or JSON OpenAPI document.

Smoke 1 Sanity 0 Regression 4 Functional 2

Search ID, endpoint, method, or title

All categories

All test types

ID	METHOD	ENDPOINT	CATEGORY	TEST TYPE	TITLE	PRIORITY	STATUS
TC-API-001	POST	/pet	positive	Functional	Add a new pet with valid data	High	View
TC-API-002	GET	/pet/{petId}	negative	Regression	Get pet with non-numeric ID	Medium	View
TC-API-003	GET	/store/order/{orderId}	boundary	Regression	Retrieve order with boundary ID 5	Medium	View
TC-API-004	GET	/user/login	authentication	Smoke	Login with valid credentials	High	View
TC-API-005	DELETE	/pet/{petId}	authorization	Functional	Delete pet with valid API key	High	View
TC-API-006	POST	/store/order	validation	Regression	Place order with invalid status value	Medium	View
TC-API-007	GET	/pet/findByStatus	error-handling	Regression	Find pets with unsupported status	Low	View

Download results

Export the generated testcases and validated specification.



JSON

Excel

Swagger

Generate Postman

Uploading Yaml file



Generated API testcases

Grounded in the validated OpenAPI operations and schemas.



Search ID, endpoint, method, or title

All categories

All test types

ID	METHOD	ENDPOINT	CATEGORY	TEST TYPE	TITLE	PRIORITY	STATUS
TC-API-001	GET	/booking/{id}	positive	Smoke	Retrieve existing booking successfully	High	View
TC-API-002	GET	/booking/{id}	negative	Regression	Attempt to retrieve non-existent booking	High	View
TC-API-003	GET	/booking/{id}	boundary	Functional	Retrieve booking with maximum integer ID	Medium	View