Cucumber Report

| Start : Apr 04, 10:52:29.700 PM	End : Apr 04, 11:02:06.775 PM	Duration : 9 m 37.075 s
Features	Scenarios	Steps
PASSED - 8 FAILED - 2 SKIPPED - 0	PASSED - 28 FAILED - 2 SKIPPED - 0	PASSED - 271 FAILED - 2 SKIPPED - 0

10

30

273

Pass % 80 %

Pass % 93 %

Pass % 99 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Login functionality	16.794 s	1	1	0	0	3	3	0	0
Country Functionality	17.502 s	1	1	0	0	6	6	0	0
Country Multi Scenario	33.304 s	2	2	0	0	12	12	0	0
Citizenship Functionality	1 m 50.857 s	6	6	0	0	56	56	0	0
DataTable Functionality	1 m 23.199 s	3	2	1	0	30	29	1	0
Fees Multiple Values Functionality	1 m 35.241 s	5	5	0	0	50	50	0	0
Nationality functionality	1 m 27.314 s	5	5	0	0	50	50	0	0
Inventory functionality	1 m 25.930 s	5	5	0	0	55	55	0	0
ApachePOI Citizen Functionality	33.638 s	1	1	0	0	6	6	0	0
Testing JDBC States	13.148 s	1	0	1	0	5	4	1	0

| Tag | Scenario | | | | Feature | | | |
Name	T	P	F	S	T	P	F	S
@SmokeTest	2	2	0	0	2	2	0	0
@Regression	30	28	2	0	10	8	2	0

#	Feature Name	T	P	F	S	Duration
1	Login functionality	1	1	0	0	16.794 s
2	Country Functionality	1	1	0	0	17.502 s
3	Country Multi Scenario	2	2	0	0	33.304 s
4	Citizenship Functionality	6	6	0	0	1 m 50.857 s
5	DataTable Functionality	3	2	1	0	1 m 23.199 s
6	Fees Multiple Values Functionality	5	5	0	0	1 m 35.241 s
7	Nationality functionality	5	5	0	0	1 m 27.314 s
8	Inventory functionality	5	5	0	0	1 m 25.930 s
9	ApachePOI Citizen Functionality	1	1	0	0	33.638 s
10	Testing JDBC States	1	0	1	0	13.148 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login functionality	Login with valid username and password	3	3	0	0	16.786 s
2	Country Functionality	Create a country	6	6	0	0	17.502 s
3	Country Multi Scenario	Create a country	6	6	0	0	16.085 s
4	Country Multi Scenario	Create a country 2	6	6	0	0	17.194 s
5	Citizenship Functionality	Create a citizenship	6	6	0	0	15.591 s
6	Citizenship Functionality	Create a Citizenship	10	10	0	0	19.349 s
7	Citizenship Functionality	Create a Citizenship	10	10	0	0	18.686 s
8	Citizenship Functionality	Create a Citizenship	10	10	0	0	19.070 s
9	Citizenship Functionality	Create a Citizenship	10	10	0	0	18.710 s
10	Citizenship Functionality	Create a Citizenship	10	10	0	0	19.378 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
11	DataTable Functionality	Create Country	10	9	1	0	47.405 s
12	DataTable Functionality	Create Nationality	10	10	0	0	15.998 s
13	DataTable Functionality	Fee Functionality	10	10	0	0	19.771 s
14	Fees Multiple Values Functionality	Fee Functionality	10	10	0	0	18.759 s
15	Fees Multiple Values Functionality	Fee Functionality	10	10	0	0	19.086 s
16	Fees Multiple Values Functionality	Fee Functionality	10	10	0	0	18.703 s
17	Fees Multiple Values Functionality	Fee Functionality	10	10	0	0	18.965 s
18	Fees Multiple Values Functionality	Fee Functionality	10	10	0	0	19.684 s
19	Nationality functionality	Create Nationality and Delete	10	10	0	0	18.877 s
20	Nationality functionality	Create Nationality and Delete	10	10	0	0	17.822 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
21	Nationality functionality	Create Nationality and Delete	10	10	0	0	17.277 s
22	Nationality functionality	Create Nationality and Delete	10	10	0	0	16.118 s
23	Nationality functionality	Create Nationality and Delete	10	10	0	0	17.183 s
24	Inventory functionality	Create Inventory and Delete	11	11	0	0	17.847 s
25	Inventory functionality	Create Inventory and Delete	11	11	0	0	17.740 s
26	Inventory functionality	Create Inventory and Delete	11	11	0	0	16.912 s
27	Inventory functionality	Create Inventory and Delete	11	11	0	0	17.431 s
28	Inventory functionality	Create Inventory and Delete	11	11	0	0	15.952 s
29	ApachePOI Citizen Functionality	Create and Delete CitizenShip From Excel	6	6	0	0	33.638 s
30	Testing JDBC States	States testing with JDBC	5	4	1	0	13.148 s

Login functionality

PASSED	DURATION - 16.794 s	Scenarios		Steps	
/ 10:52:29.700 PM // 10:52:46.494 PM /		Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Total - 3 Pass - 3 Fail - 0 Skip - 0	3

Login with valid username and password

PASSED	DURATION - 16.786 s		Steps	
/ 10:52:29.708 PM // 10:52:46.494 PM /			Total - 3 Pass - 3 Fail - 0 Skip - 0	3
Login functionality				
@SmokeTest @Regression				

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	PASSED	4.831 s
2	When Enter valid username and password and click login button	PASSED	2.087 s
3	Then User should login successfully	PASSED	1.833 s

Country Functionality

PASSED	DURATION - 17.502 s	Scenarios		Steps	
/ 10:52:46.538 PM // 10:53:04.040 PM /		Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Total - 6 Pass - 6 Fail - 0 Skip - 0	6

Create a country

PASSED	DURATION - 17.502 s		Steps	

/ 10:52:46.538 PM // 10:53:04.040 PM /	Total - 6
	Pass - 6
Country Functionality	Fail - 0
	Skip - 0
@SmokeTest @Regression	

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	PASSED	3.320 s
2	When Enter valid username and password and click login button	PASSED	1.746 s
3	Then User should login successfully	PASSED	1.594 s
4	And Navigate to country	PASSED	2.346 s
5	When Create a country	PASSED	2.085 s
6	Then Success message should be displayed	PASSED	0.650 s

Country Multi Scenario

PASSED	DURATION - 33.304 s	Scenarios	Steps
/ 10:53:04.062 PM // 10:53:37.366 PM /		Total - 2	Total - 12
		Pass - 2	Pass - 12
		Fail - 0	Fail - 0
		Skip - 0	Skip - 0

Create a country

PASSED	DURATION - 16.085 s		Steps	
/ 10:53:04.063 PM // 10:53:20.148 PM /			Total - 6	
			Pass - 6	
Country Multi Scenario			Fail - 0	
			Skip - 0	
@Regression				

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	PASSED	2.593 s
2	When Enter valid username and password and click login button	PASSED	1.561 s
3	Then User should login successfully	PASSED	1.502 s
4	And Navigate to country	PASSED	1.637 s
5	When Create a country	PASSED	2.021 s
6	Then Success message should be displayed	PASSED	0.636 s

Create a country 2

PASSED	DURATION - 17.194 s		Steps	
/ 10:53:20.172 PM // 10:53:37.366 PM /			Total - 6	
			Pass - 6	
Country Multi Scenario			Fail - 0	
			Skip - 0	
@Regression				

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	PASSED	2.914 s
2	When Enter valid username and password and click login button	PASSED	2.414 s
3	Then User should login successfully	PASSED	1.517 s
4	And Navigate to country	PASSED	1.848 s
5	When Create a country that name as "RandomCountry..." code as "RandomCode..."	PASSED	2.256 s
6	Then Success message should be displayed	PASSED	0.707 s

Citizenship Functionality

PASSED	DURATION - 1 m 50.857 s	Scenarios		Steps	
/ 10:53:37.375 PM // 10:55:28.232 PM /		Total - 6		Total - 56	
		Pass - 6		Pass - 56	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Create a citizenship

PASSED	DURATION - 15.591 s
/ 10:53:37.375 PM // 10:53:52.966 PM /	
Citizenship Functionality	
@Regression	

Steps
Total - 6
Pass - 6
Fail - 0
Skip - 0

6

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	PASSED	2.341 s
2	When Enter valid username and password and click login button	PASSED	1.571 s
3	Then User should login successfully	PASSED	1.399 s
4	And Navigate to citizenship	PASSED	2.051 s
5	When Create a citizenship	PASSED	1.868 s
6	Then Success message should be displayed	PASSED	0.704 s

Create a Citizenship

PASSED	DURATION - 19.349 s
/ 10:53:52.994 PM // 10:54:12.343 PM /	
Citizenship Functionality	
@Regression	

Steps
Total - 10
Pass - 10
Fail - 0
Skip - 0

10

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	PASSED	2.563 s
2	When Enter valid username and password and click login button	PASSED	1.867 s
3	Then User should login successfully	PASSED	1.351 s
4	And Navigate to citizenship	PASSED	2.112 s
5	When Create a citizenship that name as "Turkish" short name as "sh561"	PASSED	1.825 s
6	Then Success message should be displayed	PASSED	0.696 s
7	When Create a citizenship that name as "Turkish" short name as "sh561"	PASSED	0.974 s

#	Step / Hook Details	Status	Duration
8	Then Already exist message should be displayed	PASSED	0.583 s
9	When User delete the citizenship that name as "Turkish"	PASSED	1.025 s
10	Then Success message should be displayed	PASSED	0.644 s

Create a Citizenship

| PASSED	DURATION - 18.686 s		
/ 10:54:12.356 PM // 10:54:31.042 PM /			
Citizenship Functionality			
@Regression			

Steps
Total - 10
Pass - 10
Fail - 0
Skip - 0

10

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	PASSED	2.321 s
2	When Enter valid username and password and click login button	PASSED	1.759 s
3	Then User should login successfully	PASSED	1.451 s
4	And Navigate to citizenship	PASSED	1.987 s
5	When Create a citizenship that name as "Canadian" short name as "sh562"	PASSED	1.890 s
6	Then Success message should be displayed	PASSED	0.398 s
7	When Create a citizenship that name as "Canadian" short name as "sh562"	PASSED	1.034 s
8	Then Already exist message should be displayed	PASSED	0.575 s
9	When User delete the citizenship that name as "Canadian"	PASSED	1.012 s
10	Then Success message should be displayed	PASSED	0.592 s

Create a Citizenship

PASSED	DURATION - 19.070 s
/ 10:54:31.053 PM // 10:54:50.123 PM /	
Citizenship Functionality	
@Regression	

Steps
Total - 10
Pass - 10
Fail - 0
Skip - 0

10

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	PASSED	2.478 s
2	When Enter valid username and password and click login button	PASSED	2.000 s
3	Then User should login successfully	PASSED	1.333 s
4	And Navigate to citizenship	PASSED	2.083 s
5	When Create a citizenship that name as "Australian" short name as "sh563"	PASSED	1.780 s
6	Then Success message should be displayed	PASSED	0.695 s
7	When Create a citizenship that name as "Australian" short name as "sh563"	PASSED	0.993 s
8	Then Already exist message should be displayed	PASSED	0.587 s
9	When User delete the citizenship that name as "Australian"	PASSED	0.932 s
10	Then Success message should be displayed	PASSED	0.571 s

Create a Citizenship

PASSED	DURATION - 18.710 s
/ 10:54:50.133 PM // 10:55:08.843 PM /	
Citizenship Functionality	
@Regression	

Steps
Total - 10
Pass - 10
Fail - 0
Skip - 0

10

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	PASSED	2.365 s
2	When Enter valid username and password and click login button	PASSED	1.874 s
3	Then User should login successfully	PASSED	1.368 s

#	Step / Hook Details	Status	Duration
4	And Navigate to citizenship	PASSED	1.947 s
5	When Create a citizenship that name as "Norwegian" short name as "sh564"	PASSED	1.755 s
6	Then Success message should be displayed	PASSED	0.674 s
7	When Create a citizenship that name as "Norwegian" short name as "sh564"	PASSED	0.917 s
8	Then Already exist message should be displayed	PASSED	0.566 s
9	When User delete the citizenship that name as "Norwegian"	PASSED	1.018 s
10	Then Success message should be displayed	PASSED	0.592 s

Create a Citizenship

PASSED	DURATION - 19.378 s
/ 10:55:08.854 PM // 10:55:28.232 PM /	
Citizenship Functionality	
@Regression	

Steps
Total - 10
Pass - 10
Fail - 0
Skip - 0

| #	Step / Hook Details	Status	Duration
1	Given Navigate to campus	PASSED	2.304 s
2	When Enter valid username and password and click login button	PASSED	1.535 s
3	Then User should login successfully	PASSED	1.495 s
4	And Navigate to citizenship	PASSED	2.070 s
5	When Create a citizenship that name as "German" short name as "sh565"	PASSED	1.869 s
6	Then Success message should be displayed	PASSED	0.676 s
7	When Create a citizenship that name as "German" short name as "sh565"	PASSED	1.015 s
8	Then Already exist message should be displayed	PASSED	0.610 s
9	When User delete the citizenship that name as "German"	PASSED	1.543 s
10	Then Success message should be displayed	PASSED	0.594 s

DataTable Functionality

FAILED	DURATION - 1 m 23.199 s		Scenarios Total - 3 Pass - 2 Fail - 1 Skip - 0		Steps Total - 30 Pass - 29 Fail - 1 Skip - 0	
/ 10:55:28.257 PM // 10:56:51.456 PM /						

Create Country

FAILED	DURATION - 47.405 s		Steps Total - 10 Pass - 9 Fail - 1 Skip - 0	
/ 10:55:28.257 PM // 10:56:15.662 PM /				
DataTable Functionality				
@Regression				

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	PASSED	2.545 s
2	When Enter valid username and password and click login button	PASSED	1.603 s
3	Then User should login successfully	PASSED	1.529 s
4	And Click on the element in LeftNav setup parameters countries	PASSED	1.922 s
5	And Click on the element in Dialog addButton	PASSED	1.208 s
6	And User sending the keys in Dialog nameInput Krm1Country1 codeInput krmCode1.	PASSED	0.943 s
7	And Click on the element in Dialog saveButton	PASSED	0.156 s
8	Then Success message should be displayed	PASSED	0.621 s
9	And User delete the element from Dialog	PASSED	0.801 s

#	Step / Hook Details	Status	Duration
	Krm1Country1		
10	Then Success message should be displayed	FAILED	30.421 s

	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for text ('success') to be present in element Proxy element for: DefaultElementLocator 'By.xpath: //div[contains(text(),'successfully')]' (tried for 30 second(s) with 500 milliseconds interval)
	    at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228)
	    at pages.Parent.verifyContainsText(Parent.java:35)
	    at stepDefinitions._02_CountrySteps.successMessageShouldBeDisplayed(_02_CountrySteps.java:35)
	    at ?.Success message should be displayed(file:///C:/Users/cihat/IdeaProjects/CucumberCurrent/src/test/java/featureFiles/_08_DataTable.feature:30)
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[contains(text(),'successfully')]"} (Session info: chrome=123.0.6312.105) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.22' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [017dbcfc4f70dbc48ac923db3ff11dba, findElement {using=xpath, value=//div[contains(text(),'successfully')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 123.0.6312.105, chrome: {chromedriverVersion: 123.0.6312.105 (399174dbe6e..., userDataDir: C:\Users\cihat\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64679}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64679/devtoo..., se:cdpVersion: 123.0.6312.105, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 017dbcfc4f70dbc48ac923db3ff11dba
	    at jdk.internal.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)
	    at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:190)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)
	    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	    at com.sun.proxy.$Proxy25.getText(Unknown Source)
	    at org.openqa.selenium.support.ui.ExpectedConditions$12.apply(ExpectedConditions.java:343)
	    at org.openqa.selenium.support.ui.ExpectedConditions$12.apply(ExpectedConditions.java:339)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)		
	at pages.Parent.verifyContainsText(Parent.java:35)		
	at stepDefinitions._02_CountrySteps.successMessageShouldBeDisplayed(_02_CountrySteps.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:136)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:658)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:219)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:923)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:192)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1541)		
	at org.testng.TestRunner.privateRun(TestRunner.java:808)		
	at org.testng.TestRunner.run(TestRunner.java:603)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:429)		

| #	Step / Hook Details	Status	Duration
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:423) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:383) at org.testng.SuiteRunner.run(SuiteRunner.java:326) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1249) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.runSuites(TestNG.java:1092) at org.testng.TestNG.run(TestNG.java:1060) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) * Not displayable characters are replaced by '?'.		
	AFTER - stepDefinitions.Hooks.after(io.cucumber.java.Scenario) screenshot name 	PASSED	5.653 s

Create Nationality

PASSED	DURATION - 15.998 s
/ 10:56:15.678 PM // 10:56:31.676 PM /	
DataTable Functionality	
@Regression	

Steps
Total - 10
Pass - 10
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	PASSED	2.089 s
2	When Enter valid username and password and click login button	PASSED	1.068 s
3	Then User should login successfully	PASSED	1.229 s
4	And Click on the element in LeftNav setup	PASSED	2.033 s

#	Step / Hook Details	Status	Duration
	parameters nationalities		
5	And Click on the element in Dialog addButton	PASSED	1.119 s
6	And User sending the keys in Dialog nameInput KrmNat1	PASSED	0.429 s
7	And Click on the element in Dialog saveButton	PASSED	0.125 s
8	Then Success message should be displayed	PASSED	0.705 s
9	And User delete the element from Dialog KrmNat1	PASSED	0.866 s
10	Then Success message should be displayed	PASSED	0.602 s

Fee Functionality

PASSED	DURATION - 19.771 s
/ 10:56:31.685 PM // 10:56:51.456 PM /	
DataTable Functionality	
@Regression	

Steps
Total - 10
Pass - 10
Fail - 0
Skip - 0

10

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	PASSED	2.532 s
2	When Enter valid username and password and click login button	PASSED	2.036 s
3	Then User should login successfully	PASSED	1.399 s
4	And Click on the element in LeftNav setup parameters fees	PASSED	2.117 s
5	And Click on the element in Dialog	PASSED	1.134 s

#	Step / Hook Details	Status	Duration
	addButton		
6	And User sending the keys in Dialog	PASSED	1.715 s
	nameInput Krm1Fee1 codeInput i2323 integrationCode 121 priorityCode 2323		
7	And Click on the element in Dialog	PASSED	0.283 s
	toggleBar saveButton		
8	Then Success message should be displayed	PASSED	0.666 s
9	And User delete the element from Dialog	PASSED	1.601 s
	Krm1Fee1		
10	Then Success message should be displayed	PASSED	0.576 s

Fees Multiple Values Functionality

| PASSED	DURATION - 1 m 35.241 s	Scenarios Total - 5 Pass - 5 Fail - 0 Skip - 0	5	Steps Total - 50 Pass - 50 Fail - 0 Skip - 0	50
/ 10:56:51.470 PM // 10:58:26.711 PM /					

Fee Functionality

PASSED	DURATION - 18.759 s		Steps Total - 10 Pass - 10 Fail - 0 Skip - 0	10
/ 10:56:51.470 PM // 10:57:10.229 PM /				
Fees Multiple Values Functionality				
@Regression				

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	PASSED	2.529 s
2	When Enter valid username and password and click login button	PASSED	1.863 s
3	Then User should login successfully	PASSED	1.478 s
4	And Click on the element in LeftNav setup parameters fees	PASSED	2.078 s
5	And Click on the element in Dialog addButton	PASSED	1.099 s
6	And User sending the keys in Dialog nameInput — KrmFee10 codeInput — 902224 integrationCode — PayPal priorityCode — 994304	PASSED	1.448 s
7	And Click on the element in Dialog toggleBar saveButton	PASSED	0.255 s
8	Then Success message should be displayed	PASSED	0.650 s
9	And User delete the element from Dialog KrmFee10	PASSED	1.217 s
10	Then Success message should be displayed	PASSED	0.580 s

Fee Functionality

PASSED	DURATION - 19.086 s
/ 10:57:10.242 PM // 10:57:29.328 PM /	
Fees Multiple Values Functionality	
@Regression	

Steps
Total - 10
Pass - 10
Fail - 0
Skip - 0

10

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	PASSED	2.390 s
2	When Enter valid username and password and click login button	PASSED	1.797 s
3	Then User should login successfully	PASSED	1.491 s
4	And Click on the element in LeftNav setup parameters fees	PASSED	1.920 s
5	And Click on the element in Dialog addButton	PASSED	1.159 s
6	And User sending the keys in Dialog nameInput KrmFee20 codeInput 802225 integrationCode Cash priorityCode 912305	PASSED	1.551 s
7	And Click on the element in Dialog toggleBar saveButton	PASSED	0.314 s
8	Then Success message should be displayed	PASSED	0.667 s
9	And User delete the element from Dialog KrmFee20	PASSED	1.562 s
10	Then Success message should be displayed	PASSED	0.596 s

Fee Functionality

PASSED	DURATION - 18.703 s		Steps	
/ 10:57:29.337 PM // 10:57:48.040 PM /			Total - 10	
			Pass - 10	
Fees Multiple Values Functionality			Fail - 0	10
			Skip - 0	
@Regression				

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	PASSED	2.366 s
2	When Enter valid username and password and click login button	PASSED	1.882 s
3	Then User should login successfully	PASSED	1.348 s
4	And Click on the element in LeftNav setup parameters fees	PASSED	1.962 s
5	And Click on the element in Dialog addButton	PASSED	1.204 s
6	And User sending the keys in Dialog nameInput KrmFee30 codeInput 702226 integrationCode Cheque priorityCode 901230	PASSED	1.429 s
7	And Click on the element in Dialog toggleBar saveButton	PASSED	0.245 s
8	Then Success message should be displayed	PASSED	0.640 s
9	And User delete the element from Dialog KrmFee30	PASSED	1.600 s
10	Then Success message should be displayed	PASSED	0.572 s

Fee Functionality

PASSED	DURATION - 18.965 s
/ 10:57:48.047 PM // 10:58:07.012 PM /	
Fees Multiple Values Functionality	
@Regression	

Steps

Total - 10

Pass - 10

Fail - 0

Skip - 0

10

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	PASSED	1.899 s
2	When Enter valid username and password and click login button	PASSED	1.936 s
3	Then User should login successfully	PASSED	1.523 s
4	And Click on the element in LeftNav setup parameters fees	PASSED	2.045 s
5	And Click on the element in Dialog addButton	PASSED	1.100 s
6	And User sending the keys in Dialog nameInput — KrmFee40 codeInput — 602227 integrationCode — ApplePay priorityCode — 912307	PASSED	1.495 s
7	And Click on the element in Dialog toggleBar saveButton	PASSED	0.246 s
8	Then Success message should be displayed	PASSED	0.656 s
9	And User delete the element from Dialog KrmFee40	PASSED	1.714 s
10	Then Success message should be displayed	PASSED	0.584 s

Fee Functionality

PASSED	DURATION - 19.684 s
/ 10:58:07.027 PM // 10:58:26.711 PM /	
Fees Multiple Values Functionality	
@Regression	

Steps
Total - 10
Pass - 10
Fail - 0
Skip - 0

10

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	PASSED	2.884 s
2	When Enter valid username and password and click login button	PASSED	2.424 s
3	Then User should login successfully	PASSED	1.839 s
4	And Click on the element in LeftNav setup parameters fees	PASSED	1.674 s
5	And Click on the element in Dialog addButton	PASSED	1.068 s
6	And User sending the keys in Dialog nameInput KrmFee50 codeInput 502229 integrationCode Crypto priorityCode 912308	PASSED	1.480 s
7	And Click on the element in Dialog toggleBar saveButton	PASSED	0.279 s
8	Then Success message should be displayed	PASSED	0.638 s
9	And User delete the element from Dialog KrmFee50	PASSED	1.203 s
10	Then Success message should be displayed	PASSED	0.590 s

Nationality functionality

PASSED	*DURATION - 1 m 27.314 s*	Scenarios Total - 5 Pass - 5 Fail - 0 Skip - 0	5	Steps Total - 50 Pass - 50 Fail - 0 Skip - 0	50
/ 10:58:26.725 PM // 10:59:54.039 PM /					

Create Nationality and Delete

PASSED	DURATION - 18.877 s
/ 10:58:26.725 PM // 10:58:45.602 PM /	
Nationality functionality	
@Regression	

Steps
Total - 10
Pass - 10
Fail - 0
Skip - 0

10

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	PASSED	2.493 s
2	When Enter valid username and password and click login button	PASSED	2.516 s
3	Then User should login successfully	PASSED	2.057 s
4	And Click on the element in LeftNav setup parameters nationalities	PASSED	2.326 s
5	And Click on the element in Dialog addButton	PASSED	1.031 s
6	And User sending the keys in Dialog nameInput Turkish01	PASSED	0.493 s
7	And Click on the element in Dialog saveButton	PASSED	0.143 s
8	Then Success message should be displayed	PASSED	0.694 s
9	And User delete the element from Dialog Turkish01	PASSED	0.979 s
10	Then Success message should be displayed	PASSED	0.589 s

Create Nationality and Delete

PASSED	DURATION - 17.822 s
/ 10:58:45.608 PM // 10:59:03.430 PM /	
Nationality functionality	
@Regression	

Steps
Total - 10
Pass - 10
Fail - 0
Skip - 0

10

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	PASSED	2.578 s
2	When Enter valid username and password and click login button	PASSED	2.379 s
3	Then User should login successfully	PASSED	1.461 s
4	And Click on the element in LeftNav setup parameters nationalities	PASSED	2.043 s
5	And Click on the element in Dialog addButton	PASSED	0.984 s
6	And User sending the keys in Dialog nameInput Kurdish01	PASSED	0.411 s
7	And Click on the element in Dialog saveButton	PASSED	0.128 s
8	Then Success message should be displayed	PASSED	0.711 s
9	And User delete the element from Dialog Kurdish01	PASSED	0.871 s
10	Then Success message should be displayed	PASSED	0.593 s

Create Nationality and Delete

		Steps
PASSED *DURATION - 17.277 s*		Total - 10
/ 10:59:03.439 PM // 10:59:20.716 PM /		Pass - 10
		Fail - 0
Nationality functionality		Skip - 0
@Regression		10

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	PASSED	2.642 s
2	When Enter valid username and password and click login button	PASSED	1.832 s
3	Then User should login successfully	PASSED	1.580 s
4	And Click on the element in LeftNav setup parameters nationalities	PASSED	2.381 s
5	And Click on the element in Dialog addButton	PASSED	0.836 s
6	And User sending the keys in Dialog nameInput Italian01	PASSED	0.345 s
7	And Click on the element in Dialog saveButton	PASSED	0.135 s
8	Then Success message should be displayed	PASSED	0.617 s
9	And User delete the element from Dialog Italian01	PASSED	0.779 s
10	Then Success message should be displayed	PASSED	0.568 s

Create Nationality and Delete

PASSED	DURATION - 16.118 s

/ 10:59:20.725 PM // 10:59:36.843 PM /

Nationality functionality

@Regression

Steps
Total - 10
Pass - 10
Fail - 0
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	PASSED	2.209 s
2	When Enter valid username and password and click login button	PASSED	1.818 s
3	Then User should login successfully	PASSED	1.469 s
4	And Click on the element in LeftNav setup parameters nationalities	PASSED	1.452 s
5	And Click on the element in Dialog addButton	PASSED	1.019 s
6	And User sending the keys in Dialog nameInput Spanish01	PASSED	0.343 s
7	And Click on the element in Dialog saveButton	PASSED	0.129 s
8	Then Success message should be displayed	PASSED	0.602 s
9	And User delete the element from Dialog Spanish01	PASSED	0.738 s
10	Then Success message should be displayed	PASSED	0.585 s

Create Nationality and Delete

PASSED	DURATION - 17.183 s
/ 10:59:36.856 PM // 10:59:54.039 PM /	
Nationality functionality	
@Regression	

Steps
Total - 10
Pass - 10
Fail - 0
Skip - 0

10

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	PASSED	2.471 s
2	When Enter valid username and password and click login button	PASSED	2.074 s
3	Then User should login successfully	PASSED	1.336 s
4	And Click on the element in LeftNav setup parameters nationalities	PASSED	2.164 s
5	And Click on the element in Dialog addButton	PASSED	0.953 s
6	And User sending the keys in Dialog nameInput Norwegian01	PASSED	0.380 s
7	And Click on the element in Dialog saveButton	PASSED	0.121 s
8	Then Success message should be displayed	PASSED	0.698 s
9	And User delete the element from Dialog Norwegian01	PASSED	0.860 s
10	Then Success message should be displayed	PASSED	0.591 s

Inventory functionality

PASSED	DURATION - 1 m 25.930 s	Scenarios Total - 5 Pass - 5 Fail - 0 Skip - 0	5	Steps Total - 55 Pass - 55 Fail - 0 Skip - 0	55
/ 10:59:54.051 PM // 11:01:19.981 PM /					

Create Inventory and Delete

PASSED	DURATION - 17.847 s		Steps Total - 11 Pass - 11 Fail - 0 Skip - 0	11
/ 10:59:54.052 PM // 11:00:11.899 PM /				
Inventory functionality				
@Regression				

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	PASSED	2.779 s
2	When Enter valid username and password and click login button	PASSED	2.019 s
3	Then User should login successfully	PASSED	1.460 s
4	And Click on the element in LeftNav inventory setupInventory itemCategories	PASSED	1.932 s
5	And Click on the element in Dialog addButton	PASSED	0.971 s
6	And User sending the keys in Dialog nameInput | Textbooks	PASSED	0.426 s
7	And Click on the element in Dialog userType student	PASSED	0.255 s
8	And Click on the element in Dialog saveButton	PASSED	0.244 s

#	Step / Hook Details	Status	Duration
9	Then Success message should be displayed	PASSED	0.693 s
10	And User delete the element from Dialog Textbooks	PASSED	0.838 s
11	Then Success message should be displayed	PASSED	0.574 s

### Create Inventory and Delete

PASSED	DURATION - 17.740 s
/ 11:00:11.914 PM // 11:00:29.654 PM /	
Inventory functionality	
@Regression	

Steps
Total - 11
Pass - 11
Fail - 0
Skip - 0

11

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	PASSED	2.275 s
2	When Enter valid username and password and click login button	PASSED	1.901 s
3	Then User should login successfully	PASSED	1.467 s
4	And Click on the element in LeftNav inventory setupInventory itemCategories	PASSED	1.850 s
5	And Click on the element in Dialog addButton	PASSED	1.150 s
6	And User sending the keys in Dialog nameInput Laboratory Equipment	PASSED	0.558 s
7	And Click on the element in Dialog userType administrator	PASSED	0.341 s
8	And Click on the element in Dialog saveButton	PASSED	0.316 s

| #	Step / Hook Details	Status	Duration
9	Then Success message should be displayed	PASSED	0.726 s
10	And User delete the element from Dialog Laboratory Equipment	PASSED	1.031 s
11	Then Success message should be displayed	PASSED	0.592 s

Create Inventory and Delete

PASSED DURATION - 16.912 s		
/ 11:00:29.668 PM // 11:00:46.580 PM /		
Inventory functionality		
@Regression		

Steps
Total - 11
Pass - 11
Fail - 0
Skip - 0

11

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	PASSED	2.293 s
2	When Enter valid username and password and click login button	PASSED	1.446 s
3	Then User should login successfully	PASSED	1.440 s
4	And Click on the element in LeftNav inventory setupInventory itemCategories	PASSED	2.023 s
5	And Click on the element in Dialog addButton	PASSED	0.995 s
6	And User sending the keys in Dialog nameInput Digital Learning Resources	PASSED	0.475 s
7	And Click on the element in Dialog userType student	PASSED	0.282 s
8	And Click on the element in Dialog saveButton	PASSED	0.222 s

| #	Step / Hook Details	Status	Duration
9	Then Success message should be displayed	PASSED	0.698 s
10	And User delete the element from Dialog	PASSED	0.902 s
	Digital Learning Resources		
11	Then Success message should be displayed	PASSED	0.574 s

Create Inventory and Delete

PASSED	DURATION - 17.431 s

/ 11:00:46.591 PM // 11:01:04.022 PM /

Inventory functionality

@Regression

Steps
Total - 11
Pass - 11
Fail - 0
Skip - 0

11

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	PASSED	2.349 s
2	When Enter valid username and password and click login button	PASSED	1.806 s
3	Then User should login successfully	PASSED	1.348 s
4	And Click on the element in LeftNav	PASSED	2.300 s
	inventory		
	setupInventory		
	itemCategories		
5	And Click on the element in Dialog	PASSED	0.895 s
	addButton		
6	And User sending the keys in Dialog	PASSED	0.464 s
	nameInput Classroom Supplies		
7	And Click on the element in Dialog	PASSED	0.268 s
	userType		
	administrator		
8	And Click on the element in Dialog	PASSED	0.246 s
	saveButton		

#	Step / Hook Details	Status	Duration
9	Then Success message should be displayed	PASSED	0.646 s
10	And User delete the element from Dialog	PASSED	0.882 s
	Classroom Supplies		
11	Then Success message should be displayed	PASSED	0.585 s

Create Inventory and Delete

PASSED	DURATION - 15.952 s		
/ 11:01:04.029 PM // 11:01:19.981 PM /			
Inventory functionality			
@Regression			

Steps
Total - 11
Pass - 11
Fail - 0
Skip - 0

11

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	PASSED	2.330 s
2	When Enter valid username and password and click login button	PASSED	1.381 s
3	Then User should login successfully	PASSED	1.201 s
4	And Click on the element in LeftNav	PASSED	1.961 s
	inventory		
	setupInventory		
	itemCategories		
5	And Click on the element in Dialog	PASSED	0.714 s
	addButton		
6	And User sending the keys in Dialog	PASSED	0.399 s
	nameInput | Educational Software		
7	And Click on the element in Dialog	PASSED	0.203 s
	userType		
	administrator		
8	And Click on the element in Dialog	PASSED	0.185 s
	saveButton		

#	Step / Hook Details	Status	Duration
9	Then Success message should be displayed	PASSED	0.586 s
10	And User delete the element from Dialog	PASSED	1.004 s
	Educational Software		
11	Then Success message should be displayed	PASSED	0.555 s

ApachePOI Citizen Functionality

PASSED	DURATION - 33.638 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0	Steps Total - 6 Pass - 6 Fail - 0 Skip - 0
/ 11:01:19.986 PM // 11:01:53.624 PM /			

Create and Delete CitizenShip From Excel

PASSED	DURATION - 33.638 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0
/ 11:01:19.986 PM // 11:01:53.624 PM /			
ApachePOI Citizen Functionality			
@Regression			

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	PASSED	1.722 s
2	When Enter valid username and password and click login button	PASSED	1.579 s
3	Then User should login successfully	PASSED	1.216 s
4	And Navigate to citizenship	PASSED	1.611 s
5	When User create citizenship with ApachePOI	PASSED	10.286 s
6	Then User delete citizenship with ApachePOI	PASSED	11.833 s

Testing JDBC States

FAILED	DURATION - 13.148 s		Scenarios		Steps	
/ 11:01:53.627 PM // 11:02:06.775 PM /			Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 5 Pass - 4 Fail - 1 Skip - 0	5

States testing with JDBC

FAILED	DURATION - 13.148 s		Steps	
/ 11:01:53.627 PM // 11:02:06.775 PM /			Total - 5 Pass - 4 Fail - 1 Skip - 0	5
Testing JDBC States				
@Regression				

#	Step / Hook Details	Status	Duration
1	Given Navigate to campus	PASSED	1.512 s
2	When Enter valid username and password and click login button	PASSED	0.887 s
3	Then User should login successfully	PASSED	1.110 s
4	And Click on the element in LeftNav setup parameters states	PASSED	1.841 s

5	Then Send the query the database "select name from states limit 10" and control match
	
	java.lang.NullPointerException
	    at stepDefinitions._13_JDBCSteps.sendTheQueryTheDatabaseAndControlMatch(_13_JDBCSteps.java:27)
	    at ?.Send the query the database "select name from states limit 10" and control match(file:///C:/Users/cihat/IdeaProjects/CucumberCurrent/src/test/java/featureFiles/_14_JDBCStates.feature:19)
	* Not displayable characters are replaced by '?'.
		FAILED	2.245 s

	AFTER - stepDefinitions.Hooks.after(io.cucumber.java.Scenario) screenshot name	PASSED	5.548 s

#	Step / Hook Details	Status	Duration