


| Feature | | | Scei | nario | | | Step | | | | |
|------------------------|----------|---|------|-------|---|----|------|---|---|--|--|
| Name | Duration | T | P | F | S | T | P | F | S | | |
| Country Functionality | 31.932 s | 1 | 1 | 0 | 0 | 6 | 6 | 0 | 0 | | |
| Country Multi Scenario | 59.967 s | 2 | 1 | 1 | 0 | 12 | 11 | 1 | 0 | | |


| Tag | | Scer | nario | | Feat T P 1 1 | | ture | |
|-------------|---|------|-------|---|--------------|---|------|---|
| Name | T | P | F | S | T | P | F | S |
| @SmokeTest | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @Regression | 3 | 2 | 1 | 0 | 2 | 1 | 1 | 0 |

FEATURES SUMMARY



| # | Feature Name | T | P | F | S | Duration |
|---|------------------------|---|---|---|---|----------|
| 1 | Country Functionality | 1 | 1 | 0 | 0 | 31.932 s |
| 2 | Country Multi Scenario | 2 | 1 | 1 | 0 | 59.967 s |

SCENARIOS SUMMARY -- 5 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|------------------------|--------------------|---|---|---|---|----------|
| 1 | Country Functionality | Create a country | 6 | 6 | 0 | 0 | 31.928 s |
| 2 | Country Multi Scenario | Create a country | 6 | 6 | 0 | 0 | 15.197 s |
| 3 | Country Multi Scenario | Create a country 2 | 6 | 5 | 1 | 0 | 44.760 s |

DETAILED SECTION -- 6 --

Country Functionality


| PASSED | DURATION - 31.932 s | Scenarios | | Steps | |
|------------------|------------------------|-----------|---|-----------|---|
| | | Total - 1 | | Total - 6 | |
| / 11:55:58.654 A | M // 11:56:30.586 AM / | Pass - 1 | 1 | Pass - 6 | 6 |
| | | Fail - 0 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |
| | | | | | |

Create a country



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Navigate to Campus | PASSED | 20.663 s |
| 2 | When Enter valid username and password and click login button | PASSED | 1.093 s |
| 3 | Then User should login successfully | PASSED | 1.504 s |
| 4 | And Navigate to country | PASSED | 1.115 s |
| 5 | When Create a country | PASSED | 1.582 s |
| 6 | Then Success message should be displayed | PASSED | 0.567 s |

Country Multi Scenario




DETAILED SECTION -- 7 --

Create a country

| PASSED | DURATION - 15.197 s | 4 - | | | - | | | | | | \neg | Steps | | |
|------------------|-------------------------|-----|--|---|---------|-----------|------|---|---|---|--------|-----------|---|--|
| / 11:56:30 600 4 | AM // 11:56:45.797 AM / | 3 - | | - | - + | | | ; | | | - | Total - 6 | | |
| 711.30.30.0007 | WWW 11.50.45.757 AWY | 2 - | | • | | | | | | | - | Pass - 6 | 6 | |
| Country Multi So | cenario | 1 - | | • | _ | - 🖮 - | | | | | - | Fail - 0 | ט | |
| @Dograpsian | | 0. | | | | | | | l | | _ | Skip - 0 | | |
| @Regression | | | | 1 | 2 | 3 | 4 | 5 | | 6 | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Navigate to Campus | PASSED | 3.437 s |
| 2 | When Enter valid username and password and click login button | PASSED | 1.073 s |
| 3 | Then User should login successfully | PASSED | 1.295 s |
| 4 | And Navigate to country | PASSED | 1.578 s |
| 5 | When Create a country | PASSED | 1.921 s |
| 6 | Then Success message should be displayed | PASSED | 0.558 s |

Create a country 2



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Navigate to Campus | PASSED | 4.215 s |
| 2 | When Enter valid username and password and click login button | PASSED | 0.963 s |
| 3 | Then User should login successfully | PASSED | 1.386 s |
| 4 | And Navigate to country | PASSED | 0.970 s |
| 5 | When Create a country that name as "KrmCnt001" code as "U1001" | PASSED | 1.550 s |
| 6 | Then Success message should be displayed | FAILED | 30.199 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for text ('success') to be present in element Proxy element for: | | |
| | DefaultElementLocator 'By.xpath: //div[contains(text(),'successfully')]' (tried for 30 second(s) with 500 milliseconds interval) | | |
| | at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) | | |
| | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:230) | | |
| | at pages.Parent.verifyContainsText(Parent.java:35) | | |
| | at stepDefinitions02_CountrySteps.successMessageShouldBeDisplayed(_02_CountrySteps.java:33) | | |
| | at ?.Success message should be displayed(file:///C:/Users/cihat/IdeaProjects/CucumberCurrent/src/test/java/featureFiles/ | | |
| | _03_CountryMultipleScenarios.feature:17) | | |
| | Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: | | |
| | {"method":"xpath","selector":"//div[contains(text(),'successfully')]"} (Session info: chrome=117.0.5938.149) For documentation on this error, | | |
| | please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', | | |
| | revision: '040bc5406b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.20' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [d25cd77c91c5d65ea31bab2aeee5df9e, findElement {using=xpath, | | |
| | value=//div[contains(text(), 'successfully')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 117.0.5938.149, | | |
| | chrome: {chromedriverVersion: 117.0.5938.149 (e3344ddefa1, userDataDir: C:\Users\cihat\AppData\Loca}, fedcm:accounts: true, | | |
| | goog:chromeOptions: {debuggerAddress: localhost:51969}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: | | |
| | windows, proxy: Proxy(), se:cdp: ws://localhost:51969/devtoo, se:cdpVersion: 117.0.5938.149, setWindowRect: true, strictFileInteractability: | | |
| | false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: | | |
| | true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, | | |
| | webauthn:virtualAuthenticators: true} Session ID: d25cd77c91c5d65ea31bab2aeee5df9e | | |
| | at jdk.internal.reflect.GeneratedConstructorAccessor13.newInstance(Unknown Source) | | |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) | | |
| | at com.sun.proxy.\$Proxy28.getText(Unknown Source) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:343) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:339) | | |
| | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) | | |
| | at pages.Parent.verifyContainsText(Parent.java:35) | | |
| | at stepDefinitions02_CountrySteps.successMessageShouldBeDisplayed(_02_CountrySteps.java:33) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:566) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:57) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:84) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) | | |
| | $at\ io. cucumber. core. runtime. Rethrowing Throwable Collector. execute And Throw (Rethrowing Throwable Collector. java: 23)$ | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:566) | | |
| | $at\ org. testng. in ternal. invokers. Method Invocation Helper. invoke Method (Method Invocation Helper. java: 139)$ | | |
| | at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:677) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:221) | | |
| | at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) | | |
| | at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:969) | | |
| | at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:194) | | |
| | at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) | | |
| | at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) | | |
| | at org.testng.TestRunner.privateRun(TestRunner.java:829) | | |
| | at org.testng.TestRunner.run(TestRunner.java:602) | | |
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:437) | | |
| | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:431) | | |
| | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:391) | | |
| | at org.testng.SuiteRunner.run(SuiteRunner.java:330) | | |

DETAILED SECTION -- 10 --

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) | | |
| | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) | | |
| | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1256) | | |
| | at org.testng.TestNG.runSuitesLocally(TestNG.java:1176) | | |
| | at org.testng.TestNG.runSuites(TestNG.java:1099) | | |
| | at org.testng.TestNG.run(TestNG.java:1067) | | |
| | at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) | | |
| | at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) | | |
| | * Not displayable characters are replaced by '?'. | | |
| | AFTER - stepDefinitions.Hooks.after(io.cucumber.java.Scenario) | PASSED | 5.475 s |
| | screenshot name | | |
| | | | |