

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
DataTable Functionality	1 m 10.906 s	2	1	1	0	20	17	1	2


Tag		Scer	nario		Feature			
Name	T	P	F	S	T	P	F	S
@Regression	2	1	1	0	1	0	1	0

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	DataTable Functionality	2	1	1	0	1 m 10.906 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	DataTable Functionality	Create Nationality	10	10	0	0	23.222 s
2	DataTable Functionality	Fee Functionality	10	7	1	2	47.672 s

DETAILED SECTION -- 6 --

## **DataTable Functionality**

Scenarios		Steps	
Total - 2		Total - 20	
Pass - 1	2	Pass - 17	20
Fail - 1		Fail - 1	20
Skip - 0		Skip - 2	
	Total - 2 Pass - 1 Fail - 1.	Total - 2 Pass - 1 Fail - 1	Total - 2  Pass - 1  Fail - 1  Total - 20  Pass - 17  Fail - 1


## **Create Nationality**



#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	5.982 s
2	When Enter username and password and click button	PASSED	1.852 s
3	Then User should login successfully	PASSED	3.791 s
4	And Click on the element in LeftNav	PASSED	1.377 s
	setup parameters nationalities		
5	And Click on the element in Dialog	PASSED	0.826 s
	addButton		
6	And User sending the keys in Dialog Content	PASSED	0.432 s
	nameInput   KeremUlk01		
7	And Click on the element in Dialog	PASSED	0.203 s
	saveButton		
8	Then Success message should be displayed	PASSED	0.696 s

#	Step / Hook Details	Status	Duration
9	And User delete item from Dialog Content	PASSED	1.586 s
	KeremUlk01		
10	Then Success message should be displayed	PASSED	0.670 s

## **Fee Functionality**



#	Step / Hook Details	Status	Duration
1	Given Navigate to Campus	PASSED	3.293 s
2	When Enter username and password and click button	PASSED	1.346 s
3	Then User should login successfully	PASSED	3.490 s
4	And Click on the element in LeftNav	PASSED	1.233 s
	setup parameters fees		
5	And Click on the element in Dialog	PASSED	0.961 s
	addButton		
6	And User sending the keys in Dialog Content	PASSED	1.291 s
	nameInputCourse FeecodeInput12345integrationCode67890priorityCode19687456		
7	And Click on the element in Dialog	PASSED	0.417 s
	toggleBar saveButton		
8	Then Success message should be displayed	FAILED	30.171 s

#	Step / Hook Details	Status	Duration
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for text ('success') to be present in element Proxy element for:		
	DefaultElementLocator 'By.xpath: //div[contains(text(),'successfully')]' (tried for 30 second(s) with 500 milliseconds interval)		
	at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:87)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)		
	at pages.Parent.verifyContainsTextFunction(Parent.java:31)		
	at stepDefinitions02_CountrySteps.successMessageShouldBeDisplayed(_02_CountrySteps.java:32)		
	at ?.Success message should be displayed(file:///C:/Users/cihat/IdeaProjects/MyCucumberCourse/src/test/java/featureFiles/_06_DataTable.		
	feature:79)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:		
	{"method":"xpath","selector":"//div[contains(text(),'successfully')]"} (Session info: chrome=112.0.5615.87) For documentation on this error,		
	please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name:		
	'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '20' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9a78b556a9d5f787da5cfd3c7ad2b14f, findElement {using=xpath, value=//div[contains(text(),'successfully')]}] Capabilities		
	{acceptInsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.87, chrome: {chromedriverVersion: 112.0.5615.49		
	(bd2a7bcb881c, userDataDir: C:\Users\cihat\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:51632},		
	networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51632/devtoo.		
	, se:cdpVersion: 112.0.5615.87, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},		
	unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,		
	webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID:		
	9a78b556a9d5f787da5cfd3c7ad2b14f		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:352)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:344)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy27.getText(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:346)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$12.apply(ExpectedConditions.java:342)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at pages.Parent.verifyContainsTextFunction(Parent.java:31)		
	at stepDefinitions. 02 CountrySteps.successMessageShouldBeDisplayed( 02 CountrySteps.java:32)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:57)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:124)		
	at org.testng.internal.Invoker.invokeMethod(Invoker.java:583)		
	at org.testng.internal.Invoker.invokeTestMethod(Invoker.java:719)		
	at org.testng.internal.Invoker.invokeTestMethods(Invoker.java:989)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:125)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:109)		
	at org.testng.TestRunner.privateRun(TestRunner.java:648)		
	at org.testng.TestRunner.run(TestRunner.java:505)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:455)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:450)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:415)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:364)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:84)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1208)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1137)		
	at org.testng.TestNG.runSuites(TestNG.java:1049)		
	at org.testng.TestNG.run(TestNG.java:1017)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) * Not displayable characters are replaced by '?'.		
9	And User delete item from Dialog Content	SKIPPED	0.000 s
	Course Fee		
10	Then Success message should be displayed	SKIPPED	0.000 s
	AFTER - stepDefinitions.Hooks.after(io.cucumber.java.Scenario)	PASSED	5.464 s
	screen shot		