

LITHAN

Design & Implement Community Portal Database

Module Project

Module: Database Design and Implementation

Course: NICF-Advanced Certificate in Infocomm Technology (Software & Applications)

Start Date : 09/07/2022

End Date : 09/08/2022

Submission Date : 09/08/2022

Learner Name : Chathushi Jayarathna

Enrollment ID :

Presentation Date :

Version Number	Effective Date of release	Summary of Included Changes	Author
1	4 th March 2016	First Edition	Satya CVS
4	26 th July 2017	Changed for Module 4	Shrinivas K R
5	5 th June 2018	Changed for Module 4 RQF	Shrinivas K R

S. No.	Description
01	Development Tools
02	Database Requirements
03	Entities
04	Conceptual Design
05	Logical Design
06	Tables
07	Fields
08	Primary Key, Foreign Key & Indexes
09	SQL Queries
10	Report Queries
11	Indexes
12	Backup Script
13	Project Milestones & Tasks


S. No.	Description
17	Milestone Feedback & Action taken
18	Modifications Made based On Feedback
19	Project Results
20	Proposed Improvements

1. Development Tools


LITHAN

❑ Development Tools Screen captures


✓ XAMPP



✓ phpMyAdmin




✓ MySQL Workbench



LITHAN


✓ MS word




✓ MS PowerPoint

1. Development Tools

✓ dbdesc



✓ MS Excel



2. Database Requirements

LITHAN

✓ **System Rrequirments**

MySQL Workbench 8.0 CE

✓ **Hardware Requirements**

Processer = i5

RAM = 12GB

Space on hard disk

✓ **Software Requirements**

MySQL Workbench 8.0.30

MySQL Server 8.0.30

Process	Database Table
Registration	User, Account
Login	User, Login
Update Profile	User, Update Profile
Search & find	User, Search User
Send Messages	User, Message
Read Messages	User, Message
Post in Message Board	User, Post Message
Post Job Opportunities	User, Job
List Job Opportunities & Responses	User, Job, Apply Job
Administer user data	User, Profile, Admin
Send Bulk Email	Admin, Bulk Email

2. Database Requirements

LITHAN


No	Entity One	Entity Two	Relationship	Note
1	User	Account	One to One	One user has one account in the Community Portal
2	User	Admin	One to Many	One admin can have access to the user data
3	User	Update Profile	One to One	One user can update one profile
4	User	Login	One to One	One user has one account login
5	User	Public Profile	One to One	One user profile has one public profile
6	User	Search User	One to Many	One user can have search many users
7	User	Message	One to Many	One user can send many messages
8	User	Job	One to Many	One user can find many jobs
9	Admin	Bulk Email	One to Many	One admin can send many emails
10	Job	Company	Many to Many	Many Jobs has Many Companies
11	Job	Job Apply	One to One	One job has one application

3. Entities


S. No.	Entities	Description
01	User	A registered user is uniquely identified in the portal with a User ID
02	Admin	Registered users can be an administrator to administer user data and send bulk email
03	Update Profile	1 user ID can have 1 profile that contains general information, contact information and is uniquely identified by the profile ID
04	Public Profile	The users can edit their profile details using Public profile page.
05	Login	All the users can log into the portal
06	Search User	Registered user can search other users, jobs
07	Message	Registered user can send and read messages to and from other users
08	Job	Registered user can post job opportunities, apply or list job opportunities and responses
09	Company	Registered user can find companies
10	Job Apply	Registered user can apply for job vacancies
11	Bulk Email	Bulk invite email can only be done by the administrator

4. Conceptual Design

LITHAN




4. Conceptual Design



5. Logical Design

LITHAN



6. Tables

S. No.	Tables	Purpose of Table
01	Cp_User	To store user registration information
02	Cp_Account	To store the new users register details
03	Cp_Admin	To identify the user role as an administrator that has access to administer user data
04	Cp_UpdateProfile	To store user edit profile information
05	Cp_PublicProfile	To store user register and profile information
06	Cp_Login	To store user login details
07	Cp_SearchUser	To store user search history information
08	Cp_Message	To store user message information to send to another user
09	Cp_Job	To store user posted job information
10	Cp_Company	To store user posted company details
11	Cp_JobApply	Link between user and job, user can applied to posted job opportunities
12	Cp_BulkEmail	To store bulk email information that can only be send by the administrator

7. Fields

LITHAN

Cp_user

Field Name	Field Type	Size
User_ID (pk)	INT	11
Email	VARCHAR	40
Username	VARCHAR	15

Cp_account

Field Name	Field Type	Size
Acoount_ID (pk)	INT	11
Fname	VARCHAR	45
Email	VARCHAR	45
Password	VARCHAR	45
Contact	INT	11

Cp_admin

Field Name	Field Type	Size
Admin_ID (pk)	INT	11
Admin Name	VARCHAR	40
Admin Password	VARCHAR	15
Admin Email	VARCHAR	40

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
<input type="checkbox"/>	1	User_ID	int(11)		No	None		AUTO_INCREMENT	Change Drop More
<input type="checkbox"/>	2	Username	varchar(20)	utf8mb4_general_ci	No	None			Change Drop More
<input type="checkbox"/>	3	Email	varchar(35)	utf8mb4_general_ci	No	None			Change Drop More

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
<input type="checkbox"/>	1	Regi_ID	int(11)		No	None		AUTO_INCREMENT	Change Drop More
<input type="checkbox"/>	2	Fname	varchar(20)	utf8mb4_general_ci	No	None			Change Drop More
<input type="checkbox"/>	3	Lname	varchar(20)	utf8mb4_general_ci	No	None			Change Drop More
<input type="checkbox"/>	4	Email	varchar(35)	utf8mb4_general_ci	No	None			Change Drop More
<input type="checkbox"/>	5	Password	varchar(10)	utf8mb4_general_ci	No	None			Change Drop More
<input type="checkbox"/>	6	Contact	int(15)		No	None			Change Drop More
<input type="checkbox"/>	7	City	varchar(20)	utf8mb4_general_ci	No	None			Change Drop More
<input type="checkbox"/>	8	Country	varchar(20)	utf8mb4_general_ci	No	None			Change Drop More
<input type="checkbox"/>	9	user_id	int(11)		No	None			Change Drop More

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
<input type="checkbox"/>	1	Admin_ID	int(11)		No	None		AUTO_INCREMENT	Change Drop More
<input type="checkbox"/>	2	admin name	varchar(40)	utf8mb4_general_ci	No	None			Change Drop More
<input type="checkbox"/>	3	email	varchar(35)	utf8mb4_general_ci	No	None			Change Drop More
<input type="checkbox"/>	4	password	varchar(10)	utf8mb4_general_ci	No	None			Change Drop More
<input type="checkbox"/>	5	user_id	int(11)		No	None			Change Drop More

7. Fields

Cp_updatepro

Field Name	Field Type	Size
Upd_ID (pk)	INT	11
Skills	VARCHAR	60
Contact	INT	11
Education	VARCHAR	60
Name	VARCHAR	60
User_ID	INT	11

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
<input type="checkbox"/>	1 Upd_ID	int(11)			No	None		AUTO_INCREMENT	Change Drop More
<input type="checkbox"/>	2 Fname	varchar(20)	utf8mb4_general_ci		No	None			Change Drop More
<input type="checkbox"/>	3 Lname	varchar(20)	utf8mb4_general_ci		No	None			Change Drop More
<input type="checkbox"/>	4 Skills	varchar(30)	utf8mb4_general_ci		No	None			Change Drop More
<input type="checkbox"/>	5 Education	varchar(30)	utf8mb4_general_ci		No	None			Change Drop More
<input type="checkbox"/>	6 Work	varchar(30)	utf8mb4_general_ci		No	None			Change Drop More
<input type="checkbox"/>	7 Contact	int(15)			No	None			Change Drop More
<input type="checkbox"/>	8 user_id	int(11)			No	None			Change Drop More

Cp_login

Field Name	Field Type	Size
Login_ID (pk)	INT	11
Email	VARCHAR	40
Password	VARCHAR	8

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
<input type="checkbox"/>	1 Login_ID	int(11)			No	None		AUTO_INCREMENT	Change Drop More
<input type="checkbox"/>	2 Email	varchar(40)	utf8mb4_general_ci		No	None			Change Drop More
<input type="checkbox"/>	3 Password	varchar(8)	utf8mb4_general_ci		No	None			Change Drop More
<input type="checkbox"/>	4 User_ID	int(11)			No	None			Change Drop More

Cp_bulkemail

Field Name	Field Type	Size
B_Email_ID (pk)	INT	11
B_Email	VARCHAR	40
Email Type	VARCHAR	8

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
<input type="checkbox"/>	1 B_Email_id	int(11)			No	None		AUTO_INCREMENT	Change Drop More
<input type="checkbox"/>	2 B_Email	varchar(35)	utf8mb4_general_ci		No	None			Change Drop More
<input type="checkbox"/>	3 B_EmailType	varchar(10)	utf8mb4_general_ci		No	None			Change Drop More
<input type="checkbox"/>	4 Admin_ID	int(11)			No	None			Change Drop More

7. Fields

Cp_message

Field Name	Field Type	Size
Field Name	Field Type	Size
Msg_ID (pk)	INT	11
Sender	VARCHAR	45
Receiver	VARCHAR	45
User_ID	INT	11

Cp_publicpro

Field Name	Field Type	Size
Field Name	Field Type	Size
Pro_ID (pk)	INT	11
Name	VARCHAR	20
Work	VARCHAR	60
Favorite	VARCHAR	60
Education	VARCHAR	60
Skills	VARCHAR	60
User_ID	INT	11

Cp_searchuser

Field Name	Field Type	Size
Field Name	Field Type	Size
Search_ID (pk)	INT	11
User_ID	INT	11
Name	VARCHAR	60

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
<input type="checkbox"/>	1	Msg_ID	int(11)		No	None		AUTO_INCREMENT	Change Drop More
<input type="checkbox"/>	2	Content	varchar(60)	utf8mb4_general_ci	No	None			Change Drop More
<input type="checkbox"/>	3	Sender	varchar(20)	utf8mb4_general_ci	No	None			Change Drop More
<input type="checkbox"/>	4	Reciver	varchar(20)	utf8mb4_general_ci	No	None			Change Drop More
<input type="checkbox"/>	5	Date	date		No	None			Change Drop More
<input type="checkbox"/>	6	Time	int(5)		No	None			Change Drop More
<input type="checkbox"/>	7	user_id	int(11)		No	None			Change Drop More

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
<input type="checkbox"/>	1	Pro_ID	int(11)		No	None		AUTO_INCREMENT	Change Drop More
<input type="checkbox"/>	2	Name	varchar(35)	utf8mb4_general_ci	No	None			Change Drop More
<input type="checkbox"/>	3	Work	varchar(30)	utf8mb4_general_ci	No	None			Change Drop More
<input type="checkbox"/>	4	Favorite	varchar(30)	utf8mb4_general_ci	No	None			Change Drop More
<input type="checkbox"/>	5	Education	varchar(30)	utf8mb4_general_ci	No	None			Change Drop More
<input type="checkbox"/>	6	Skills	varchar(30)	utf8mb4_general_ci	No	None			Change Drop More
<input type="checkbox"/>	7	user_id	int(11)		No	None			Change Drop More

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
<input type="checkbox"/>	1	search_id	int(11)		No	None		AUTO_INCREMENT	Change Drop More
<input type="checkbox"/>	2	Name	varchar(35)	utf8mb4_general_ci	No	None			Change Drop More
<input type="checkbox"/>	3	Location	varchar(20)	utf8mb4_general_ci	No	None			Change Drop More
<input type="checkbox"/>	4	User_ID	int(11)		No	None			Change Drop More

7. Fields

Cp_job

Field Name	Field Type	Size
Vacancy_ID (pk)	INT	11
Company Name	VARCHAR	40
Vacancy	VARCHAR	20
Salary	INT	11
Shift	VARCHAR	15
User_ID	INT	11

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
<input type="checkbox"/>	1	Vacancy_id	int(11)		No	None		AUTO_INCREMENT	Change Drop More
<input type="checkbox"/>	2	Company Name	varchar(20)	utf8mb4_general_ci	No	None			Change Drop More
<input type="checkbox"/>	3	Vacancy	varchar(20)	utf8mb4_general_ci	No	None			Change Drop More
<input type="checkbox"/>	4	Salary	int(15)		No	None			Change Drop More
<input type="checkbox"/>	5	Shift	varchar(20)	utf8mb4_general_ci	No	None			Change Drop More
<input type="checkbox"/>	6	user_id	int(11)		No	None			Change Drop More

Cp_company

Field Name	Field Type	Size
Com_ID (pk)	INT	11
Company Name	VARCHAR	45
Contact	INT	11
Location	VARCHAR	60
User_ID	INT	11

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
<input type="checkbox"/>	1	Com_ID	int(11)		No	None		AUTO_INCREMENT	Change Drop More
<input type="checkbox"/>	2	Company Name	varchar(40)	utf8mb4_general_ci	No	None			Change Drop More
<input type="checkbox"/>	3	Email	varchar(35)	utf8mb4_general_ci	No	None			Change Drop More
<input type="checkbox"/>	4	Contact	int(15)		No	None			Change Drop More
<input type="checkbox"/>	5	Location	varchar(20)	utf8mb4_general_ci	No	None			Change Drop More
<input type="checkbox"/>	6	Vacancy_id	int(11)		No	None			Change Drop More

8. Primary Key, Foreign Key & Indexes

LITHAN

✓ Cp_user

Indexes

Index name	Column name	Sort direction	Is unique	Index type
PRIMARY	User_ID	Ascending	Yes	BTREE

✓ Cp_account

Indexes

Index name	Column name	Sort direction	Is unique	Index type
PRIMARY	Regi_ID	Ascending	Yes	BTREE
user_id	user_id	Ascending	No	BTREE

Foreign keys

Constraint name	Column name	Reference	Description
cp_account_ibfk_1	user_id	User_ID (cp_login)	

✓ Cp_admin

Indexes

Index name	Column name	Sort direction	Is unique	Index type
PRIMARY	Admin_ID	Ascending	Yes	BTREE
user_id	user_id	Ascending	No	BTREE

Foreign keys

Constraint name	Column name	Reference	Description
cp_admin_ibfk_1	user_id	User_ID (cp_login)	

8. Primary Key, Foreign Key & Indexes

LITHAN

✓ Cp_UpdateProfile

Indexes

Index name	Column name	Sort direction	Is unique	Index type
PRIMARY	Upd_ID	Ascending	Yes	BTREE
user_id	user_id	Ascending	No	BTREE

Foreign keys

Constraint name	Column name	Reference	Description
cp_updatepro_ibfk_1	user_id	User_ID (cp_login)	

✓ Cp_PublicProfile

Indexes

Index name	Column name	Sort direction	Is unique	Index type
PRIMARY	Pro_ID	Ascending	Yes	BTREE
user_id	user_id	Ascending	No	BTREE

Foreign keys

Constraint name	Column name	Reference	Description
cp_pro_ibfk_1	user_id	User_ID (cp_login)	

✓ Cp_PublicProfile

Indexes

Index name	Column name	Sort direction	Is unique	Index type
PRIMARY	Login_ID	Ascending	Yes	BTREE
User_ID	User_ID	Ascending	No	BTREE

Foreign keys

Constraint name	Column name	Reference	Description
cp_login_ibfk_1	User_ID	User_ID (cp_login)	

8. Primary Key, Foreign Key & Indexes

LITHAN

✓ Cp_searchuser



Indexes

Index name	Column name	Sort direction	Is unique	Index type
PRIMARY	search_id	Ascending	Yes	BTREE
User_ID	User_ID	Ascending	No	BTREE



Foreign keys

Constraint name	Column name	Reference	Description
cp_searchuser_ibfk_1	User_ID	User_ID (cp_login)	

✓ Cp_message



Indexes

Index name	Column name	Sort direction	Is unique	Index type
PRIMARY	Msg_ID	Ascending	Yes	BTREE
user_id	user_id	Ascending	No	BTREE



Foreign keys

Constraint name	Column name	Reference	Description
cp_message_ibfk_1	user_id	User_ID (cp_login)	

✓ Cp_job



Indexes

Index name	Column name	Sort direction	Is unique	Index type
PRIMARY	Vacancy_id	Ascending	Yes	BTREE
user_id	user_id	Ascending	No	BTREE



Foreign keys

Constraint name	Column name	Reference	Description
cp_job_ibfk_1	user_id	User_ID (cp_login)	

8. Primary Key, Foreign Key & Indexes

LITHAN

✓ Cp_company

Indexes

Index name	Column name	Sort direction	Is unique	Index type
PRIMARY	Com_ID	Ascending	Yes	BTREE
Vacancy_id	Vacancy_id	Ascending	No	BTREE

Foreign keys

Constraint name	Column name	Reference	Description
cp_company_ibfk_1	Vacancy_id	Vacancy_id (cp_company)	

✓ Cp_bulkemail

Indexes

Index name	Column name	Sort direction	Is unique	Index type
PRIMARY	B_Email_id	Ascending	Yes	BTREE
Admin_ID	Admin_ID	Ascending	No	BTREE

Foreign keys

Constraint name	Column name	Reference	Description
cp_bulkemail_ibfk_1	Admin_ID	Admin_ID (cp_bulkemail)	

✓ Cp_jobapply

Indexes

Index name	Column name	Sort direction	Is unique	Index type
PRIMARY	JopApp_ID	Ascending	Yes	BTREE
Vacancy_id	Vacancy_id	Ascending	No	BTREE

Foreign keys

Constraint name	Column name	Reference	Description
cp_jobapply_ibfk_1	Vacancy_id	Vacancy_id (cp_company)	

9. SQL Queries

LITHAN

Pages	Query	Note
Update Profile	<code>INSERT INTO `cp_updatepro` (`Upd_id`, `Fname`, `Lname`, `Skills`, `Education`, `Work`, `Contact`, `user_id`) VALUES ([value], [value], [value], [value], [value], [value], [value], [value])</code>	Storing user records for Skills, Education, Work, Contact to the database

```
INSERT INTO `cp_updatepro` (`Upd_id`, `Fname`, `Lname`, `Skills`, `Education`, `Work`, `Contact`, `user_id`) VALUES
(333, 'Chathu', 'Jayarathna', 'Flexible', 'Lithan Academy', 'AIA Finance', 742269978, 1),
(334, 'Kevin', 'Leo', 'Painting', 'Winston Hotel School', 'Thaj', 760528233, 2),
(335, 'Kara', 'Ashley', 'Goof Judgment', 'University of Stanford', 'S&S Holdings', 713800289, 3);
```

Upd_ID	Fname	Lname	Skills	Education	Work	Contact	user_id
333	Chathu	Jayarathna	Flexible	Lithan Academy	AIA Finance	742269978	1
334	Kevin	Leo	Painting	Winston Hotel School	Thaj	760528233	2
335	Kara	Ashley	Goof Judgment	University of Stanford	S&S Holdings	713800289	3

9. SQL Queries

Pages	Query	Note
Job	<code>INSERT INTO `cp_job` (`Vacancy_id`, `Company Name`, `Vacancy`, `Salary`, `Shift`, `user_id`) VALUES ([value], [value], [value], [value], [value], [value])</code>	Storing job records for Company Name, Vacancy, Salary, Shift to the database

```
INSERT INTO `cp_job` (`Vacancy_id`, `Company Name`, `Vacancy`, `Salary`, `Shift`, `user_id`) VALUES  
(1, 'Virtusa', 'Software Engineer', 90000, 'Morning', 1),  
(2, 'Telecome', 'Technician', 50000, 'Split', 2),  
(3, 'Corella', 'Web Developer', 80000, 'Closing', 3);
```

Vacancy_id	Company Name	Vacancy	Salary	Shift	user_id
1	Virtusa	Software Engineer	90000	Morning	1
2	Telecome	Technician	50000	Split	2
3	Corella	Web Developer	80000	Closing	3

9. SQL Queries

Pages	Query	Note
Account	<pre>INSERT INTO `cp_account` (`Regi_id`, `Fname`, `Lname`, `Email`, `Password`, `Contact`, `City`, `Country`, `user_id`) VALUES ([value], [value], [value], [value], [value], [value], [value], [value])</pre>	Storing user registration records for Email, Contact, Password, City, Country to the database

```
INSERT INTO `cp_account` (`Regi_id`, `Fname`, `Lname`, `Email`, `Password`, `Contact`, `City`, `Country`, `user_id`) VALUES  
(11, 'Chathu', 'Dil', 'chathu77@gmail.com', 'AGFmnnv678', 742269978, 'Bandarawela', 'Sri Lanka', 1),  
(22, 'Kevin', 'Leo', 'kevin88@gmail.com', 'QWEsdf123', 760528233, 'Tokyo', 'Japan', 2),  
(33, 'Kara', 'Ashley', 'kara56@gmail.com', 'CVByui098', 713800289, 'Rome', 'Italy', 3);
```

Regi_id	Fname	Lname	Email	Password	Contact	City	Country	user_id
11	Chathu	Dil	chathu77@gmail.com	AGFmnnv678	742269978	Bandarawela	Sri Lanka	1
22	Kevin	Leo	kevin88@gmail.com	QWEsdf123	760528233	Tokyo	Japan	2
33	Kara	Ashley	kara56@gmail.com	CVByui098	713800289	Rome	Italy	3

9. SQL Queries

Pages	Query	Note
Admin	INSERT INTO `cp_admin` (`admin_id`, `admin name`, `email`, `password`, `user_id`) VALUES ([value], [value], [value], [value], [value])	Storing admin details for Admin Name, Email and password to the database

```
INSERT INTO `cp_admin` (`admin_id`, `admin name`, `email`, `password`, `user_id`) VALUES
(1, 'Emma Perry', 'emmaperry@gmail.com', 'IUYsdf789', 1),
(2, 'Jenny Smith', 'jennysmith@gmail.com', 'GHJtyu678', 2),
(3, 'Jacob Tyler', 'jacobtyler@gmail.com', 'FJKrty673', 3);
```

admin_id	admin name	email	password	user_id
1	Emma Perry	emmaperry@gmail.com	IUYsdf789	1
2	Jenny Smith	jennysmith@gmail.com	GHJtyu678	2
3	Jacob Tyler	jacobtyler@gmail.com	FJKrty673	3

9. SQL Queries

Pages	Query	Note
User	INSERT INTO `cp_user` (`user_id`, `Username`, `Email`) VALUES ('[value]', '[value]', '[value]')	Storing user record for username, Email to the database

```
INSERT INTO `cp_user` (`user_id`, `Username`, `Email`) VALUES  
(1, 'chathu77', 'chathu77@gmail.com'),  
(2, 'kevin88', 'kevin88@gmail.com'),  
(3, 'kara56', 'kara56@gmail.com');
```

User_ID	Username	Email
1	chathu77	chathu77@gmail.com
2	kevin88	kevin88@gmail.com
3	kara56	kara56@gmail.com

10. Report Queries

LITHAN

S. No.	Purpose of Query	Query																								
01	All users' personal details, to fetch users, contact info information	<div>SELECT regi_id, CONCAT(Fname, ' ',Lname) AS name, Email, Contact, CONCAT(City, ' ',Country) AS Location FROM cp_account ORDER BY name;</div> <div><table><tr><th></th><th>regi_id</th><th>name</th><th>Email</th><th>Contact</th><th>Location</th></tr><tr><td><input type="checkbox"/> Edit Copy Delete</td><td>11</td><td>Chathu Dil</td><td>chathu77@gmail.com</td><td>742269978</td><td>Bandarawela, Sri Lanka</td></tr><tr><td><input type="checkbox"/> Edit Copy Delete</td><td>33</td><td>Kara Ashley</td><td>kara56@gmail.com</td><td>713800289</td><td>Rome, Italy</td></tr><tr><td><input type="checkbox"/> Edit Copy Delete</td><td>22</td><td>Kevin Leo</td><td>kevin88@gmail.com</td><td>760528233</td><td>Tokyo, Japan</td></tr></table></div>		regi_id	name	Email	Contact	Location	<input type="checkbox"/> Edit Copy Delete	11	Chathu Dil	chathu77@gmail.com	742269978	Bandarawela, Sri Lanka	<input type="checkbox"/> Edit Copy Delete	33	Kara Ashley	kara56@gmail.com	713800289	Rome, Italy	<input type="checkbox"/> Edit Copy Delete	22	Kevin Leo	kevin88@gmail.com	760528233	Tokyo, Japan
	regi_id	name	Email	Contact	Location																					
<input type="checkbox"/> Edit Copy Delete	11	Chathu Dil	chathu77@gmail.com	742269978	Bandarawela, Sri Lanka																					
<input type="checkbox"/> Edit Copy Delete	33	Kara Ashley	kara56@gmail.com	713800289	Rome, Italy																					
<input type="checkbox"/> Edit Copy Delete	22	Kevin Leo	kevin88@gmail.com	760528233	Tokyo, Japan																					
02	All user's update profile details, to fetch users, Public Profile information	<div>SELECT cp_updatepro.Upd_ID, CONCAT(cp_updatepro.FName, ' ',cp_updatepro.LName) AS FullName, cp_pro.Work, cp_pro.Favorite, cp_pro.Education FROM cp_updatepro JOIN cp_pro ON cp_updatepro.Upd_ID=cp_pro.Pro_ID ORDER BY FullName;ORDER BY name;</div> <div><table><tr><th>Upd_ID</th><th>FullName</th><th>Work</th><th>Favorite</th><th>Education</th></tr><tr><td>333</td><td>Chathu Jayarathna</td><td>AIA Finance</td><td>Music, Food</td><td>Lithan Academy</td></tr><tr><td>335</td><td>Kara Ashley</td><td>S&S Holdings</td><td>Reading</td><td>University of Stanford</td></tr><tr><td>334</td><td>Kevin Leo</td><td>Thaj</td><td>Travel</td><td>Winston Hotel School</td></tr></table></div>	Upd_ID	FullName	Work	Favorite	Education	333	Chathu Jayarathna	AIA Finance	Music, Food	Lithan Academy	335	Kara Ashley	S&S Holdings	Reading	University of Stanford	334	Kevin Leo	Thaj	Travel	Winston Hotel School				
Upd_ID	FullName	Work	Favorite	Education																						
333	Chathu Jayarathna	AIA Finance	Music, Food	Lithan Academy																						
335	Kara Ashley	S&S Holdings	Reading	University of Stanford																						
334	Kevin Leo	Thaj	Travel	Winston Hotel School																						

10. Report Queries

LITHAN

S.No	Purpose of Query	Query																				
03	All users update profile details, to fetch users, Public Profile information	<pre>SELECT cp_company.Com_id, CONCAT(cp_company.Email, ' ',cp_company.Contact) AS About, cp_job.Vacancy_id, cp_job.Salary, cp_job.Shift FROM cp_company JOIN cp_job ON cp_company.Com_id=cp_job.Vacancy_id ORDER BY About;</pre> <table><tr><th>Com_id</th><th>About ▲ 1</th><th>Vacancy_id</th><th>Salary</th><th>Shift</th></tr><tr><td>3</td><td>corella@gmail.com 573800289</td><td>3</td><td>80000</td><td>Closing</td></tr><tr><td>2</td><td>telecom@gmail.com 570528233</td><td>2</td><td>50000</td><td>Split</td></tr><tr><td>1</td><td>virtusa@gmail.com 572269976</td><td>1</td><td>90000</td><td>Morning</td></tr></table>	Com_id	About ▲ 1	Vacancy_id	Salary	Shift	3	corella@gmail.com 573800289	3	80000	Closing	2	telecom@gmail.com 570528233	2	50000	Split	1	virtusa@gmail.com 572269976	1	90000	Morning
Com_id	About ▲ 1	Vacancy_id	Salary	Shift																		
3	corella@gmail.com 573800289	3	80000	Closing																		
2	telecom@gmail.com 570528233	2	50000	Split																		
1	virtusa@gmail.com 572269976	1	90000	Morning																		

11. Indexes

LITHAN

Indexes for User

Action	Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
Edit Rename Drop	PRIMARY	BTREE	Yes	No	User_ID	3	A	No	

Table	Non_unique	Key_name	Seq_in_index	Column_name	Collation	Cardinality	Sub_part	Packed	Null	Index_type	Comment	Index_comment
cp_user	0	PRIMARY	1	User_ID	A	3				BTREE		

```
use abc_community_portal;
show index from cp_user;
CREATE INDEX userx
ON users (Username,Email);
show index from cp_user;
```

Indexed for Accounts

Action	Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
Edit Rename Drop	PRIMARY	BTREE	Yes	No	Admin_ID	6	A	No	
Edit Rename Drop	user_id	BTREE	No	No	user_id	6	A	No	

Table	Non_unique	Key_name	Seq_in_index	Column_name	Collation	Cardinality	Sub_part	Packed	Null	Index_type	Comment	Index_comment
cp_account	0	PRIMARY	1	Regi_id	A	3				BTREE		
cp_account	1	user_id	1	user_id	A	3				BTREE		

```
use abc_community_portal;
show index from cp_account;
CREATE INDEX accountx
ON accounts (Fname,Email,Password);
show index from cp_account;
```

Indexes for Admins

Action	Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
Edit Rename Drop	PRIMARY	BTREE	Yes	No	Regi_ID	3	A	No	
Edit Rename Drop	user_id	BTREE	No	No	user_id	3	A	No	

Table	Non_unique	Key_name	Seq_in_index	Column_name	Collation	Cardinality	Sub_part	Packed	Null	Index_type	Comment	Index_comment
cp_admin	0	PRIMARY	1	admin_id	A	6				BTREE		
cp_admin	1	user_id	1	user_id	A	6				BTREE		

```
use abc_community_portal;
show index from cp_admin;
CREATE INDEX adminx
ON admins (email,password);
show index from cp_admin;
```

11. Indexes

LITHAN

Indexes for Logins


Action	Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
Edit Rename Drop	PRIMARY	BTREE	Yes	No	Login_ID	3	A	No	
Edit Rename Drop	User_ID	BTREE	No	No	User_ID	3	A	No	

Result Grid													Filter Rows: <input type="text"/>		Export:		Wrap Cell Content: <input type="text" value="1"/>	
	Table	Non_unique	Key_name	Seq_in_index	Column_name	Collation	Cardinality	Sub_part	Packed	Null	Index_type	Comment	Index_comment					
▶	cp_login	0	PRIMARY	1	Login_id	A	3	<div>HULL</div>	<div>HULL</div>		BTREE							
	cp_login	1	User_ID	1	User_ID	A	3	<div>HULL</div>	<div>HULL</div>		BTREE							

```
use abc_community_portal;  
show index from cp_login;  
CREATE INDEX loginx  
ON logins (Email,Password);  
show index from cp_login;
```

Indexes for Jobs

Action	Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
Edit Rename Drop	PRIMARY	BTREE	Yes	No	Vacancy_id	3	A	No	
Edit Rename Drop	user_id	BTREE	No	No	user_id	3	A	No	

Result Grid													Filter Rows: <input type="text"/>		Export: 		Wrap Cell Content: <input type="text" value="F"/>	
	Table	Non_unique	Key_name	Seq_in_index	Column_name	Collation	Cardinality	Sub_part	Packed	Null	Index_type	Comment	Index_comment					
▶	cp_job	0	PRIMARY	1	Vacancy_id	A	3	NULL	NULL		BTREE							
	cp_job	1	user_id	1	user_id	A	3	NULL	NULL		BTREE							

```
use abc_community_portal;  
show index from cp_job;  
CREATE INDEX jobx  
ON jobs (Salary,Shift);  
show index from cp_job;
```

Indexes for Search users

Action	Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
Edit Rename Drop	PRIMARY	BTREE	Yes	No	search_id	4	A	No	
Edit Rename Drop	User_ID	BTREE	No	No	User_ID	4	A	No	

Result Grid													Filter Rows:	Export:	Wrap Cell Content:
	Table	Non_unique	Key_name	Seq_in_index	Column_name	Collation	Cardinality	Sub_part	Packed	Null	Index_type	Comment	Index_comment		
▶	cp_searchuser	0	PRIMARY	1	search_id	A	3	NULL	NULL		BTREE				
	cp_searchuser	1	User_ID	1	User_ID	A	3	NULL	NULL		BTREE				

```
use abc_community_portal;  
show index from cp_searchuser;  
CREATE INDEX searchx  
ON searches (Name,Location);  
show index from cp_searchuser;
```

11. Indexes

LITHAN

Indexes for Messages

Action	Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
Edit Rename Drop	PRIMARY	BTREE	Yes	No	Msg_ID	0	A	No	
Edit Rename Drop	user_id	BTREE	No	No	user_id	0	A	No	

```
use abc_community_portal;  
show index from cp_message;  
CREATE INDEX messagex  
ON messages (Sender,Reciver);  
show index from cp_message;
```

Table	Non_unique	Key_name	Seq_in_index	Column_name	Collation	Cardinality	Sub_part	Packed	Null	Index_type	Comment	Index_comment
cp_message	0	PRIMARY	1	Msg_ID	A	0	NULL	NULL		BTREE		
cp_message	1	user_id	1	user_id	A	0	NULL	NULL		BTREE		

Indexed for Companies

Action	Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
Edit Rename Drop	PRIMARY	BTREE	Yes	No	Com_ID	3	A	No	
Edit Rename Drop	Vacancy_id	BTREE	No	No	Vacancy_id	3	A	No	

```
use abc_community_portal;  
show index from cp_company;  
CREATE INDEX companyx  
ON companys (Email,Contact,Location);  
show index from cp_company;
```

Table	Non_unique	Key_name	Seq_in_index	Column_name	Collation	Cardinality	Sub_part	Packed	Null	Index_type	Comment	Index_comment
cp_company	0	PRIMARY	1	Com_id	A	3	NULL	NULL		BTREE		
cp_company	1	Vacancy_id	1	Vacancy_id	A	3	NULL	NULL		BTREE		

Indexes for Job Bulk Emails


Action	Keyname	Type	Unique	Packed	Column	Cardinality	Collation	Null	Comment
Edit Rename Drop	PRIMARY	BTREE	Yes	No	B_Email_id	3	A	No	
Edit Rename Drop	Admin_ID	BTREE	No	No	Admin_ID	3	A	No	

```
use abc_community_portal;  
show index from cp_bulkemail;  
CREATE INDEX bulkemailx  
ON bulkemails (B_Email,B_EmailType);  
show index from cp_bulkemail;
```

Table	Non_unique	Key_name	Seq_in_index	Column_name	Collation	Cardinality	Sub_part	Packed	Null	Index_type	Comment	Index_comment
cp_bulkemail	0	PRIMARY	1	B_Email_id	A	3	NULL	NULL		BTREE		
cp_bulkemail	1	Admin_ID	1	Admin_ID	A	3	NULL	NULL		BTREE		


12. Backup Script

Step 1 - Choose your community portal database and test the command
(`mysqldump --user="root" --password --databases abc_community_portal`)




```
C:\Windows\System32\cmd.exe
ct
C:\Program Files\MySQL\MySQL Server 8.0\bin>mysqldump --
user="root" --password --databases abc_community_portal
Enter password:
```

Step 2 - Create a folder in c drive name as Z_backup




Step 3 - Create the script as executable file.

Copy the command (`mysqldump --user="root" --password --databases abc_community_portal > "C:\Z_backup\ abc_community_portal.sql`) in a text field and save it as `cp_backup.bat`



```
*Untitled - Notepad
File Edit Format View Help
mysqldump --user="root" --password --databases abc_community_portal >
"C:\Z_backup\ abc_community_portal.sql) in a text field and save it as cp_backup.bat
```



12. Backup Script

LITHAN

Step 4 - Test the batch file

```
Command Prompt
(c) Microsoft Corporation. All rights reserved.

C:\Users\PC>cd\


C:\>cd Z_backup

C:\Z_backup>cd C:\Program Files\MySQL\MySQL Server 8.0\bin


C:\Program Files\MySQL\MySQL Server 8.0\bin>mysqldump --user="root" --password --databases abc_community_portal > "C:\Z_backup\ abc_community_portal.sql
Enter password:
mysqldump: Couldn't execute 'SELECT COLUMN_NAME,          JSON_EXTRACT(HISTOGRAM, '$.number-of-buckets-specified') FROM information_schema.COLUMN_STATISTICS WHERE SCHEMA_NAME = 'abc_community_portal' AND TABLE_NAME = 'c_p_account';': Unknown table 'column_statistics' in information_schema (1109)

C:\Program Files\MySQL\MySQL Server 8.0\bin>
```

Step 5 – Go to the Task Schedule




Step 6 -Click on create task




12. Backup Script

LITHAN


Step 7 - Enter the Task Name




Step 8 - Create the trigger to run the task at the scheduled time (every 6 hours)



Step 9 - Set the action to be triggered. Browse and choose the batch file location



Step 10 - The backup file will appear automatically in the batch file directory



13. Project Milestones & Tasks

LITHAN

Project Task ID	Project Major Task Description	Project Milestone ID
1	Setup the Development Environment based on the Technical Development Environment	1
2	Power point detailing the entities, tables and fields which need to created	1
3	Power point will also include Conceptual, Logical Design	1
4	Develop the Schema creation script or Implement using phpMyAdmin	2
5	Power point which Analyze and list the Queries which need to be created based on project requirements	3
6	Indexes & Backup Script	3

14. Milestone Feedback & Action taken

LITHAN

Project Milestone ID	Milestone Feedback received from Tutor / Learning Facilitator	Action Taken (Yes / No)
1	Design ER Diagram	yes
	Create ER Diagram	Yes
	Modify the ER Diagram	Yes
2	Normalizing the tables	yes
	Implementing the database in MySQL	Yes
	Create EER with Reverse Engineer	Yes
	Compare EER with Reverse Engineer	Yes
3	Compare EER with Relational Schema	Yes
	Add sample data to the database	Yes
	Backup the database using mysqldump	Yes
	Creating Project Report	Yes
	Creating Project Presentation	Yes

15. Modifications Made based On Feedback

LITHAN

- ✓ ERD was created by adding new entities and attributes
- ✓ Connect the tables with foreign keys in EERD

16. Project Results

LITHAN

❑ List of Tables

- ❑ Cp_account
- ❑ Cp_admin
- ❑ Cp_bulkemail
- ❑ Cp_company
- ❑ Cp_job
- ❑ Cp_jobapply
- ❑ Cp_login
- ❑ Cp_message
- ❑ Cp_pro
- ❑ Cp_searchuser
- ❑ Cp_updatepro
- ❑ Cp_user

Table	Action	Rows	Type	Collation	Size	Overhead
<input type="checkbox"/> cp_account	★ Browse Structure Search Insert Empty Drop	3	InnoDB	utf8mb4_general_ci	32.0 KiB	-
<input type="checkbox"/> cp_admin	★ Browse Structure Search Insert Empty Drop	6	InnoDB	utf8mb4_general_ci	32.0 KiB	-
<input type="checkbox"/> cp_bulkemail	★ Browse Structure Search Insert Empty Drop	3	InnoDB	utf8mb4_general_ci	32.0 KiB	-
<input type="checkbox"/> cp_company	★ Browse Structure Search Insert Empty Drop	3	InnoDB	utf8mb4_general_ci	32.0 KiB	-
<input type="checkbox"/> cp_job	★ Browse Structure Search Insert Empty Drop	3	InnoDB	utf8mb4_general_ci	32.0 KiB	-
<input type="checkbox"/> cp_jobapply	★ Browse Structure Search Insert Empty Drop	3	InnoDB	utf8mb4_general_ci	32.0 KiB	-
<input type="checkbox"/> cp_login	★ Browse Structure Search Insert Empty Drop	3	InnoDB	utf8mb4_general_ci	32.0 KiB	-
<input type="checkbox"/> cp_message	★ Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_general_ci	32.0 KiB	-
<input type="checkbox"/> cp_pro	★ Browse Structure Search Insert Empty Drop	3	InnoDB	utf8mb4_general_ci	32.0 KiB	-
<input type="checkbox"/> cp_searchuser	★ Browse Structure Search Insert Empty Drop	3	InnoDB	utf8mb4_general_ci	32.0 KiB	-
<input type="checkbox"/> cp_updatepro	★ Browse Structure Search Insert Empty Drop	3	InnoDB	utf8mb4_general_ci	32.0 KiB	-
<input type="checkbox"/> cp_user	★ Browse Structure Search Insert Empty Drop	3	InnoDB	utf8mb4_general_ci	16.0 KiB	-
<input type="checkbox"/> users	★ Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_general_ci	16.0 KiB	-

17. Proposed Improvements

LITHAN

☐ List of Improvements

- It would be better if more details were added