Probability and Statistics: Lecture-14

Monsoon-2020

```
by Pawan Kumar (IIIT, Hyderabad)
on September 9, 2020
```

- » Table of contents 1. Random Variables
 - 2. Expectation
 - 3. Saint Petersberg Paradox
 - 4. Special Distributions



Independent Random Variables

We consider two random variables independent if

$$P(\underline{A} \cap B) = P(\underline{A}, B)$$

Independent Random Variables

We consider two random variables independent if

$$P(X = x, Y = y) = P(X = x)P(Y = y)$$
, for all x, y .

Independent Random Variables

We consider two random variables independent if

$$P(X = x, Y = y) = P(X = x)P(Y = y)$$
, for all x, y .

In general, if two random variables are independent, then

Independent Random Variables

We consider two random variables independent if

$$P(X = x, Y = y) = P(X = x)P(Y = y)$$
, for all x, y .

In general, if two random variables are independent, then

$$P(X \in A, X \in B) = P(X \in A)P(Y \in B)$$
, for all sets A and B

Also, we have

Independent Random Variables

We consider two random variables independent if

$$P(X = x, Y = y) = P(X = x)P(Y = y)$$
, for all x, y .

In general, if two random variables are independent, then

$$P(X \in A, X \in B) = P(X \in A)P(Y \in B)$$
, for all sets A and B

Also, we have

$$P(Y = y \mid X = x) = P(Y = y)$$
, for all x, y



» Example: independent random variables, PMF

Problem

We toss a coin twice, and let X denote the number of heads we observe.

» Example: independent random variables, PMF

Problem

We toss a coin twice, and let X denote the number of heads we observe. After this, we then toss the coin two more times and define Y to be the number of heads we observe.



» Example: independent random variables, PMF



Problem

We toss a coin twice, and let X denote the number of heads we observe. After this, we then toss the coin two more times and define Y to be the number of heads we observe. What is P((X < 2) and (Y > 1))?

Soli
$$P((x L 2) \text{ and } (x > 1)) = P(x < 2) P(y > 1)$$
 $1 < y < 2$
because $x \text{ and } y \text{ asse independent} = y = 2$
 $= (P_{x} (0) + P_{x} (1)) P_{y} (2)$
 $= (\frac{1}{4} + \frac{1}{2}) \cdot \frac{1}{4} = \frac{3}{16}$

Definition of Expectation

The expectation of a discrete random variable X is defined as

Definition of Expectation

The expectation of a discrete random variable X is defined as

andom variable
$$X$$
 is defined as
$$E[X] = \sum_{\underline{x}: p(x) > 0} p(x) \cdot x \quad E[X] = \sum_{\underline{x$$

Definition of Expectation

The expectation of a discrete random variable X is defined as

$$E[X] = \sum_{x: p(x) > 0} p(x) \cdot x$$

* Note we sum over all values of *X* that have non-zero probability

Definition of Expectation

The expectation of a discrete random variable *X* is defined as

$$E[X] = \sum_{x: p(x) > 0} p(x) \cdot x$$

- * Note we sum over all values of X that have non-zero probability
- * The other names of expectations are: mean, expected value, weighted average, center of mass, first moment

What is the expected value of 6-sided die roll?

Example of Expectation...

What is the expected value of 6-sided die roll?

Answer to the question

* Define a random variable: X = RV for value of a roll

Example of Expectation...

What is the expected value of 6-sided die roll?

Answer to the question

- * Define a random variable: X = RV for value of a roll
- * Find PMF:

Example of Expectation...

What is the expected value of 6-sided die roll?

Answer to the question

- * Define a random variable: X = RV for value of a roll
- * Find PMF:

$$P(X = x) = \begin{cases} 1/6, & x \in \{1, \dots, 6\} \\ 0, & \text{otherwise} \end{cases}$$

Example of Expectation...

What is the expected value of 6-sided die roll?

Answer to the question

- * Define a random variable: X = RV for value of a roll
- * Find PMF:

$$P(X = x) = \begin{cases} 1/6, & x \in \{1, \dots, 6\} \\ 0, & \text{otherwise} \end{cases}$$

* Solve

Example of Expectation...

What is the expected value of 6-sided die roll?

Answer to the question

- * Define a random variable: X = RV for value of a roll
- * Find PMF:

$$P(X = x) = egin{cases} 1/6, & x \in \{1, \dots, 6\} \ 0, & ext{otherwise} \end{cases}$$

* Solve

$$E[X] = 1\left(\frac{1}{6}\right) + 2\left(\frac{1}{6}\right) + 3\left(\frac{1}{6}\right) + 4\left(\frac{1}{6}\right) + 5\left(\frac{1}{6}\right) + 6\left(\frac{1}{6}\right) = \left(\frac{7}{2}\right) = 3.5$$

Definition of linear function

Let A, B be two vector spaces.

Definition of linear function

Let A, B be two vector spaces. A function $f: A \to B$ is called linear function if the following holds:

Definition of linear function

Let A, B be two vector spaces. A function $f: A \to B$ is called linear function if the following holds:

$$* f(u+v) = f(u) + f(v)$$

Definition of linear function

Let A, B be two vector spaces. A function $f: A \to B$ is called linear function if the following holds:

$$* f(u+v) = f(u) + f(v)$$

*
$$f(cu) = cf(u), c$$
 is scalar.

Definition of linear function

Let A, B be two vector spaces. A function $f: A \to B$ is called linear function if the following holds:

$$* f(u+v) = f(u) + f(v)$$

* f(cu) = cf(u), c is scalar.

Equivalent definition is:

Definition of linear function

Let A, B be two vector spaces. A function $f : \underline{A} \to B$ is called linear function if the following holds:

$$* f(u+v) = f(u) + f(v)$$

*
$$f(cu) = cf(u), c$$
 is scalar.

Equivalent definition is:

$$f(\alpha u + \beta u) = \alpha f(u) + \beta f(v), \quad \forall u, v \in A, \quad \alpha, \beta \text{ scalars}$$

Problem on linear function

Problem on linear function

1.
$$f(x) = x$$

Problem on linear function

- 1. f(x) = x
- 2. f(x) = ax + b

Problem on linear function

- 1. f(x) = x
- 2. f(x) = ax + b
- 3. f(x) = 10

Problem on linear function

- 1. f(x) = x
- 2. f(x) = ax + b
- 3. f(x) = 10
- 4. f(x) = Ax + b

Problem on linear function

- 1. f(x) = x
- 2. f(x) = ax + b
- 3. f(x) = 10
- 4. f(x) = Ax + b
- 5. $f(x) = 3 \sin x$

Problem on linear function

- 1. f(x) = x
- 2. f(x) = ax + b
- 3. f(x) = 10
- 4. f(x) = Ax + b
- 5. $f(x) = 3 \sin x$
- 6. f(x,y) = 3x + 4y

Problem on linear function

- 1. f(x) = x
- 2. f(x) = ax + b
- 3. f(x) = 10
- 4. f(x) = Ax + b
- 5. $f(x) = 3 \sin x$
- 6. f(x, y) = 3x + 4y
- 7. f(x, y, z) = 3 + x + y + z

Problem on linear function

- 1. f(x) = x
- 2. f(x) = ax + b
- 3. f(x) = 10
- 4. f(x) = Ax + b
- 5. $f(x) = 3 \sin x$
- 6. f(x, y) = 3x + 4y
- 7. f(x, y, z) = 3 + x + y + z

8.
$$f \begin{pmatrix} x \\ y \\ z \end{pmatrix} = \begin{pmatrix} x+y \\ y-z \\ z \end{pmatrix}$$

Linearity of Expectation

$$E[aX+b]=aE[X]+b$$

Linearity of Expectation

$$E[aX+b]=aE[X]+b$$

Let
$$X = 6$$
 sided dice roll. Let $Y = 2X - 1$. If $E[X] = 3.5$, then what is $E[Y] = ?$

$$E[X] = E[X] - E[X]$$

$$= 2E[X] - [X]$$

$$= 2E[X] - [X]$$

Linearity of Expectation

$$E[aX + b] = aE[X] + b$$

Expectation of a sum


$$E[X+Y]=E[X]+E[Y]$$

Let X = 6 sided dice roll. Let Y = 2X - 1. If E[X] = 3.5, then what is E[Y] = ?

$$E[aX+b]=aE[X]+b$$

Expectation of a sum

$$E[X+Y]=E[X]+E[Y]$$



Let
$$X = 6$$
 sided dice roll. Let $Y = 2X - 1$. If $E[X] = 3.5$, then what is $E[Y] = ?$

Linearity of Expectation

$$E[aX+b]=aE[X]+b$$

Expectation of a sum

$$E[X+Y]=E[X]+E[Y]$$

Let
$$X=6$$
 sided dice roll. Let $Y=2X-1$. If $E[X]=3.5$, then what is $E[Y]=?$

Consider two die rolls. Let
$$X = \text{roll of die 1}$$
, $Y = \text{roll of die 2}$, then $E[X + Y] = ?$

$$= E[X] + E[Y]$$

$$= 3.5 + 3.5$$

$$= 4$$
Aug

Linearity of Expectation

$$E[aX+b]=aE[X]+b$$

Expectation of a sum

$$E[X + Y] = E[X] + E[Y]$$

Expectation of a function of random variable

$$E[g(X)] = \sum_{x} g(x)p(x)$$

Let X=6 sided dice roll. Let Y=2X-1. If E[X]=3.5, then what is E[Y]=?

Consider two dice rolls. Let X = roll of dice 1, Y = roll of die 2, then E[X + Y] = ?

$$E[aX + b] = aE[X] + b$$

Expectation of a sum

$$E[X+Y]=E[X]+E[Y]$$

Expectation of a function of random variable

$$E[g(X)] = \sum_{x} g(x) p(x)$$

E (9(x)): 2 + 22 - 6+.

Let X = 6 sided dice roll. Let Y = 2X - 1. If E[X] = 3.5, then what is E[Y] = ?

Consider two dice rolls. Let X = roll of dice 1, Y = roll of die 2, then E[X + Y] = ?

Let
$$X = 6$$
 sided dice roll. Let $g(x) = x^2$ If $E[X] = 3.5$, then what is $E[g(X)] = ?$

» Proof of Linearity of Expectation...

$$E[aX+b] = aE[X]+b$$

$$E[aX+b] = aE[X]+b$$

$$= \sum_{x} ax + b + b + c$$

$$= \sum_{x} ax +$$

» Proof of Expectation of Function of a Random Variable...

$$E[g(X)] = \sum_{x} g(x) p(x)$$



» Quiz on Expectation...

» Quiz on Expectation...

Question on Expectation

Let X be a discrete random variable, whose PMF is given as follows

$$P_{\mathcal{X}}(\mathbf{x}_k) = egin{cases} rac{1}{3}, & ext{for } \mathbf{x} \in \{-1,0,1\}, \ 0, & ext{otherwise}. \end{cases}$$

Let Y = |X|. What is E[Y]?

$$E['] = \begin{cases} g(n) p(n) = g(-1) p(-1) + g(-1) p(-1) \\ g(0) p(0) + g(-1) p(-1) \\ = 1 \frac{1}{3} + 0 + 1 \cdot \frac{1}{3} = \begin{pmatrix} 2 \\ 3 \end{pmatrix}_{[12/21]}$$

» Expectation and Game of Chance...

» Expectation and Game of Chance...

Expectation and Game of Chance Problem

Consider a game where a die is rolled. After the roll, the total money you gain is the output of the die. How much money would you like to pay to play this game?



Saint Petersberg Paradox

Consider a fair coin.

Saint Petersberg Paradox

Consider a fair coin. We toss the coin, if it is heads, the game ends, and you win Rs 2.

Saint Petersberg Paradox

Consider a fair coin. We toss the coin, if it is heads, the game ends, and you win Rs 2. If it turns out to be tails, I toss it again.

Saint Petersberg Paradox

Consider a fair coin. We toss the coin, if it is heads, the game ends, and you win Rs 2. If it turns out to be tails, I toss it again. If it is heads on the second toss, you win Rs 4.

Saint Petersberg Paradox

Consider a fair coin. We toss the coin, if it is heads, the game ends, and you win Rs 2. If it turns out to be tails, I toss it again. If it is heads on the second toss, you win Rs 4. If not, I toss it again, and if it is heads on the third toss, you win Rs 8.

Saint Petersberg Paradox

Consider a fair coin. We toss the coin, if it is heads, the game ends, and you win Rs 2. If it turns out to be tails, I toss it again. If it is heads on the second toss, you win Rs 4. If not, I toss it again, and if it is heads on the third toss, you win Rs 8. In general, if the first heads appears at the nth toss, then you win Rs 2^n .



Saint Petersberg Paradox

Consider a fair coin. We toss the coin, if it is heads, the game ends, and you win Rs 2. If it turns out to be tails, I toss it again. If it is heads on the second toss, you win Rs 4. If not, I toss it again, and if it is heads on the third toss, you win Rs 8. In general, if the first heads appears at the *n*th toss, then you win Rs 2^n . There is an entrance fee to play this game. What is the maximum amount of money

There is an entrance fee to play this game. What is the maximum amount of money you would pay to play this game?

n	Prize	Prob	Utility
<u>1</u>	Rs 2	1/2	Rs 2
72	Rs 4	1/4	Rs 4 (S)
72 3	Rs 8	1/8	Rs 8
4	Rs 16	1/16	Rs 16
5	Rs 32	1/32	Rs 32 🗸
6	Rs 64	1/64	Rs 64 V
√ 7	Rs 128	1/128	Rs 128
/ 8	Rs 252	1/252	Rs 252
60	_		
4			<i>X//</i>

n	Prize	Prob	Utility	
1	Rs 2	1/2	Rs 2	
2	Rs 4	1/4	Rs 4	Let us make some observations.
3	Rs 8	1/8	Rs 8	
4	Rs 16	1/16	Rs 16	
5	Rs 32	1/32	Rs 32	
6	Rs 64	1/64	Rs 64	
7	Rs 128	1/128	Rs 128	
8	Rs 252	1/252	Rs 252	

Prize	Prob	Utility
Rs 2	1/2	R\$ 2
Rs 4	1/4	Rs 4
Rs 8	1/8	Rs 8
Rs 16	1/16	Rs 16
Rs 32	1/32	Rs 32
Rs 64	1/64	Rs 64
Rs 128	1/128	Rs 128
Rs 252	1/252	Rs 252
	Rs 2 Rs 4 Rs 8 Rs 16 Rs 32 Rs 64 Rs 128	Rs 2 1/2 Rs 4 1/4 Rs 8 1/8 Rs 16 1/16 Rs 32 1/32 Rs 64 1/64 Rs 128 1/128

Let us make some observations.

* If we pay Rs 1, then if the game ends in 1st toss, then we get Rs 2. That is we gain Rs 1.

n	Prize	Prob	Utility
1	Rs 2	1/2	Rs 2
2	Rs 4	1/4	Rs 4
_3	Rs 8	1/8	Rs 8
4	Rs 16	1/16	Rs 16
5	Rs 32	1/32	Rs 32
6	Rs 64	1/64	Rs 64
7	Rs 128	1/128	Rs 128
8	Rs 252	1/252	Rs 252

Let us make some observations.

- If we pay Rs 1, then if the game ends in 1st toss, then we get Rs 2. That is we gain Rs 1.
- If we pay say Rs 10, and the game ends in 3rd toss, then we get Rs 8, and we loose Rs 2.
- Naturally, we wonder what is the expected value?

Expected Value for Saint Petersberg Paradox...

$$E[X] = 1 \times \frac{1}{2} + 4 \times \frac{1}{4} + 8 \times \frac{1}{8} \dots = 1 + 1 + 1 + \dots = \infty$$

n	Prize	Prob	Utility
1	Rs 2	1/2	Rs 2
2	Rs 4	1/4	Rs 4
3	Rs 8	1/8	Rs 8
4	Rs 16	1/16	Rs 16
5	Rs 32	1/32	Rs 32
6	Rs 64	1/64	Rs 64
7	Rs 128	1/128	Rs 128
8	Rs 252	1/252	Rs 252

Let us make some observations.

- If we pay Rs 1, then if the game ends in 1st toss, then we get Rs 2. That is we gain Rs 1.
- If we pay say Rs 10, and the game ends in 3rd toss, then we get Rs 8, and we loose Rs 2.
- * Naturally, we wonder what is the expected value?

Expected Value for Saint Petersberg Paradox...

$$E[X] = 1 \times \frac{1}{2} + 4 \times \frac{1}{4} + 8 \times \frac{1}{8} \dots = 1 + 1 + 1 + \dots = \infty$$

So, are you willing to pay any amount to play this game given that in theory you can win upto $\mbox{Rs} \ \infty?$

	n	Prize	Prob	Utility
	1	Rs 2	1/2	Rs 2
	2	Rs 4	1/4	Rs 4
>	3	Rs 8	1/8	Rs 8
6	4	Rs 16	1/16	Rs 16
	5	Rs 32	1/32	Rs 32
	,6	Rs 64	1/64	Rs 64
l	* 7	Rs 128	1/128	Rs 128
	8	Rs 252	1/252	Rs 252

Let us make some observations.

- * If we pay Rs 1, then if the game ends in 1st toss, then we get Rs 2. That is we gain Rs 1.
- st If we pay say Rs 10, and the game ends in 3rd toss, then we get Rs 8, and we loose Rs 2.
- * Naturally, we wonder what is the expected value?

Expected Value for Saint Petersberg Paradox...

$$E[X] = 1 \times \frac{1}{2} + 4 \times \frac{1}{4} + 8 \times \frac{1}{8} \dots = 1 + 1 + 1 + \dots = \infty$$

So, are you willing to pay any amount to play this game given that in theory you can win upto Rs ∞ ? Can you see why this seems to be a paradox?

Expected Value for Saint Petersberg Paradox...

$$E[X] = 1 \times \frac{1}{2} + 4 \times \frac{1}{4} + 8 \times \frac{1}{8} \dots = 1 + 1 + 1 + \dots = 0$$

Expected Value for Saint Petersberg Paradox...

$$E[X] = 1 \times \frac{1}{2} + 4 \times \frac{1}{4} + 8 \times \frac{1}{8} \dots = 1 + 1 + 1 + \dots = \infty$$

So, are you willing to pay any amount to play this game given that in theory (on average) you can win upto Rs ∞ ?

Expected Value for Saint Petersberg Paradox...

$$E[X] = 1 \times \frac{1}{2} + 4 \times \frac{1}{4} + 8 \times \frac{1}{8} \dots = 1 + 1 + 1 + \dots = \infty$$

So, are you willing to pay any amount to play this game given that in theory (on average) you can win upto Rs ∞ ? Can you see why this seems to be a paradox?

Expected Value for Saint Petersberg Paradox...

$$E[X] = 1 \times \frac{1}{2} + 4 \times \frac{1}{4} + 8 \times \frac{1}{8} \dots = 1 + 1 + 1 + \dots = \infty$$

So, are you willing to pay any amount to play this game given that in theory (on average) you can win upto Rs ∞ ? Can you see why this seems to be a paradox?

It is paradoxical because of the following reasons:

Expected Value for Saint Petersberg Paradox...

$$E[X] = 1 \times \frac{1}{2} + 4 \times \frac{1}{4} + 8 \times \frac{1}{8} \dots = 1 + 1 + 1 + \dots = \infty$$

So, are you willing to pay any amount to play this game given that in theory (on average) you can win upto Rs ∞ ? Can you see why this seems to be a paradox?

It is paradoxical because of the following reasons:

st In reality, very few would pay even Rs 15 to play this game.

Expected Value for Saint Petersberg Paradox...

$$E[X] = 1 \times \frac{1}{2} + 4 \times \frac{1}{4} + 8 \times \frac{1}{8} \dots = 1 + 1 + 1 + \dots = \infty$$

So, are you willing to pay any amount to play this game given that in theory (on average) you can win upto Rs ∞ ? Can you see why this seems to be a paradox?

It is paradoxical because of the following reasons:

st In reality, very few would pay even Rs 15 to play this game. Why?

Expected Value for Saint Petersberg Paradox...

$$E[X] = 1 \times \frac{1}{2} + 4 \times \frac{1}{4} + 8 \times \frac{1}{8} \dots = 1 + 1 + 1 + \dots = \infty$$

So, are you willing to pay any amount to play this game given that in theory (on average) you can win upto Rs ∞ ? Can you see why this seems to be a paradox?

It is paradoxical because of the following reasons:

- * In reality, very few would pay even Rs 15 to play this game. Why?
- * Paradox: you should be willing to pay any amount,

Expected Value for Saint Petersberg Paradox...

$$E[X] = 1 \times \frac{1}{2} + 4 \times \frac{1}{4} + 8 \times \frac{1}{8} \dots = 1 + 1 + 1 + \dots = \infty$$

So, are you willing to pay any amount to play this game given that in theory (on average) you can win upto Rs ∞ ? Can you see why this seems to be a paradox?

It is paradoxical because of the following reasons:

- * In reality, very few would pay even Rs 15 to play this game. Why?
- * Paradox: you should be willing to pay any amount, but you won't be willing to do so!

»	» Analyzing Solution to Saint Petersberg Paradox Problem						
n	Prize	Prob	Utility	Exp.			
1	Rs 2	1/2	Rs 2				
2	Rs 4	1/4	Rs 4	11			
3	Rs 8	1/8	Rs 8				
4	Rs 16	1/16	Rs 16	1			
5	Rs 32	1/32	Rs 32				
6	Rs 64	1/64	Rs 32	(0.5)			
7	Rs 128	1/128	Rs 32)0.25 (4			
8	Rs 252	1/252	Rs 32	0.125			
:	:	:	: '				
				$\frac{1}{2}$			

n	Prize	Prob	Utility	Exp.
1	Rs 2	1/2	Rs 2	1
2	Rs 4	1/4	Rs 4	1
3	Rs 8	1/8	Rs 8	1
4	Rs 16	1/16	Rs 16	1
5	Rs 32	1/32	Rs 32	1
6	Rs 64	1/64	Rs 32	0.5
7	Rs 128	1/128	Rs 32	0.25
8	Rs 252	1/252	Rs 32	0.125

Let us make some observations.

n	Prize	Prob	Utility	Exp.
1	Rs 2	1/2	Rs 2	1
2	Rs 4	1/4	Rs 4	1
3	Rs 8	1/8	Rs 8	1
4	Rs 16	1/16	Rs 16	1
5	Rs 32	1/32	Rs 32	1
6	Rs 64	1/64	Rs 32	0.5
7	Rs 128	1/128	Rs 32	0.25
8	Rs 252	1/252	Rs 32	0.125

Let us make some observations.

* If we pay Rs 1, then if the game ends in 1st toss, then we get Rs 2. That is we gain Rs 1.

	n	Prize	Prob	Utility	Exp.
	1	Rs 2	1/2	Rs 2	1
	2	Rs 4	1/4	Rs 4	1 (
	3	Rs 8	1/8	Rs 8	1 7 (
	4	Rs 16	1/16	Rs 16	1
	5	Rs 32	1/32	Rs 32	1
	6	Rs 64	1/64	Rs 32	0.5
١	7	Rs 128	1/128	Rs 32	0.25
	8	Rs 252	1/252	Rs 32	0.125
	(:)
	TL, V				

Let us make some observations.

- * If we pay Rs 1, then if the game ends in 1st toss, then we get Rs 2. That is we gain Rs 1.
- If we pay say Rs 10, and the game ends in 32nd tass, then on average, we get Rs 6, and we loose Rs 2.



n	Prize	Prob	Utility	Exp.
1	Rs 2	1/2	Rs 2	1
2	Rs 4	1/4	Rs 4	1
3	Rs 8	1/8	Rs 8	1
4	Rs 16	1/16	Rs 16	1
5	Rs 32	1/32	Rs 32	1
6	Rs 64	1/64	Rs 32	0.5
7	Rs 128	1/128	Rs 32	0.25
8	Rs 252	1/252	Rs 32	0.125

Let us make some observations.

- * If we pay Rs 1, then if the game ends in 1st toss, then we get Rs 2. That is we gain Rs 1.
- If we pay say Rs 10, and the game ends in 32nd toss, then on average, we get Rs 6, and we loose Rs 2.
- Naturally, we wonder what amount we should be willing to pay?

n	Prize	Prob	Utility	Exp.
1	Rs 2	1/2	Rs 2	1
2	Rs 4	1/4	Rs 4	1
3	Rs 8	1/8	Rs 8	1
4	Rs 16	1/16	Rs 16	1
5	Rs 32	1/32	Rs 32	1
6	Rs 64	1/64	Rs 32	0.5
7	Rs 128	1/128	Rs 32	0.25
8	Rs 252	1/252	Rs 32	0.125

Let us make some observations.

- * If we pay Rs 1, then if the game ends in 1st toss, then we get Rs 2. That is we gain Rs 1.
- If we pay say Rs 10, and the game ends in 32nd toss, then on average, we get Rs 6, and we loose Rs 2.
- Naturally, we wonder what amount we should be willing to pay?

Expected Value for Saint Petersberg Paradox...

$$E[X] = 1 \times \frac{1}{2} + 4 \times \frac{1}{4} + 8 \times \frac{1}{8} \dots = 1 + 1 + 1 + 1 + 1 + 0.5 + 0.25 + \dots \approx 6$$

n	Prize	Prob	Utility	Exp.
1	Rs 2	1/2	Rs 2	1
2	Rs 4	1/4	Rs 4	1
3	Rs 8	1/8	Rs 8	1
4	Rs 16	1/16	Rs 16	1
5	Rs 32	1/32	Rs 32	1
6	Rs 64	1/64	Rs 32	0.5
7	Rs 128	1/128	Rs 32	0.25
8	Rs 252	1/252	Rs 32	0.125

Let us make some observations.

- * If we pay Rs 1, then if the game ends in 1st toss, then we get Rs 2. That is we gain Rs 1.
- If we pay say Rs 10, and the game ends in 32nd toss, then on average, we get Rs 6, and we loose Rs 2.
- Naturally, we wonder what amount we should be willing to pay?

Expected Value for Saint Petersberg Paradox...

$$E[X] = 1 \times \frac{1}{2} + 4 \times \frac{1}{4} + 8 \times \frac{1}{8} \dots = 1 + 1 + 1 + 1 + 1 + 0.5 + 0.25 + \dots \approx 6$$

So, we should not pay more than Rs 6 or much lower than this!