Probability and Statistics: Lecture-10

Monsoon-2020

```
by Pawan Kumar (IIIT, Hyderabad) on August 31, 2020
```

» Table of contents

1. Problems Using Bayes Theorem


2. Independence



» Conditional Probability and Game of Chance Movie... Movie Monty Hall Movie 21 Video Clip Here!

٢4	/3	1]	

Another Monty Hall Youtube Movie Here!



* There is a game show.

* There is a game show. The show host shows you three doors

- * There is a game show. The show host shows you three doors
- * Behind one of the doors, there is a car,

- * There is a game show. The show host shows you three doors
- * Behind one of the doors, there is a car, and in other two there are goats

- * There is a game show. The show host shows you three doors
- * Behind one of the doors, there is a car, and in other two there are goats
- * Rules of the Game Show:

- * There is a game show. The show host shows you three doors
- * Behind one of the doors, there is a car, and in other two there are goats
- * Rules of the Game Show:
 - * you are allowed to pick a door without opening

- * There is a game show. The show host shows you three doors
- * Behind one of the doors, there is a car, and in other two there are goats
- * Rules of the Game Show:
 - you are allowed to pick a door without opening
 - $\ast\,$ then the host opens a door


- * There is a game show. The show host shows you three doors
- * Behind one of the doors, there is a car, and in other two there are goats
- * Rules of the Game Show:
 - * you are allowed to pick a door without opening
 - * then the host opens a door
- * Question: if the host always opens goat door,

- * There is a game show. The show host shows you three doors
- * Behind one of the doors, there is a car, and in other two there are goats
- * Rules of the Game Show:
 - * you are allowed to pick a door without opening
 - * then the host opens a door
- * Question: if the host always opens goat door, is it wise to change your door?



» Solution to Monty Hall Problem with Graphical Illustration

» Solution to Monty Hall Problem with Graphical Illustration



Graphical illustration of Monty hall problem. Source: Google



Let us look into all possible (exhaustive) cases:

Door You Choose | Prize in Door | Host Opens | Stay | Switch

Door You Choose	Prize in Door	Host Opens	Stay	Switch
1	1	2/3	win	loose

Door You Choose	Prize in Door	Host Opens	Stay	Switch
1	1	2/3	win	loose
1	2	3	loose	win

Door You Choose	Prize in Door	Host Opens	Stay	Switch
1	1	2/3	win	loose
1	2	3	loose	win
1	3	2	loose	win

Door You Choose	Prize in Door	Host Opens	Stay	Switch
1	1	2/3	win	loose
1	2	3	loose	win
1	3	2	loose	win
2	1	3	loose	win

Door You Choose	Prize in Door	Host Opens	Stay	Switch
1	1	2/3	win	loose
1	2	3	loose	win
1	3	2	loose	win
2	1	3	loose	win
2	2	1/3	win	loose

Door You Choose	Prize in Door	Host Opens	Stay	Switch
1	1	2/3	win	loose
1	2	3	loose	win
1	3	2	loose	win
2	1	3	loose	win
2	2	1/3	win	loose
2	3	1	loose	win

Door You Choose	Prize in Door	Host Opens	Stay	Switch
1	1	2/3	win	loose
1	2	3	loose	win
1	3	2	loose	win
2	1	3	loose	win
2	2	1/3	win	loose
2	3	1	loose	win
3	1	2	loose	win

Door You Choose	Prize in Door	Host Opens	Stay	Switch
1	1	2/3	win	loose
1	2	3	loose	win
1	3	2	loose	win
2	1	3	loose	win
2	2	1/3	win	loose
2	3	1	loose	win
3	1	2	loose	win
3	2	1	loose	win

Let us look into all possible (exhaustive) cases:

Door You Choose	Prize in Door	Host Opens	Stay	Switch
1	1	2/3	win	loose
1	2	3	loose	win
1	3	2	loose	win
2	1	3	loose	win
2	2	1/3	win	loose
2	3	1	loose	win
3	1	2	loose	win
3	2	1	loose	win
3	3	1/2	win	loose
	- 1	at atom	\sim	r = 2

Exhaustive list of possibilities

Conclusion

If you switch, the probability that you win a car is 2/3.

Let us look into all possible (exhaustive) cases:

Door You Choose	Prize in Door	Host Opens	Stay	Switch
1	1	2/3	win	loose
1	2	3	loose	win
1	3	2	loose	win
2	1	3	loose	win
2	2	1/3	win	loose
2	3	1	loose	win
3	1	2	loose	win
3	2	1	loose	win
3	3	1/2	win	loose

Exhaustive list of possibilities

Conclusion

If you switch, the probability that you win a car is 2/3, and if you switch,

Let us look into all possible (exhaustive) cases:

Door You Choose	Prize in Door	Host Opens	Stay	Switch
1	1	2/3	win	loose
1	2	3	loose	win
1	3	2	loose	win
2	1	3	loose	win
2	2	1/3	win	loose
2	3	1	loose	win
3	1	2	loose	win
3	2	1	loose	win
3	3	1/2	win	loose

Exhaustive list of possibilities

Conclusion


story

If you switch, the probability that you win a car is 2/3, and if you switch, the probability that you win gast is 1/3.



» Solution to Monty Hall Problem with Choice/Decision Tree

» Solution to Monty Hall Problem with Choice/Decision Tree



Graphical illustration of Choice Tree of Monty hall problem. Source: Google



* Let H be the hypothesis "door 1 has a car behind it," and E be the evidence that Monty has revealed a door with a goat behind it

- * Let H be the hypothesis "door 1 has a car behind it," and E be the evidence that Monty has revealed a door with a goat behind it
- * Then the problem can be restated as calculating $P(H \mid E)$, the conditional probability of H given E


- » Using Bayes Theorem in Monty Hall's Problem...
 - * Let H be the hypothesis "door 1 has a car behind it," and E be the evidence that Monty has revealed a door with a goat behind it
 - * Then the problem can be restated as calculating $P(H \mid E)$, the conditional probability of H given E
 - * Since every door either has a car or a goat behind it, the hypothesis " H^c " is the same as "door 1 has a goat behind it"


- » Using Bayes Theorem in Monty Hall's Problem...
 - * Let H be the hypothesis "door 1 has a car behind it." and E be the evidence that Monty has revealed a door with a goat behind it
 - * Then the problem can be restated as calculating $P(H \mid E)$, the conditional probability of H aiven E
 - * Since every door either has a car or a goat behind it, the hypothesis " H^c " is the same as "door 1 has a goat behind المناهجة "door 1 has a goat behind المناهجة المناعجة المناهجة ا

as "door 1 has a goat behind it"

Write the following in words:

$$P(H) = \frac{1}{3}$$
 $P(H^c) = \frac{1}{3}$






- st Let H be the hypothesis "door 1 has a car behind it," and E be the evidence that Monty has revealed a door with a goat behind it
- * Then the problem can be restated as calculating $P(H \mid E)$, the conditional probability of H given E
- st Since every door either has a car or a goat behind it, the hypothesis " H^c " is the same as "door 1 has a goat behind it"

Write the following in words:

- * P(H) =
- $* P(H^c) =$
- * P(E|H) =
- $* P(E|H^c) =$

*
$$P(H|E) = \frac{P(E|H)P(H)}{P(E|H)P(H) + P(E|H^c)P(H^c)} =$$



» Problem Similar to Monty Hall Problem...

Problem Similar to Monty Hall...

Suppose we have 3 cards identical in form except that both sides of the first card are colored red, both sides of the second card are colored black, and one side of the third card is colored red and the other side is colored black. The 3 cards are mixed up in a hat, and 1 card is randomly selected and put down on the ground. If the upper side of the chosen card is colored red, what is the probability that the other side is colored black?