

CSS Flexbox and Grid - Assignment 6

Question 1

index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Personal Portfolio</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
  <header class="header">
    <h1>Dev Chauhan</h1>
    <nav>
      <a href="#">Home</a>
      <a href="#">About</a>
      <a href="#">Projects</a>
      <a href="#">Contact</a>
    </nav>
  </header>
  <main class="main-content">
    <section class="about">
      <h2>About Me</h2>
      <p>I am a passionate web development learner interested in creating responsive
and user-friendly websites.</p>
    </section>
    <section class="image-section">
      
    </section>
  </main>
  <footer>© 2026 Dev Chauhan. All rights reserved.</footer>
</body>
</html>
```

style.css

```
* { box-sizing: border-box; }
body { margin: 0; font-family: Arial, sans-serif; background: #f4f7fb; color: #222; }
.header { display: flex; justify-content: space-between; align-items: center; padding:
20px 8%; background: #1e3a8a; color: white; }
nav { display: flex; gap: 20px; }
nav a { color: white; text-decoration: none; }
.main-content { display: flex; justify-content: center; align-items: center; gap: 40px; min-
height: 70vh; padding: 40px 8%; }
.about, .image-section { flex: 1; text-align: center; }
.image-section img { max-width: 100%; border-radius: 12px; }
footer { text-align: center; padding: 20px; background: #1e3a8a; color: white; }
@media (max-width: 700px) {
  .header, .main-content { flex-direction: column; }
  nav { flex-wrap: wrap; justify-content: center; }
}
```

Question 2

index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Product Gallery</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
  <h1>Product Gallery</h1>
  <main class="gallery">
    <article class="card"><h2>Product 1</h2><p>₹499</p></article>
    <article class="card"><h2>Product 2</h2><p>₹699</p></article>
    <article class="card"><h2>Product 3</h2><p>₹899</p></article>
    <article class="card"><h2>Product 4</h2><p>₹999</p></article>
    <article class="card"><h2>Product 5</h2><p>₹1,199</p></article>
    <article class="card"><h2>Product 6</h2><p>₹1,499</p></article>
    <article class="card"><h2>Product 7</h2><p>₹1,799</p></article>
    <article class="card"><h2>Product 8</h2><p>₹1,999</p></article>
  </main>
</body>
</html>
```

style.css

```
body { margin: 0; padding: 30px; font-family: Arial, sans-serif; background: #f7f7f7; text-align: center; }
.gallery { display: grid; grid-template-columns: repeat(4, 1fr); gap: 20px; max-width: 1100px; margin: 30px auto; }
.card { min-height: 160px; display: flex; flex-direction: column; justify-content: center; background: white; border: 1px solid #ddd; border-radius: 10px; transition: transform 0.3s; }
.card:hover { transform: scale(1.05); }
@media (max-width: 900px) { .gallery { grid-template-columns: repeat(2, 1fr); } }
@media (max-width: 600px) { .gallery { grid-template-columns: 1fr; } }
```

Question 3

index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Flexbox Homepage</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
  <div class="page">
```

```

<header><h1>My Homepage</h1><nav><a href="#">Home</a><a
href="#">About</a><a href="#">Services</a><a
href="#">Contact</a></nav></header>
<main>
  <div class="box"><h2>Services</h2><p>Quality services for your
needs.</p></div>
  <div class="box"><h2>Projects</h2><p>Explore my completed projects.</p></div>
  <div class="box"><h2>Contact</h2><p>Get in touch with me.</p></div>
</main>
<footer>© 2026 My Homepage</footer>
</div>
</body>
</html>

```

style.css

```

* { box-sizing: border-box; }
body { margin: 0; font-family: Arial, sans-serif; }
.page { min-height: 100vh; display: flex; flex-direction: column; }
header { background: #2563eb; color: white; padding: 20px; text-align: center; }
nav { display: flex; justify-content: space-around; flex-wrap: wrap; gap: 10px; }
nav a { color: white; text-decoration: none; }
main { flex: 1; display: flex; justify-content: center; align-items: center; gap: 25px;
padding: 40px; background: #eff6ff; }
.box { flex: 1; padding: 35px 20px; text-align: center; background: white; border-radius:
12px; transition: transform 0.3s; }
.box:hover { transform: rotate(2deg); }
footer { width: 100%; padding: 20px; text-align: center; background: #1e40af; color:
white; }
@media (max-width: 700px) { main { flex-direction: column; } .box { width: 100%; } }

```

Question 4

index.html

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Dashboard</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
  <div class="dashboard">
    <header>Admin Dashboard</header>
    <aside><a href="#">Dashboard</a><a href="#">Users</a><a
href="#">Reports</a><a href="#">Settings</a></aside>
    <main>
      <div class="box wide">Overview</div>
      <div class="box">Statistics</div>
      <div class="box">Recent Activity</div>
      <div class="box">Notifications</div>
      <div class="box">Tasks</div>
    </main>
  </div>
</body>
</html>

```

```

    </main>
  </div>
</body>
</html>

```

style.css

```

* { box-sizing: border-box; }
body { margin: 0; font-family: Arial, sans-serif; background: #f1f5f9; }
.dashboard { display: grid; grid-template-columns: 220px 1fr; grid-template-rows: 70px 1fr; min-height: 100vh; }
header { grid-column: 1 / -1; background: #0f172a; color: white; display: flex; align-items: center; padding: 0 25px; font-size: 22px; font-weight: bold; }
aside { background: #1e293b; padding: 25px 15px; display: flex; flex-direction: column; gap: 20px; }
aside a { color: white; text-decoration: none; }
main { display: grid; grid-template-columns: repeat(2, 1fr); gap: 20px; padding: 25px; }
.box { min-height: 150px; background: white; padding: 25px; border-radius: 12px; transition: transform 0.3s, box-shadow 0.3s; }
.box:hover { transform: scale(1.03); box-shadow: 0 8px 20px #0002; }
.wide { grid-column: span 2; }
@media (max-width: 700px) {
  .dashboard { grid-template-columns: 1fr; grid-template-rows: auto auto 1fr; }
  header { grid-column: 1; }
  aside { flex-direction: row; flex-wrap: wrap; }
  main { grid-template-columns: 1fr; }
  .wide { grid-column: span 1; }
}

```

Question 5

index.html

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Pricing Plans</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
  <h1>Choose Your Plan</h1>
  <main class="pricing">
    <article class="plan"><h2>Basic</h2><p class="price">₹499/month</p><p>Basic features</p><button>Choose Plan</button></article>
    <article class="plan featured"><h2>Pro</h2><p class="price">₹999/month</p><p>Advanced features</p><button>Choose Plan</button></article>
    <article class="plan"><h2>Premium</h2><p class="price">₹1,499/month</p><p>All premium features</p><button>Choose Plan</button></article>
  </main>
</body>
</html>

```

style.css

```
body { margin: 0; padding: 35px; font-family: Arial, sans-serif; text-align: center;
background: #f8fafc; }
.pricing { display: flex; justify-content: center; align-items: center; gap: 25px; max-width:
1000px; margin: 40px auto; }
.plan { flex: 1; padding: 35px 20px; background: white; border: 1px solid #ddd; border-
radius: 14px; animation: fadeIn 1s ease; transition: transform 0.3s; }
.plan:hover { transform: translateY(-10px); }
.featured { background: #dbeafe; transform: scale(1.08); }
.price { font-size: 24px; font-weight: bold; }
button { padding: 10px 18px; border: 0; border-radius: 6px; background: #2563eb;
color: white; cursor: pointer; }
@keyframes fadeIn { from { opacity: 0; transform: translateY(25px); } to { opacity: 1;
transform: translateY(0); } }
@media (max-width: 750px) { .pricing { flex-direction: column; } .plan, .featured { width:
90%; transform: none; } }
```

Question 6

index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Responsive Blog</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
  <div class="blog">
    <header><h1>My Tech Blog</h1><nav><a href="#">Home</a><a
href="#">Articles</a><a href="#">Contact</a></nav></header>
    <aside><h2>Categories</h2><a href="#">HTML</a><a href="#">CSS</a><a
href="#">Web Design</a></aside>
    <main>
      <article><h2>Learning Flexbox</h2><p>Flexbox helps create flexible one-
dimensional layouts.</p></article>
      <article><h2>Understanding Grid</h2><p>CSS Grid is useful for two-dimensional
page layouts.</p></article>
    </main>
    <footer>Contact: Dev@Chauhan.com</footer>
  </div>
</body>
</html>
```

style.css

```
* { box-sizing: border-box; }
body { margin: 0; font-family: Arial, sans-serif; background: #f8fafc; }
.blog { display: grid; grid-template-columns: 220px 1fr; grid-template-areas: "header
header" "sidebar main" "footer footer"; min-height: 100vh; }
header { grid-area: header; padding: 25px; background: #334155; color: white; display:
flex; justify-content: space-between; align-items: center; }
```

```

header a { color: white; margin-left: 15px; text-decoration: none; }
aside { grid-area: sidebar; padding: 25px; background: #e2e8f0; display: flex; flex-
direction: column; gap: 15px; }
aside a { color: #1e293b; text-decoration: none; }
main { grid-area: main; display: grid; grid-template-columns: repeat(2, 1fr); gap: 25px;
padding: 30px; }
article { background: white; padding: 25px; border-radius: 10px; }
footer { grid-area: footer; padding: 20px; text-align: center; background: #334155; color:
white; }
@media (max-width: 800px) {
  .blog { grid-template-columns: 1fr; grid-template-areas: "header" "main" "sidebar"
"footer"; }
  header { flex-direction: column; gap: 15px; }
  main { grid-template-columns: 1fr; }
}

```

Question 7

index.html

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Loading Animation</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
  <div class="loader" aria-label="Loading">
    <div class="circle"></div><div class="circle"></div><div class="circle"></div>
  </div>
</body>
</html>

```

style.css

```

body { margin: 0; min-height: 100vh; display: flex; justify-content: center; align-items:
center; background: #0f172a; }
.loader { display: flex; gap: 12px; }
.circle { width: 18px; height: 18px; background: #38bdf8; border-radius: 50%; animation:
bounce 0.8s infinite alternate; }
.circle:nth-child(2) { animation-delay: 0.2s; }
.circle:nth-child(3) { animation-delay: 0.4s; }
@keyframes bounce { from { transform: translateY(0); } to { transform: translateY(-
25px); } }

```

Question 8

index.html

```

<!DOCTYPE html>
<html lang="en">
<head>

```

```

<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Photo Gallery</title>
<link rel="stylesheet" href="style.css">
</head>
<body>
  <h1>Photo Gallery</h1>
  <main class="gallery">
    <figure><figcaption>Nature View</figcaption></figure>
    <figure><figcaption>Mountain Scene</figcaption></figure>
    <figure><figcaption>Beautiful Landscape</figcaption></figure>
    <figure><figcaption>Travel Memories</figcaption></figure>
  </main>
</body>
</html>

```

style.css

```

body { margin: 0; padding: 30px; font-family: Arial, sans-serif; text-align: center;
background: #f1f5f9; }
.gallery { display: grid; grid-template-columns: repeat(auto-fit, minmax(200px, 1fr)); gap: 20px; }
figure { margin: 0; overflow: hidden; background: white; border-radius: 10px; }
img { display: block; width: 100%; height: 220px; object-fit: cover; transition: transform 0.5s ease; }
figure:hover img { transform: scale(1.08); }
figcaption { padding: 15px; font-weight: bold; }

```

Question 9

index.html

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Card Flip</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
  <main class="scene">
    <div class="card">
      <div class="face front"><h2>Web Development</h2></div>
      <div class="face back"><h2>About</h2><p>Web development includes designing
and building websites using HTML and CSS.</p></div>
    </div>
  </main>
</body>

```

</html>

style.css

```
body { margin: 0; min-height: 100vh; display: flex; justify-content: center; align-items: center; font-family: Arial, sans-serif; background: #f1f5f9; }
.scene { perspective: 1000px; }
.card { width: 300px; height: 220px; position: relative; transform-style: preserve-3d; transition: transform 0.8s; }
.scene:hover .card { transform: rotateY(180deg); }
.face { position: absolute; inset: 0; backface-visibility: hidden; border-radius: 12px; display: flex; flex-direction: column; justify-content: center; align-items: center; padding: 20px; background: white; box-shadow: 0 8px 20px #0002; }
.front img { max-width: 100%; }
.back { transform: rotateY(180deg); background: #2563eb; color: white; }
```

Question 10

index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Flexbox and Grid Layout</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
  <div class="layout">
    <header><div class="logo">MySite</div><nav><a href="#">Home</a><a href="#">About</a><a href="#">Contact</a></nav></header>
    <main>
      <article>
        <h1>Welcome to My Website</h1>
        <div class="article-boxes"><div>HTML</div><div>CSS</div><div>Responsive Design</div></div>
      </article>
      <aside><h2>Sidebar</h2><p>Useful links and information.</p></aside>
    </main>
    <footer>© 2026 Dev Chauhan</footer>
  </div>
</body>
</html>
```

style.css

```
* { box-sizing: border-box; }
body { margin: 0; font-family: Arial, sans-serif; background: #f8fafc; }
.layout { min-height: 100vh; display: grid; grid-template-rows: auto 1fr auto; }
header { display: flex; justify-content: space-between; align-items: center; padding: 22px 8%; background: #172554; color: white; }
.logo { font-size: 24px; font-weight: bold; }
header a { color: white; text-decoration: none; margin-left: 18px; }
main { display: grid; grid-template-columns: 2fr 1fr; gap: 25px; padding: 35px 8%; }
```

```
article, aside { background: white; padding: 25px; border-radius: 12px; }
article h1 { animation: moveUp 1s ease; }
.article-boxes { display: flex; gap: 15px; margin-top: 30px; }
.article-boxes div { flex: 1; padding: 25px 10px; background: #dbeafe; text-align: center;
border-radius: 8px; }
footer { padding: 20px; text-align: center; background: #172554; color: white; }
@keyframes moveUp { from { opacity: 0; transform: translateY(20px); } to { opacity: 1;
transform: translateY(0); } }
@media (max-width: 700px) {
  header { flex-direction: column; gap: 15px; }
  main { grid-template-columns: 1fr; }
  .article-boxes { flex-direction: column; }
}
```

Dev Singh Chauhan