VISIT DATE
01 Sept 2026

Comprehensive Dental Chart

A structured clinical record for assessment, diagnosis support, treatment planning, and continuity of care.

S

summer

HN 123456 · Male · 28 years
Not recorded

CHART STATUS
8 of 8 sections recorded

8	19	30	7
Recorded chart sections	Teeth with recorded findings	Mapped occlusal contacts	Clinical images

Document contents

01 **Patient History** — Recorded

02 **Image Gallery** — Recorded

03 **Extraoral Exam** — Recorded

04 **Esthetic Evaluation** — Recorded

05 **VDO Evaluation** — Recorded

06 **Dental Status** — Recorded

07 **Occlusal Analysis** — Recorded

08 **Residual Ridge Area** — Recorded

CLINICAL CHART

Patient History

The patient's medical and dental background.

PATIENT NAME	SEX / AGE	HN	VISIT DATE
summer	Male / 28	123456	01 Sept 2026

Primary Concerns

Chief Complaint *

tooth loss

Present Illness *

can not chew on the right side

Medical Information

Medical History

DM

Regular Doctor Visits?

Yes ✓ | No

Every

6 months

Clinic / hospital

—

Current Medications

Name	Dose	Freq	Schedule
ASA2	23 tab	1 x/day	Afternoon, Evening, Before bed

Known Allergies

Deny | Don't know ✓ | Yes, has allergies

Dental Background & Expectations

Dental History

filling, scalling

Patient Self Evaluation

bad

Patient Expectations (Ranked)

1. **Chewing** Masticatory function
2. **Esthetic** Appearance & aesthetics
3. **Health** Oral health maintenance

Expected Outcome / Notes

better esthetic and chewing qbility

Edentulous History

Length of time edentulous

5 months

Number of previous denture

1

Age of present denture

5

Nature of complaint

—

CLINICAL CHART

Image Gallery / Panoramic X-ray

1-1 of 1 images | Visit 01 Sept 2026



Panoramic X-ray

Uploaded 24 Sept 2026

CLINICAL CHART

Image Gallery / Intraoral

1-4 of 6 images | Visit 01 Sept 2026

IMAGE 01 10 Sept 2026




No description

IMAGE 02 10 Sept 2026



No description

IMAGE 03 10 Sept 2026



Upper arch

IMAGE 04 23 Sept 2026




No description

CLINICAL CHART

Image Gallery / Intraoral

5-6 of 6 images | Visit 01 Sept 2026

IMAGE 05 24 Sept 2026



No description

IMAGE 06 24 Sept 2026



No description

CLINICAL CHART

AI Detection Results

Recorded findings from the chart's panoramic X-ray; clinical images are shown separately.

AI Detection Results

AI suggestions require clinical review
AI results are not a diagnosis. Findings must be confirmed by the treating dentist.

Impacted (0) Caries (5) Deep Caries (1) Periapical Lesion (0)

#	Tooth (FDI)	Condition	Confidence
1	**17**	Caries	25.7%
2	**26**	Caries	56.7%
3	**27**	Caries	28.1%
4	**36**	Caries	41.1%
5	**37**	Caries	27.9%
6	**47**	Deep Caries	81.3%


CLINICAL CHART

Extraoral Examination


Facial symmetry, TMJ, muscle pain, and habits assessment.

Facial Appearance

Facial symmetry




Symmetry
Balanced facial proportions



Asymmetry
Unequal facial proportions

Facial profile



Straight
Normal


Convex
Protrusive

Concave
Retrusive


Muscles & TMJ Assessment

Muscle Pain


RIGHT SIDE



FRONT VIEW



LEFT SIDE



Temporalis (Left) | Medial Pterygoid (Left) | Medial Pterygoid (Right) | Temporalis (Right) | Masseter (Left) | Masseter (Right)

Present joint pain

Function | **Palpation** ✓

Jaw deviation

None | **Left** ✓ | Right

Joint sound

No | Clicking | Crepitus | **Popping** ✓

Maximum Mouth Opening

40 mm

Limited border movement?

No ✓ | Yes

Habits & Factors Affecting Tooth Wear

Parafunctional habit

Nail Biting | **Bruxism** ✓ | **Clenching** ✓ | Tongue Thrust | Other

Factors affecting tooth wear

Hard food ✓ | **Acid Beverage** ✓ | Bulimia

Swimming | **GERD** ✓ | Other


CLINICAL CHART

Esthetic Evaluation / Facial Analysis


Occlusal plane, nasolabial angle, and facial-to-dental midline.

1. Facial Analysis


Occlusal plane to interpupillary line



Parallel




Canted Right



Canted Left


Nasolabial angle



Normal (~90°)




Prominent (<90°)




Retruded (>90°)


Facial midline and dental midline discrepancy



Symmetric



Right Shift



Left Shift

Midline shift

1.5 mm

CLINICAL CHART

Esthetic Evaluation / Lip at Rest


Lip fullness, length, and tooth exposure at rest.

2. Lip at Rest


Lip fullness



Full



Average



Thin

Lip length

- [x] Long
- [ ] Average
- [ ] Short


Tooth Exposure at Rest

Upper

— mm

Lower

— mm



LIP MEASUREMENT GUIDE

Measure from the base of the nose to the bottom edge of the upper lip. Record in millimeters.

CLINICAL CHART

Esthetic Evaluation / Smile Analysis

Smile line, incisal silhouette, tooth display, and lower lip relationship.

3. Dentofacial Analysis / Smile

Smile line



Average



High



Low

Incisal silhouette



Convex Curve



Straight



Reverse

Teeth exposed (full smile)



6 Teeth



8 Teeth



10 Teeth



12 Teeth

Tooth-lower lip position



Touching



Not Touching



Covered


CLINICAL CHART

Esthetic Evaluation / Midline & Phonetics


Midline alignment, buccal corridor, and F-V sound assessment.

3. Dentofacial Analysis / Alignment


Midline (philtrum)



Center




Right




Left


Upper & lower midline



Right



Left



Straight

Buccal corridor



Normal



Increased

4. Phonetics

F-V Sound — incisal edge of maxillary centrals on wet/dry line of lower lip?

Yes

No

CLINICAL CHART

VDO Evaluation

Vertical dimension of occlusion, facial soft tissue, and bite assessment.

Facial Soft Tissue Contour

Present conditions

- [x] Nasolabial fold
- [x] Prominent chin
- [ ] Drooping commissure
- [ ] Thin lips

Functional & Bite Assessment

Closest Speaking Space

— mm

Reference Teeth

—

Present bite type

- [ ] Normal bite
- [x] Deep bite
- [ ] Edge to edge
- [ ] Crossbite

Free-way Space

Free-way space (VDO - VDR)

5 mm

⚠ **Loss of VDO Indicated**
A free-way space greater than 4mm suggests a loss of Vertical Dimension.


CLINICAL CHART

Dental Status

Interactive odontogram as recorded in the chart (FDI notation), with a detail card for every finding.

Odontogram

MAXILLARY ARCH



MANDIBULAR ARCH

Recorded Findings (19)

Tooth 11 — permanent

Caries 1	Surface: D | Depth: enamel
Filling 1	Surfaces: B, O | Material: amalgam

Tooth 12 — permanent

Filling 1	Surfaces: B, O | Material: amalgam
Periodontal	Mobility: M1
Pulp / endodontic	Root canal: medicated

Tooth 13 — permanent

Caries 1	Surface: D | Depth: dentine

Tooth 14 — permanent

Caries 1	Surface: O | Depth: enamel
Filling 1	Surfaces: O | Material: gic

Tooth 15 — permanent

Filling 1	Surfaces: O | Material: temporary
Pulp / endodontic	Pulp: inflamed | EPT: negative | Root canal: completed

Tooth 16 — edentulous

Edentulous	Type: missing

Tooth 18

permanent

Pulp / endodontic	Pulp: inflamed | EPT: negative | Root canal: incomplete

Tooth 23

permanent

Pulp / endodontic	Pulp: inflamed | Root canal: medicated

Tooth 27

permanent

Filling 1	Surfaces: O, B, M | Material: amalgam

Tooth 28

edentulous

Edentulous	Type: impacted

Tooth 34

permanent

Caries 1	Surface: O | Depth: dentine
Caries 2	Surface: L | Depth: pulp
Caries 3	Surface: D | Depth: dentine

Tooth 35

primary

Caries 1	Surface: O | Depth: pulp
Caries 2	Surface: L | Depth: pulp

Tooth 36

permanent

Filling 1	Surfaces: L, M, B | Material: amalgam

Tooth 38

edentulous

Edentulous	Type: impacted

Tooth 44

permanent

Filling 1	Surfaces: O | Material: composite

Tooth 45

permanent

Restoration	Type: vonlay | Material: zirconia | Post: metal post

Tooth 46

permanent

Caries 1	Surface: O | Depth: pulp
Caries 2	Surface: L | Depth: pulp
Pulp / endodontic	Pulp: inflamed | EPT: positive | Root canal: incomplete

Tooth 47

permanent

Filling 1	Surfaces: O | Material: composite

Tooth 48

edentulous

Edentulous	Type: missing

CLINICAL CHART

Occlusal Analysis


Upper-to-lower contact mapping and orthodontic & occlusal measurements.

30	5 of 5	6
Mapped contact pairs	Contact types mapped	Balancing interferences

Contact Maps

Maximum Intercuspation

18 mapped



15 — 45 · 14 — 44 · 13 — 43 · 16 — 46 · 16 — 47 · 12 — 42 · 12 — 41 · 11 — 42 · 11 — 41 · 15 — 45 · 14 — 44
13 — 43 · 16 — 46 · 16 — 47 · 12 — 42 · 12 — 41 · 11 — 42 · 11 — 41

Premature contact


2 mapped



15 — 45 · 15 — 45

Protrusive contact

2 mapped



16 — 47 · 16 — 47

Right lateral excursion

4 mapped



15 — 46 · 23 — 33 (interference) · 15 — 46 · 23 — 33 (interference)

Left lateral excursion

4 mapped



14 — 45 (interference) · 15 — 46 (interference) · 14 — 45 (interference) · 15 — 46 (interference)

Orthodontic & Occlusal Measurements

ANGLE'S CLASSIFICATION

Right first molar

Class I | Class II | **Class III** ✓

Left first molar

Class I | Class II | **Class III** ✓

Right canine

Class I | Class II | **Class III** ✓

Left canine

Class I | Class II | **Class III** ✓

OVERLAPS

Horizontal	Vertical
— mm	— mm

CR - MIP

Anterior slide	Lateral slide (Right)
— mm	— mm

CLINICAL CHART

Residual Ridge Area

Comprehensive evaluation of the edentulous ridge, soft tissues, and patient attitude.

1. Arch & Ridge Morphology

Ridge height

- [x] High
- [ ] Low (flat)
- [ ] Knife edge

Ridge width

- [x] Round
- [ ] Narrow

Size of jaw

- [ ] Small
- [x] Medium
- [ ] Large

Ridge shape — upper arch (U)

- [x] U shape
- [ ] V shape
- [ ] Undercut
- [ ] Flat

Ridge shape — lower arch (L)

- [x] U shape
- [ ] V shape
- [ ] Undercut
- [ ] Flat

Ridge relation

- [x] Class I
- [ ] Class II
- [ ] Class III
- [ ] Crossbite

Ridge parallelism

- [x] Parallel
- [ ] Divergent

Interridge space

- [x] Sufficient
- [ ] Insufficient

Lower arch form

- [x] Square
- [ ] Taper
- [ ] Ovoid

2. Palatal & Throat Morphology

Palatal vault

- [x] Average
- [ ] Steep
- [ ] V shape
- [ ] Shallow

Palatal throat form

- [ ] Class I — 5-13mm of PSS band
- [ ] Class II — 3-5mm of PSS band
- [x] Class III — <3mm of PSS band

3. Anomalies & Attachments

Torus present (multi-select)

- Palatinus
- Mandibularis ✓

Ridge deformity (multi-select)

- Exostosis
- Bony spicule ✓
- Flabby tissue
- Knife edge

Torus size

123 mm

High frenum attachment — upper

- Labial
- Buccal L/R

High frenum attachment — lower

- Labial
- Buccal L/R

4. Soft Tissue & Environment

Tongue size

- Small
- Medium ✓
- Large

Tongue position

- Normal ✓
- Retracted

Lip mobility

- Normal ✓
- Highly active
- Relatively inactive

Facial muscle tone

- Tense
- Average ✓
- Flaccid

Saliva amount

- Normal Vol. ✓
- Xerostomia

Saliva consistency

- Thick ✓
- Thin

5. Mental Attitude

M.M. House classification

- **Philosophical** — Rational & cooperative ✓
- **Exacting** — Demanding & precise
- **Hysterical** — Anxious & pessimistic
- **Indifferent** — Unmotivated & apathetic