

## ASSIGNMENT - 2

Name: J. Sujan Chowdary

Reg No: 20BCI7294

### Q) Creating table and implementing update and delete in mysql

```
create table Student (  
    Id integer,  
    Name varchar(20),  
    Age integer,  
    Phno varchar(10)  
);  
insert into Student values(1,'Arjun',21,'8569143143');  
insert into Student values(2,'Srujana',20,'9345678124');  
insert into Student values(3,'Shree',21,'7518496534');  
insert into Student values(4,'Nitya',19,'8642235987');  
select * from Student;
```

#### Output

Id	Name	Age	Phno
1	Arjun	21	856914314
2	Srujana	20	934567812
3	Shree	21	751849653
4	Nitya	19	864223598

```
update Student set Name = 'Sanjana' where Name = 'Srujana';  
select * from Student;
```

### Output

Id	Name	Age	Phno
1	Arjun	21	8569143143
2	Sanjana	20	9345678124
3	Shree	21	7518496534
4	Nitya	19	8642235987

```
delete from Student where Id = 3;  
select * from Student;
```

### Output

Id	Name	Age	Phno
1	Arjun	21	8569143143
2	Sanjana	20	9345678124
4	Nitya	19	8642235987

### Q) Creating the tables and implementing join operations in mysql

```
create table Student (
```

```
    Id integer,
```

```
    Name varchar(20),
```

```
    Age integer,
```

```
    Phonenumner varchar(10)
```

```
);
```

```
insert into Student values(1,'Arjun',21,'8569143143');
```

```
insert into Student values(2,'Srujana',20,'9345678124');
```

```
insert into Student values(3,'Shree',21,'7518496534');
```

```
insert into Student values(4,'Nitya',19,'8642235987');
```

```
create table Job (
```

```
    Id integer,
```

```

    Company varchar(20),
    Package char(10),
    Place varchar(20)
);

```

```

insert into Job values(1,'Google','40L','Hyderabad');
insert into Job values(2,'Amazon','25L','Bangalore');
insert into Job values(4,'Meta','20L','Mumbai');
insert into Job values(5,'Netflix','25L','Bangalore');
select * from Student;

```

Id	Name	Age	Phonenumber
1	Arjun	21	8569143143
2	Srujana	20	9345678124
3	Shree	21	7518496534
4	Nitya	19	8642235987

```
select * from Job;
```

Id	Company	Package	Place
1	Google	40L	Hyderabad
2	Amazon	25L	Bangalore
4	Meta	20L	Mumbai
5	Netflix	25L	Bangalore

```
select * from Student inner join Job on Student.Id=Job.Id;
```

Name	Company	Package
Arjun	Google	40L
Srujana	Amazon	25L
Nitya	Meta	20L

```
select * from Student left join Job on Student.Id=Job.Id;
```

Name	Company	Package
Arjun	Google	40L
Srujana	Amazon	25L
Shree	NULL	NULL
Nitya	Meta	20L

select \* from Student right join Job on Student.Id=Job.Id;

Name	Company	Package
Arjun	Google	40L
Srujana	Amazon	25L
Nitya	Meta	20L
NULL	Netflix	25L

select \* from Student full join Job;

Name	Company	Package
Nitya	Google	40L
Shree	Google	40L
Srujana	Google	40L
Arjun	Google	40L
Nitya	Amazon	25L
Shree	Amazon	25L
Srujana	Amazon	25L
Arjun	Amazon	25L
Nitya	Meta	20L
Shree	Meta	20L
Srujana	Meta	20L
Arjun	Meta	20L
Nitya	Netflix	25L
Shree	Netflix	25L
Srujana	Netflix	25L
Arjun	Netflix	25L

## Q) Create update, delete commands in mongodb?

### Update Command

#### Code:

```
db.students.insertMany([
    { id: 1, name: 'Ryan', gender: 'M' },
    { id: 2, name: 'Joanna', gender: 'F' }
]);

db.students.find({ gender: 'F' });

db.students.updateOne(
    { id: 1 },
    { $set: { name: "Ryan Smith", gender: "M" } }
);
```

## Output

```
mycompiler_mongodb> ... .. {
  acknowledged: true,
  insertedIds: {
    '0': ObjectId("6473579aa5217a413cb2340c"),
    '1': ObjectId("6473579aa5217a413cb2340d")
  }
}
mycompiler_mongodb> [
  {
    _id: ObjectId("6473579aa5217a413cb2340d"),
    id: 2,
    name: 'Joanna',
    gender: 'F'
  }
]
```

```
mycompiler_mongodb> ... .. {
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}
mycompiler_mongodb>
```

### After updating:

```
mycompiler_mongodb> [
  {
    _id: ObjectId("647358540fb9148257bd6b6e"),
    id: 1,
    name: 'sujan chowdary',
    gender: 'M'
  },
  {
    _id: ObjectId("647358540fb9148257bd6b6f"),
    id: 2,
    name: 'Joanna',
    gender: 'F'
  }
]
```

### Deleting commands:

#### Code:

```
db.students.deleteOne({ id: 2 }); db.students.find()
```

### After deleting:

```
mycompiler_mongodb> { acknowledged: true, deletedCount: 1 }
mycompiler_mongodb> [
  {
    _id: ObjectId("647358de792c30f523157d69"),
    id: 1,
    name: 'sujan chowdary',
    gender: 'M'
  }
]
mycompiler_mongodb>
```