ASSIGNMENT - 2

Q) Creating table and implementing update and delete in mysql

```
create table Student (
   Id integer,
   Name varchar(20),
   Age integer,
   Phno varchar(10)
);
insert into Student values(1,'Arjun',21,'8569143143');
insert into Student values(2,'Srujana',20,'9345678124');
insert into Student values(3,'Shree',21,'7518496534');
insert into Student values(4,'Nitya',19,'8642235987');
```

select * from Student;

Output			
Id	Name	Age	Phno
1	Arjun	21	856914314
2	Srujana	20	934567812
3	Shree	21	751849653
4	Nitya	19	864223598

update Student set Name = 'Sanjana' where Name = 'Srujana'; select * from Student;

Output				
	Id 1	Name Arjun	Age 21	Phno 8569143143
	2	Sanjana		9345678124
	3 4	Shree Nitya	21 19	7518496534 8642235987

delete from Student where Id = 3; select * from Student;

Output Age Phno Ιd Name 21 1 Arjun 8569143143 Sanjana 20 9345678124 2 4 Nitya 19 8642235987

Q) Creating the tables and implementing join operations in mysql

```
create table Student (
  Id integer,
  Name varchar(20),
  Age integer,
  Phonenumber varchar(10)
);
insert into Student values(1,'Arjun',21,'8569143143');
insert into Student values(2,'Srujana',20,'9345678124');
insert into Student values(3,'Shree',21,'7518496534');
insert into Student values(4,'Nitya',19,'8642235987');
create table Job (
  Id integer,
 Company varchar(20),
  Package char(10),
  Place varchar(20)
);
insert into Job values(1,'Google','40L','Hyderabad');
insert into Job values(2,'Amazon','25L','Bangalore');
insert into Job values(4,'Meta','20L','Mumbai');
insert into Job values(5,'Netflix','25L','Bangalore');
```

select * from Student;

Id	Name	Age	Phonenumber
1	Arjun	21	8569143143
2	Srujana	20	9345678124
3	Shree	21	7518496534
4	Nitya	19	8642235987

select * from Job;

Id	Company	Package	Place
1	Google	40L	Hyderabad
2	Amazon	25L	Bangalore
4	Meta	20L	Mumbai
5	Netflix	25L	Bangalore

select * from Student inner join Job on Student.ld=Job.ld;

Name	Company	Package
Arjun	Google	40L
Srujana	Amazon	25L
Nitya	Meta	20L

select * from Student left join Job on Student.ld=Job.ld;

Name	Company	Package
Arjun	Google	40L
Srujana	Amazon	25L
Shree	NULL	NULL
Nitya	Meta	20L

select * from Student right join Job on Student.ld=Job.ld;

Name	Company	Package
Arjun	Google	40L
Srujana	Amazon	25L
Nitya	Meta	20L
NULL	Netflix	25L

select * from Student full join Job;

```
Company Package
Name
       Google
              40L
Nitya
Shree
       Google
              40L
Srujana Google
              40L
Arjun Google
              40L
Nitya Amazon 25L
Shree
       Amazon 25L
Srujana Amazon 25L
Arjun
              25L
       Amazon
Nitya
              20L
       Meta
Shree
              20L
       Meta
Srujana Meta
              20L
Arjun
       Meta
              20L
Nitya
       Netflix 25L
       Netflix 25L
Shree
Srujana Netflix 25L
Arjun
       Netflix 25L
```

Q) Create update, delete commands in mongodb?

Update Command Code:

Output

```
mycompiler_mongodb> ... ... {
   acknowledged: true,
   insertedIds: {
      '0': ObjectId("6473579aa5217a413cb2340c"),
      '1': ObjectId("6473579aa5217a413cb2340d")
   }
}
mycompiler_mongodb> [
   {
      _id: ObjectId("6473579aa5217a413cb2340d"),
      id: 2,
      name: 'Joanna',
      gender: 'F'
   }
]
```

```
mycompiler_mongodb> ... ... {
   acknowledged: true,
   insertedId: null,
   matchedCount: 1,
   modifiedCount: 1,
   upsertedCount: 0
}
mycompiler_mongodb>
```

After updating:

Deleting commands:

Code:

db.students.deleteOne({ id: 2 }); db.students.find()

After deleting:

```
mycompiler_mongodb> { acknowledged: true, deletedCount: 1 }
mycompiler_mongodb> [
    {
        id: ObjectId("647358de792c30f523157d69"),
        id: 1,
        name: 'sujan chowdary',
        gender: 'M'
    }
]
mycompiler_mongodb>
```