How To Get Started Guide

ASAPIO Integration Add-on

November 20th, 2023

Checklist

These are the steps you need to do to get the SAP system set up for the workshop.

	Installed the framework transport (ERDK904462)
	Installed the Solace connector package (ERDK904501)
	Activated BC-Sets
	Installed the preconfigured content (ERDK904591)
	Added necessary roles to WF-BATCH / SAP_WFRT
П	Adapted the RFC destinations

Follow the steps below to complete the checklist.

Base Configuration

Download and import into your SAP system from here: https://asapio.freshdesk.com/discussions/topics/14000020247

- 1. Framework (Only if this is your first connector): (ERDK904462)
- 2. Connector to Solace: (ERDK904501)

Import configuration


- 3. Activate BC-Set:
 - Transaction: SCPR20
 - BC-Set: /ASADEV/ACI_BCSET_FRAMEWORK_SOLC
 - Activate with default settings
- Additional transport with preconfigured content: (ERDK904591) https://asapio.freshdesk.com/support/discussions/forums/14000131371

Add Roles and Authorizations to your SAP User and SAP Workflow User.

- At least one SAP-User will need the administrator role to use the ASAPIO Monitor etc.: /ASADEV/ACI_ADMIN_ROLE
- Technical / system user like "WF-BATCH" or "SAP_WFRT" will need role: /ASADEV/ACI_JOB_ROLE

https://asapio.com/docs/installation/#roles_and_authorizations

Note: If you don't know your technical system user then go to transaction SWU3 --> Maintain Runtime Environment --> Configure RFC Destination. This needs to be generated and on the right side it will show you the technical system user.




Steps required to establish connectivity (Usually done by the SAP BASIS Team)


Create RFC destinations

Create a new RFC destination of type "G" (HTTP Connection to External Server).

- Transaction: SM59
- Create new destination of type "G"
- Specify Target Host and Service No. (Port): endpoint for the SAP Advanced Event mesh



 Credentials or certificates for authentication can be specified on tab Logon & Security:




When activating SSL please ensure that the necessary certificates are in the selected Certificate List (keystore) in your SAP system.

To get the necessary certificates for the https/SSL connection you can follow the next section to download them via your browser.


Browser specific way to get a certificate.

Note: This is just one option to get a certificate.


Open your endpoint that is used in SM59 with your browser (here we used Google Chrome) and click on the padlock -> Connection is secure.



Click on Certificate is valid.




Go to the Details tab and export the file to save it.




In the next step this certificate can be added to the Trust Store in SAP.

8. Add Certificates to Trust Store


- Transaction: STRUST
- Select Certificate List as used in RFC destination created above
- Click button Import certificate (1)
- Click button Add to Certificate List (2)



After adding the certificates, you will receive a 405 "Method not allowed" in the connection test of transaction SM59, which is correct as this means it's reaching the Advanced Event Mesh. The Asapio Integration Add-On will later build the complete URL together leading to a successful response with a 200.




Connection Test should result in a 405. The framework will later build the complete URL together which results in a 200. Here we can see it in transaction /n/asadev/aci_monitor which is explained later in this document.




- Add your RFC-Connections to the Asapio Integration Add-On and remove the initial RFC-Destination.
 - Go to transaction SPRO → IMG → Asapio Integration Add-On → Connection and Replication Object Customizing.
 - Double-click on Instance SAP_AEM_POC and <u>remove both</u> RFC-Destinations "ACI_SOLACE_DEMO_SCOTT".
 - Now add your new created RFC-Destination.

Before:



After:




With these steps prepared, we are all set to send messages to Solace. If you have any questions or require further assistance, please feel free to reach out to us. We look forward to a successful workshop!

10. Trigger and test an event


- Go to transaction BP
- Change Business Partner
- Save
- After saving the event will be created and the JSON sent to Solace.
- Go to transaction /n/asadev/aci_monitor
- You will be able to see the event and the message that was sent to Solace

- To see the sent data select the tab "Traces":




Configuration Details

With the import of the transport including the predefined content you will have the following outbound objects in your system:



Business Partner

BUSINESS PARTNER CREATE




Event Linkage:







Field mapping (i.e. dynamic topic configuration):




BUSINESS PARTNER CHANGE



Event Linkage:



Header Attributes:



Field mapping (i.e. dynamic topic configuration):



Payload Design:

/SAP_AEM/XX_BUSINESSPARTNER (version "2: SMALL DATE FR")

Message Types:

- /SAP_AEM/BUSINESS_PARTNER_CHNG
- /SAP_AEM/BUSINESS_PARTNER_CREA

Trigger:


- BUS1006 CREATED
- BUS1006 CHANGED

Transaction:


BP

G/L Account

GL_ACCOUNTS_CHANGE



Event Linkage:







Field Mapping (i.e. dynamic topic configuration):




GL_ACCOUNTS_CREATE




Event Linkage:



Header Attributes:



Field Mapping (i.e. dynamic topic configuration):



Payload Design:

/SAP_AEM/FI_GL_ACCOUNTS (version "MEDIUM")

Message Types:

- /SAP_AEM/CHART_OF_ACCOUNT_CHNG
- /SAP_AEM/CHART_OF_ACCOUNT_CREA

Trigger:


/ASADEV/GA – CREATED

/ASADEV/GA – MODIFIED


Transaction:


- FSP0
- FSS0

MATERIAL_CHANGE



Event Linkage:







Field Mapping (i.e. dynamic topic configuration):




MATERIAL CREATE




Event Linkage:





Field Mapping (i.e. dynamic topic configuration):



Payload Design:

/SAP_AEM/MM_MATERIAL (version "1: SMALL")

Message Types:

- /SAP_AEM/MATERIAL_CREATE
- /SAP_AEM/MATERIAL_CHANGE


Trigger:

- /ASADEV/MA CREATED
- /ASADEV/MA CHANGED


Transaction:

- MM01
- MM02


PM NOTIFICATIONS CHANGE



Event Linkage:




Header Attributes:




Field Mapping (i.e. dynamic topic configuration):




PM_NOTIFICATIONS_CREATE



Event Linkage:







Field Mapping (i.e. dynamic topic configuration):




SALES_ORDER_CHANGE



Event Linkage:





Field Mapping (i.e. dynamic topic configuration):



Payload Design:

/SAP_AEM/PM_NOTIFICATIONS (version "MEDIUM")

Message Types:

- /SAP_AEM/PM_NOTIFICATION_CREAT
- /SAP_AEM/PM_NOTIFICATION_CHANG


Trigger:

- /ASADEV/MN CREATED
- /ASADEV/MN CHANGED


Transaction:


- QM01
- QM02

SALES_ORDER_CREATE



Event Linkage:





Field Mapping (i.e. dynamic topic configuration):



Payload Design:

- /SAP_AEM/SD_SALESORDER (version "4: WORKSHOP")

Message Types:

- /SAP_AEM/SALESORDER_CREATE
- /SAP_AEM/SALESORDER_CHANGE

Trigger:

- BUS2032 CREATED
- BUS2032 CHANGED

Transaction:

- VA01
- VA02