PYTHON FOR DATA SCIENCE CHEAT SHEET

Python NumPy

What is NumPy?

A library consisting of multidimensional array objects and a collection of routines for processing those arrays.

Why NumPy?

Mathematical and logical operations on arrays can be performed. Also provides high performance.

Import Convention

import numpy as np - Import numpy

ND Array

Space efficient multi-dimensional array, which provides vectorized arithmetic operations.

Creating Array

- a=np.array([1,2,3])
- b=np.array([(1,2,3,4),(7,8,9,10)],dtype=int)

Initial Placeholders

np.zeros(3)-1D array of length 3 all zeros

np.zeros((2,3))-2D array of all zeros

np.zeros((3,2,4)) - 3D array of all zeros

- np.full((3,4),2) 3x4 array with all values 2
- np.random.rand(3,5)-3x5 array of random floats between 0-1
- np.ones((3,4)) 3x4 array with all values 1
- np.eye(4) 4x4 array of o with 1 on diagonal

Saving and Loading

On disk:

- np.save("new_array",x)
- np.load("new_array.npy")

Text/CSV files:

- np.loadtxt('New file.txt') From a text file
- np.genfromtxt('New_file.csv',delimiter=',') From a CSV
- np.savetxt('New_file.txt',arr,delimiter='') Writes to a text file
- np.savetxt('New_file.csv',arr,delimiter=',') Writes to a CSV file

Properties:

- · array.size Returns number of elements in array
- array.shape-Returns dimensions of array(rows, columns)
- · array.dtype-Returns type of elements in array

Operations

Copying:

- np.copy(array) Copiesarray to new memory array.
- view(dtype) Creates view of array elements with type dtype

Sorting:

- array.sort() Sorts array
- array.sort(axis=0) Sorts specific axis of array
- array.reshape(2,3) Reshapes array to 2 rows, 3 columns without changing data.

Adding:

- np.append(array,values) Appends values to end of array
- np.insert(array,4,values) Inserts values into array before index 4

Removing:

- * np.delete(array,2,axis=0) Deletes row on index 2 of array
- np.delete(array,3,axis=1) Deletes column on index 3 of array

Combining:

- np.concatenate((array1,array2),axis=0) Adds array2 as rows to the end of array1
- np.concatenate((array1,array2),axis=1) Adds array2 as columns to end of array1

Splitting:

np.split(array,3) - Splits array into 3 sub-arrays

Indexing:

- · a[o]=5 Assigns array element on index 0 the value 5
- a[2,3]=1 Assigns array element on index [2][3] the value 1

Subseting:

- a[2] Returns the element of index 2 in array a.
- a[3,5] Returns the 2D array element on index [3][5]

Slicing:

- * a[0:4] Returns the elements at indices 0, 1, 2, 3
- a[0:4,3] Returns the elements on rows 0,1,2,3 at column 3
- a[:2] Returns the elements at indices 0,1
- a[;;t] Returns the elements at index 1 on all rows

Array Mathematics

Arithmetic Operations:

- Addition: np.add(a,b)
- Subtraction: np.subtract(a,b)
- · Multiplication: np.multiply(a,b)
- Division: np.divide(a,b)
- Exponentiation: np.exp(a)
- Square Root: np.sqrt(b)

Comparison:

- · Element-wise: a==b
- Array-wise: np.array equal(a,b)

Functions

- Array-wise Sum: a.sum()
- Array-wise min value: a.min()
- Array row max value: a.max(axis=0)
- Mean: a.mean()
- Median: a.median()
- Learn from industry experts and be sought-after by the industry!
- Learn any technology, show exemplary skills and have an unmatched career!
- The most trending technology courses to help you fast-track your career!
- Logical modules for both beginners and mid-level learners



Python for Data Science Certification Training Course