

Main					
Hora de inicio	Número de ordeño	Duración (mm:ss)	Producción (kg)	RCS (* 1000 células / ml)	Intervalo de ordeño (hh:mm)
31/08/2025 01:06 a. m.	1	08:37	15.44		27:26
01/09/2025 11:52 p. m.	1	08:12	13.10		46:38
02/09/2025 10:15 p. m.	2	07:18	6.58		22:14
03/09/2025 07:11 p. m.	1	06:58	9.41		20:49
04/09/2025 11:11 a. m.	1	08:42	8.41		15:53
05/09/2025 01:54 a. m.	1	07:43	6.38		14:33
05/09/2025 05:47 p. m.	2	07:56	11.84		15:45
06/09/2025 06:00 a. m.	1	06:21	7.01		12:04
06/09/2025 11:43 p. m.	2	08:10	12.19		17:36
07/09/2025 01:04 p. m.	1	07:49	9.68		13:13
08/09/2025 01:18 a. m.	1	06:38	8.64		12:05
09/09/2025 12:03 a. m.	1	07:24	13.98		22:37
09/09/2025 12:06 p. m.	2	07:56	9.26		11:56
09/09/2025 10:50 p. m.	3	09:20	7.85		10:35
11/09/2025 07:32 a. m.	1	08:59	15.34		32:32
12/09/2025 12:23 a. m.	1	09:20	9.48		16:42
13/09/2025 11:55 a. m.	1	13:13	17.07		35:22
14/09/2025 12:19 p. m.	1	08:53	15.06		24:10
15/09/2025 04:24 p. m.	1	08:45	16.53		27:56
16/09/2025 01:45 p. m.	1	09:01	10.11		21:11
17/09/2025 06:48 a. m.	1	07:21	13.07		16:54
17/09/2025 07:11 p. m.	2	07:25	8.25		12:15
18/09/2025 05:53 a. m.	1	07:50	7.88		10:35
19/09/2025 09:40 p. m.	1	08:59	15.92		39:39
20/09/2025 07:28 a. m.	1	11:05	2.43		09:38
21/09/2025 05:25 a. m.	1	09:15	14.40		21:46
22/09/2025 06:45 a. m.	1	09:33	15.67		25:09
23/09/2025 05:54 a. m.	1	09:05	14.86		23:00
23/09/2025 12:25 p. m.	2	05:47	4.48		06:21
24/09/2025 05:57 a. m.	1	09:20	13.59		17:25
24/09/2025 11:51 p. m.	1	09:38	14.21		17:45
25/09/2025 12:43 p. m.	2	08:53	10.50		12:42
26/09/2025 01:31 a. m.	1	09:04	10.52		12:38
26/09/2025 12:31 p. m.	2	09:00	9.29		10:51

Producciones (kg)						Estado AM					Misc				
DI	DD	TI	TD	Ub re	Pez ón	De sti no	Ra zón de	Pro gra ma	MS	Us uar io					
0.0	5.4	5.1	4.8	0		Ta			VM						
0.0	3.8	4.3	4.9	1	TD	Ta			VM						
0.0	2.3	2.7	1.5	1		Ta			VM						
0.0	2.9	3.6	2.8	1		Ta			VM						
0.0	2.9	2.9	2.5	0		Ta			VM						
0.0	3.4	0.0	2.8	0		Ta			VM						
0.0	3.8	4.9	3.0	0		Ta			VM						
0.0	3.0	1.5	2.4	1		Ta			VM						
0.0	4.7	3.6	3.7	1		Ta			VM						
0.0	3.6	3.0	2.9	1		Ta			VM						
0.0	3.2	2.7	2.6	0		Ta			VM						
0.0	4.6	4.7	4.6	0		Ta			VM						
	3.8	2.8	2.6	0		Ta			VM						
	2.5	2.8	2.5	0		Ta			VM						
	5.1	4.9	5.1	0		Ta			VM						
	3.3	3.5	2.5	0		Ta			VM						
	6.0	5.8	5.2	0		Ta			VM						
	5.5	5.0	4.4	0		Ta			VM						
	5.8	6.1	4.5	0		Ta			VM						
	4.5	1.7	3.8	0		Ta			VM						
	4.2	5.4	3.3	0		Ta			VM						
	3.2	2.3	2.6	0		Ta			VM						
	2.8	2.5	2.4	0		Ta			VM						
	5.4	5.5	4.9	0		Ta			VM						
	1.4	0.0	1.0	0		Ta			VM						
	5.0	4.5	4.7	0		Dr		Lo	VM						
	5.8	5.6	4.1	0		Dr		Lo	VM						
	5.3	5.2	4.2	0		Dr		Lo	VM						
	1.5	1.6	1.3	0		Dr		Lo	VM						
	4.8	4.8	3.9	0		Dr		Lo	VM						
	5.1	5.0	4.0	0		Dr		Lo	VM						
	3.7	3.6	3.0	0		Dr		Lo	VM						
	3.6	3.8	3.0	0		Dr		Lo	VM						
	3.2	3.3	2.6	0		Dr		Lo	VM						

Main					
Hora de inicio	Número de ordeño	Duración (mm:ss)	Producción (kg)	RCS (* 1000 células / ml)	Intervalo de ordeño (hh:mm)
26/09/2025 06:31 p. m.	3	08:28	5.19		05:50
27/09/2025 03:05 a. m.	1	06:40	6.76		08:25
27/09/2025 01:38 p. m.	2	07:07	8.73		10:25
28/09/2025 09:13 a. m.	1	08:56	15.42		19:28
28/09/2025 10:12 p. m.	2	09:37	11.50		12:49
29/09/2025 08:43 a. m.	1	07:38	9.79		10:21
30/09/2025 12:23 a. m.	1	09:05	14.93		15:31
30/09/2025 10:49 a. m.	2	09:10	10.15		10:17

Producciones (kg)						Estado AM					Misc				
DI	DD	TI	TD	Ub re	Pez ón	De sti no	Ra zón de	Pro gra ma	MS	Us uar io					
	1.7	2.0	1.4	0		Dr		Lo	VM						
	2.3	2.4	1.9	0		Dr		Lo	VM						
	3.1	3.0	2.4	0		Dr		Lo	VM						
	5.5	5.3	4.6	0		Dr		Lo	VM						
	3.9	4.2	3.3	0		Dr		Lo	VM						
	3.5	3.3	2.8	0		Dr		Lo	VM						
	5.1	5.3	4.4	0		Dr		Lo	VM						
	3.6	3.5	2.9	0		Dr		Lo	VM						