


Instructions

Before taking the test, hide Questions and Answers by clicking on a heading→ Expand Collapse and Select “Collapse All Headings.” Navigate through the Questions to read them and Expand the Answer to check if you are successful.	
MACRO ICONS: 	 : Insert a new blank question to fulfill.  : insert a “REVIEW” statement.
Microsoft PL-200 Exam Microsoft Power Platform Functional Consultant	
Browse 328 Questions	

001 Question.

The owner of a company needs to know who signs into the system.

You need to ensure that the owner can view the user audit logs.

Where does each action need to be performed? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:


Answer Area

Action	Location
Activate user auditing.	System Settings Personal Settings Customize the System Microsoft 365 Compliance
View the user audit logs.	Advanced Find Individual record User Summary report Microsoft 365 Compliance

Answer

Correct Answer:

Answer Area

Action	Location
Activate user auditing.	
View the user audit logs.	

Explanation:

Activate user auditing → System Settings

- Auditing is enabled at the organization level from **Settings → Administration → System Settings → Auditing**.
- This is where you turn on auditing for users and entities.

View the user audit logs → User Summary report

- To review who signed in and other user-related audit events, administrators use the **User Summary Report**, which displays audit information for users.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/42604-exam-pl-200-topic-1-question-1-discussion/>

002 Question.

Your organization does not permit the use of custom code for solutions.
You need to create a view that can be viewed by all users in an organization.
Where should you create the view?

- A. List view of the entity
- B. Microsoft Visual Studio
- C. Templates area

D. Maker portal

Answer

Correct Answer: D

Explanation:

The requirement is:

- No custom code allowed → eliminates Microsoft Visual Studio.
- Create a view available to all users → requires a public/system view.
- In modern Dataverse and Power Apps environments, system views are created and managed through the Power Apps Maker portal.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/61448-exam-pl-200-topic-1-question-2-discussion/>

003 Question.

You create a Power Apps portal to provide training and documentation for students. Students create a profile on the portal and then select and pay for courses.

You plan to add free courses to the training portfolio. Free courses must be automatically available to all students after they sign in.

You need to assign default permissions to students.

What should you do?

- A. Create a Students web role and set the Authenticated Users Role option to true. Assign the web role to each registered user.
- B. Create an entity for managing free courses. Create entity permission records to provide access to entity records for free courses and assign the entity permissions to users when they register on the portal for the first time.
- C. Create an entity for managing free courses. Create a Students web role and set the Authenticated Users role option to true. Create appropriate entity permissions to access the free course entity records and assign the entity permissions to the web role.

Answer

Correct Answer: B

Explanation:

You The requirement is that:

- All students who sign in should automatically have access to free courses.
- Permissions must be assigned automatically.
- The portal uses Power Apps Portals (Power Pages).

Setting the **Authenticated Users Role** option to **True** on the **Students web role** automatically assigns that role to every authenticated portal user. Then, by associating **Entity Permissions** for the Free Courses entity with that web role, all authenticated students can access the free course records without manual assignment

Discussion: <https://www.examttopics.com/discussions/microsoft/view/41457-exam-pl-200-topic-1-question-3-discussion/>

004 Question.

You create workflows to automate business processes.

You need to configure a workflow to meet the following requirements:

- Be triggered when a condition is met.
- Run immediately.
- Perform an action when a condition is met.

You need to create a workflow that automatically sends emails based on a mail merge template. To answer, select the appropriate configuration in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Workflow Requirement	Configuration Option
Be triggered when a condition is met.	Publish workflow. Subject contains data. Trigger when a Power Automate button is pressed.
Run immediately.	Approve the workflow. Configure the workflow to run now. Configure child workflow to run now.
Perform an action when a condition is met.	Send an email. View chart. Update a security role.

Answer

Correct Answer:

Answer Area

Workflow Requirement	Configuration Option
Be triggered when a condition is met.	Publish workflow. Subject contains data. Trigger when a Power Automate button is pressed.
Run immediately.	Approve the workflow. Configure the workflow to run now. Configure child workflow to run now.
Perform an action when a condition is met.	Send an email. View chart. Update a security role.

Explanation:

Here's the breakdown of the correct configurations:

Workflow Requirement: Be triggered when a condition is met.

- Configuration Option: Subject contains data. : This implies a trigger based on the content of a subject line, indicating a condition being met.
- Workflow Requirement: Run immediately.
- Configuration Option: Configure the workflow to run now. This is the direct and obvious way to make a workflow execute instantly.
- Workflow Requirement: Perform an action when a condition is met.
- Configuration Option: Send an email. This is the specific action mentioned in the scenario

Discussion: <https://www.examttopics.com/discussions/microsoft/view/41260-exam-pl-200-topic-1-question-4-discussion/>

005 Question.

You are a Dynamics 365 Customer Service administrator.

You need to configure the following automation for the sales team:

- Send an email when the status changes on an Opportunity.
- Text the sales manager when an Opportunity is created.

Create a Wunderlist task when an Opportunity is open for 30 days.

Which tool should you use for each requirement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Automation	Tool
Email when the status changes.	Dynamics 365 workflow Microsoft Flow Business Process Flow
Text when the Opportunity is created.	Dynamics 365 workflow Microsoft Flow Business Process Flow
Create a Wunderlist task.	Dynamics 365 workflow Microsoft Flow Business Process Flow

Answer

Correct Answer:

Answer Area

Automation	Tool
Email when the status changes.	Dynamics 365 workflow Microsoft Flow Business Process Flow
Text when the Opportunity is created.	Dynamics 365 workflow Microsoft Flow Business Process Flow
Create a Wunderlist task.	Dynamics 365 workflow Microsoft Flow Business Process Flow

Explanation:

Here's the correct tool selection for each automation requirement:

Email when the status changes on an Opportunity: Tool: Dynamics 365 workflow:

Dynamics 365 workflows are ideal for automating actions within the Dynamics 365 environment based on specific triggers like status changes.

Text the sales manager when an Opportunity is created: Tool: Microsoft Flow (now Power Automate):

Power Automate is best suited for connecting to external services like SMS gateways or other communication platforms to send text messages.

Create a Wunderlist task when an Opportunity is open for 30 days: Tool: Microsoft Flow (now Power Automate):

Power Automate excels at integrating with various applications, including task management tools like Wunderlist (now Microsoft To Do, but the principle remains the same). It can also handle time-based triggers.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/41762-exam-pl-200-topic-1-question-5-discussion/>

006 Question.

A company uses Microsoft Dataverse to manage prospects. The company has a business process flow named BPFA that is associated with the Prospect entity to streamline the prospect management process.

You add a field named Category to the Prospect entity. You create additional business process flows. You apply the business process flows to Prospect records based on the selected category. Users can switch to any other newly configured business process flows but must not use BPFA. You need to configure the solution.

What are two possible ways to achieve this goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Remove all of the privileges for BPFA.
- B. Use a business rule to prevent users from switching to BPFA.
- C. Deactivate BPFA.
- D. Change the display order of the business process flows to move BPFA to the bottom of the list.

Answer

Correct Answer:

Explanation:

The requirement is that users:

- Can use the new Business Process Flows.
- Must not be able to use BPFA.

A. Remove all of the privileges for BPFA

Business process flows are secured through security roles. Removing users' privileges for BPFA prevents them from using or switching to that process.

C. Deactivate BPFA

A deactivated business process flow is unavailable for use and cannot be selected by users.

Not B: Business rules cannot control which Business Process Flow a user selects. They operate on form fields and data logic, not BPF selection.

Not D: This only affects the order in which processes are displayed. Users could still select BPFA.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/41763-exam-pl-200-topic-1-question-6-discussion/>

007 Question.

You are creating a business rule to implement new business logic.

You must apply the business logic to a canvas app that has a single screen named Screen1.

You need to configure the scope for the business rule.

Which scope should you use?

- A. Screen1
- B. Entity
- C. All Forms
- D. Global

Answer

Correct Answer: B

Explanation:

Business Rules in Dataverse can have different scopes:

- **Entity (Correct)** – Applies the business rule at the table/entity level and works across model-driven apps and other clients that support business rules.
- **All Forms** – Applies only to all forms of a model-driven app.
- **Specific Form (e.g., Main Form)** – Applies only to a particular form.
- **Global** – Not a valid business rule scope in Dataverse.
- **Screen1** – Canvas apps do not use business rule scopes tied to screens.

Because the requirement is to apply business logic to a **canvas app**, the business rule must be configured at the **Entity** scope so that it is enforced at the Dataverse table level and can be used by the app.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/42523-exam-pl-200-topic-1-question-7-discussion/>

008 Question.

You are a Dynamics 365 Customer Services administrator. You have a Production instance and Sandbox instance.

Users record Production instance data in the Sandbox instance.

You need to ensure that the users only record data in the Production instance.

Which security function needs to be edited to prevent access to the Sandbox? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Application area

Microsoft 365 admin center

Security function

	▼
Roles	
Groups	
Licenses	
Access rights	


Dynamics 365 Sandbox instance

	▼
Roles	
Groups	
Access rights	

Answer

Correct Answer:

Answer Area

Application area	Security function
Microsoft 365 admin center	
Dynamics 365 Sandbox instance	

Explanation:

- **Microsoft 365 admin center → Licenses**
 - To prevent users from accessing Dynamics 365 environments, you can control access through the assignment of Dynamics 365 licenses in the Microsoft 365 admin center. Users require an appropriate license to access the application.
- **Dynamics 365 Sandbox instance → Groups**
 - A common practice is to associate a Sandbox environment with an Azure AD/Microsoft Entra security group. Only members of the security group can access the sandbox. Removing users from the group prevents them from accessing the Sandbox while allowing continued access to Production

Discussion: <https://www.examttopics.com/discussions/microsoft/view/41589-exam-pl-200-topic-1-question-8-discussion/>

009 Question.

You must create a new entity to support a new feature for an app. Records for the entity must be associated with a business unit and specify security roles for the business unit.

You need to configure entity ownership.

Which entity ownership type should you use?

- A. user or team owned
- B. organization-owned
- C. none
- D. business-owned

Answer

Correct Answer: A

Explanation:

The requirement states that:

- Records must be **associated with a business unit**.
- Access must be controlled through **security roles**.
- Security should be applied at the user, team, business unit, parent-child business unit, or organization level.

Only **User or Team Owned** tables support the full Dataverse security model based on ownership and security roles.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/60726-exam-pl-200-topic-1-question-9-discussion/>

010 Question.

You need to ensure that there are no leads for a customer before you create a new opportunity for the customer.

How can you use duplicate detection rules to achieve this goal? To answer, select the appropriate options in the answer area.

NOTE:

Each correct selection is worth one point.

Hot Area:

Answer Area

Duplicate detection rule criteria

Value

Base record type

	▼
Lead	
Account	
Opportunity	

Base record field

	▼
Topic	
Account	
Originating Lead	

Answer

Correct Answer:

Answer Area

Duplicate detection rule criteria	Value
Base record type	▼ Lead Account Opportunity
Base record field	▼ Topic Account Originating Lead

Explanation:

Duplicate detection on Lead will not trigger on Opportunity creation/update

The rule must be created as follow: - Base Record Type: Opportunity

- Matching Record Type: Lead
- Base Record field: Account
- Matching Record field: Parent Account for Lead (or another if you use a different one)
- Criteria: Exact Match

So answer is Opportunity - Account

Discussion: <https://www.examttopics.com/discussions/microsoft/view/384386-exam-ab-100-topic-1-question-12-discussion/>

011 Question.

You have two Microsoft Power Platform environments.

Users in one environment must not be able to see the other environment.

You need to grant salespeople access to the sales company environment.

What should you do?

- A. Add salespeople to an Office 365 security group.
- B. Add salespeople to a security role.

- C. Set privileges.
- D. Set app security.

Answer

Correct Answer: A

Explanation:

To prevent users in one Power Platform environment from seeing or accessing another environment, you should associate the environment with a **Microsoft Entra ID (Azure AD) / Microsoft 365 security group**.

By doing this:

- Only members of the security group can access the environment.
- Users who are not members cannot see or access the environment.
- Access is managed centrally through group membership

Discussion: <https://www.examttopics.com/discussions/microsoft/view/60489-exam-pl-200-topic-1-question-11-discussion/>

012 Question.

A veterinary office plans to use Power Platform to streamline customer experiences. The customer creates a canvas app to manage appointments.

On the client appointment form, there is a dropdown field for clients to select their type of pet. If a client selects the option Other, the veterinarian wants a text field to appear so that additional details can be added.

You need to create a dynamically visible field.

What should you configure?

- A. workflow
- B. business process flow
- C. business rule

Answer

Correct Answer: C

Explanation:

The requirement is to:

- Show or hide a field dynamically.
- Respond to a user's selection in a dropdown (Choice) field.
- No background process or multi-stage process is required.

A **Business Rule** can:

- Show or hide fields.
- Set field values.
- Set business-required fields.
- Apply logic based on conditions (e.g., *If Pet Type = Other, show Additional Details field*)

Discussion: <https://www.examttopics.com/discussions/microsoft/view/60490-exam-pl-200-topic-1-question-12-discussion/>

013 Question.

You create an app for the sales team at a company.

Members of the sales team cannot access the app.

You need to ensure that sales team members can access the app.

Where should you configure app permissions?

- A. Dynamics administration center
- B. Manage Roles
- C. Security Roles

Answer

Correct Answer: B

Explanation:

For a model-driven app in Dynamics 365 / Power Apps, app access is controlled by App Roles.

To allow the sales team to access the app:

1. Open the app in the Power Apps maker portal.
2. Select Manage Roles.
3. Assign the appropriate security roles to the app.
4. Ensure the users have one of those security roles

Discussion: <https://www.examttopics.com/discussions/microsoft/view/60491-exam-pl-200-topic-1-question-13-discussion/>

014 Question.

You create a parent entity and a child entity. The parent entity has a 1:N relationship with the child entity.

You need to ensure that when the owner changes on the parent record that all child records are assigned to the new owner.

You need to configure the relationship behavior type.

What should you use?

- A. Referential
- B. Referential, Restrict Delete
- C. Parental
- D. Restrict

Answer

Correct Answer: C

Explanation:

The requirement is:

- When the owner of the parent record changes, all related child records must automatically be assigned to the new owner.

In Dataverse/Dynamics 365, the Parental relationship behavior supports cascading actions such as:

- Assign
- Share
- Unshare
- Delete
- Reparent
- Merge

With a Parental relationship, an Assign operation on the parent record cascades to the child records, causing them to be reassigned automatically.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/54352-exam-pl-200-topic-1-question-14-discussion/>

015 Question.

You need to recommend a role for users to perform several required tasks. The solution must use the principle of least privilege.

Which roles should you recommend? To answer, drag the appropriate roles to the correct functions. Each role may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Roles	Answer Area	
Office 365 global administrator	Function	Role
Office 365 service administrator	Create new users.	Role
Dynamics 365 service administrator	Assign roles to users.	Role
Dynamics 365 system administrator	Perform backups for an instance.	Role

Answer

Correct Answer:

Roles	Answer Area	
	Function	Role
Office 365 service administrator	Create new users.	Office 365 global administrator
	Assign roles to users.	Dynamics 365 system administrator
	Perform backups for an instance.	Dynamics 365 service administrator

Explanation:

- **Office 365 Global Administrator**
 - Can create and manage users in Microsoft 365/Azure AD.
 - Required for creating new user accounts.
- **Dynamics 365 System Administrator**
 - Can manage security roles and assign roles within the Dynamics 365 environment.
 - Has the necessary permissions for user role assignment.
- **Dynamics 365 Service Administrator**
 - Manages Dynamics 365 instances, including backup and restore operations.
 - Provides the least privilege necessary for instance administration

Discussion: <https://www.examttopics.com/discussions/microsoft/view/54100-exam-pl-200-topic-1-question-15-discussion/>

016 Question.

You are designing an app for a bank.

You must create entities for the app and configure relationships between entities:

Entity	Requirements
LoanApplicant	This entity represents a person who is applying for a loan. The entity must contain an attribute named Email. This attribute must provide look-up for the name of the applicant.
Loan	This entity represents a loan application. Loan applicants may apply for one loan per application. Loan applicants may have more than one active application.
Property	This entity represents the property that the applicant intends to purchase.

Which relationship types should you use? To answer, drag the appropriate relationship types to the correct requirements. Each relationship type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Relationship types	Answer Area								
	<table><tr><th>Requirement</th><th>Relationship type</th></tr><tr><td>The email attribute of the Loan Applicant entity must provide a look-up to the contact name and email.</td><td> </td></tr><tr><td>Loan applicants can apply for one type of loan per application. Applicants can have more than one application.</td><td> </td></tr><tr><td>Loans must be applied for for a single property.</td><td> </td></tr></table>	Requirement	Relationship type	The email attribute of the Loan Applicant entity must provide a look-up to the contact name and email.		Loan applicants can apply for one type of loan per application. Applicants can have more than one application.		Loans must be applied for for a single property.	
Requirement	Relationship type								
The email attribute of the Loan Applicant entity must provide a look-up to the contact name and email.									
Loan applicants can apply for one type of loan per application. Applicants can have more than one application.									
Loans must be applied for for a single property.									

Answer

Correct Answer:

Relationship types	Answer Area	Relationship type
	Requirement	
N : N	The email attribute of the Loan Applicant entity must provide a look-up to the contact name and email.	N : 1
	Loan applicants can apply for one type of loan per application. Applicants can have more than one application.	1 : N
	Loans must be applied for for a single property.	N : 1

Explanation:

1. N : 1 - A many-to-one (N:1) relationship from LoanApplicant to Contact (or similar entity) allows multiple applicants to reference the same email/contact.
2. 1 : N - A one-to-many (1:N) relationship from LoanApplicant to Loan means one applicant can have multiple loan applications.
3. N : 1 - A many-to-one (N:1) relationship from Loan to Property ensures that multiple loans can reference a single property.

Discussion: <https://www.examtopycs.com/discussions/microsoft/view/60234-exam-pl-200-topic-1-question-16-discussion/>

017 Question.

You need to create a system chart for the Account entity.

The chart must display a count of accounts grouped by owner and then display the accounts by Address 1: State/Province for each owner. You begin to configure chart options as shown in the image below.

Power Apps

File Home

Save Save & Close Save as

Column - Bar - Area - Line - Pie - Funnel Charts Tag Doughnut


Top X Rule - Bottom X Rule - Clear Rules Top/Bottom Rules

Working on solution: Default Solution

View used for chart preview

Active Accounts

Accounts by Owner and Address 1: State/Province



Legend Entries (Series)

☐ Select Field Aggregate 

+ Add a series

Horizontal {Category} Axis Labels

Select Field X

Select Field X

+ Add a category

Description

How should you complete the configuration? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

The chart must display a count of accounts grouped by owner, and then display the accounts by Address 1 to State/Province for each owner.

Hot Area:

Answer Area

Component	Selection								
Legend Entries (Series): Select Field	<table><tr><td></td><td>▼</td></tr><tr><td>Account</td><td></td></tr><tr><td>Address 1: State/Province</td><td></td></tr><tr><td>Owner</td><td></td></tr></table>		▼	Account		Address 1: State/Province		Owner	
	▼								
Account									
Address 1: State/Province									
Owner									
Legend Entries (Series): Aggregate	<table><tr><td></td><td>▼</td></tr><tr><td>Avg</td><td></td></tr><tr><td>Count:All</td><td></td></tr><tr><td>Sum</td><td></td></tr></table>		▼	Avg		Count:All		Sum	
	▼								
Avg									
Count:All									
Sum									
Horizontal (Category) Axis Labels: Select Fields									
First grouping field	<table><tr><td></td><td>▼</td></tr><tr><td>Account</td><td></td></tr><tr><td>Address 1: State/Province</td><td></td></tr><tr><td>Owner</td><td></td></tr></table>		▼	Account		Address 1: State/Province		Owner	
	▼								
Account									
Address 1: State/Province									
Owner									
Second grouping field	<table><tr><td></td><td>▼</td></tr><tr><td>Account</td><td></td></tr><tr><td>Address 1: State/Province</td><td></td></tr><tr><td>Owner</td><td></td></tr></table>		▼	Account		Address 1: State/Province		Owner	
	▼								
Account									
Address 1: State/Province									
Owner									

Answer

Correct Answer:

Answer Area

Component	Selection
Legend Entries (Series): Select Field	▼ Account Address 1: State/Province Owner
Legend Entries (Series): Aggregate	▼ Avg Count:All Sum
Horizontal (Category) Axis Labels: Select Fields	
First grouping field	▼ Account Address 1: State/Province Owner
Second grouping field	▼ Account Address 1: State/Province Owner

Explanation:

- The requirement is:
 - Display a count of accounts grouped by Owner, and then display the accounts by Address 1: State/Province for each owner.
- Therefore:
 - The measure being counted is the number of Account records → Account + Count: All.
 - The primary grouping is Owner.
 - The secondary grouping within each owner is Address 1: State/Province.
- Final Answer
 - Legend Entries (Series): Select Field → Account
 - Legend Entries (Series): Aggregate → Count: All

- First grouping field → Owner
- Second grouping field → Address 1: State/Province

Discussion: <https://www.examttopics.com/discussions/microsoft/view/60584-exam-pl-200-topic-1-question-20-discussion/>

018 Question.

A user has access to an existing Common Data Service database.

You need to ensure that the user can create canvas apps that consume data from Dataverse. You must not grant permissions that are not required.

Which out-of-the-box security role should you assign to the user?

- A. Environment Admin
- B. System Customizer
- C. Common Data Service User
- D. Environment Maker

Answer

Correct Answer: D

Explanation:

The requirement is:

- The user must be able to create canvas apps.
- The apps must consume data from Dataverse.
- Apply the principle of least privilege.

The Environment Maker role allows users to:

- Create canvas apps.
- Create flows.
- Create and use connections.
- Use Dataverse data (assuming they also have the necessary table permissions)

Discussion: <https://www.examttopics.com/discussions/microsoft/view/81536-exam-pl-200-topic-1-question-21-discussion/>

019 Question.

A company deploys several model-driven apps. The company uses shared devices in their warehouse. The devices are always powered on. Users log on to the devices and then launch the apps to perform actions.

Unauthorized users recently uploaded several files after another user failed to log out of a device.

The company needs to prevent these incidents from occurring in the future.

You need to configure the solution to prevent the reported security incidents.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Requirement	Action
Prevent unauthorized access to devices.	Set an inactivity limit in the user's group policy. Set a timeout in the Power Platform admin center. Configure access controls in Azure Active Directory. Configure a Power Automate flow to poll for user inactivity on the devices.
Prevent users from uploading a specific type of file.	Enter the restricted file types in the SharePoint admin center. Enter the allowed file types in the Power Platform admin center. Enter the restricted file types in the Power Platform admin center.

Answer

Correct Answer:

Answer Area

Requirement	Action
Prevent unauthorized access to devices.	Set an inactivity limit in the user's group policy. Set a timeout in the Power Platform admin center. Configure access controls in Azure Active Directory. Configure a Power Automate flow to poll for user inactivity on the devices.
Prevent users from uploading a specific type of file.	Enter the restricted file types in the SharePoint admin center. Enter the allowed file types in the Power Platform admin center. Enter the restricted file types in the Power Platform admin center.

Explanation:

- **Prevent unauthorized access to devices → Set a timeout in the Power Platform admin center**
 - The issue occurs because users leave sessions open on shared devices. Configuring a session timeout in the Power Platform admin center automatically signs out inactive users, reducing the risk of unauthorized access.
- **Prevent users from uploading a specific type of file → Enter the restricted file types in the Power Platform admin center**
 - Power Platform allows administrators to configure blocked file extensions for file attachments. This is configured in the Power Platform admin center.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/61196-exam-pl-200-topic-1-question-22-discussion/>

020 Question.

A company's sales staff wants a simplified way to manage their opportunities in Dynamics 365 Sales without adding custom code.

You need to provide a solution for each requirement.

Which solutions should you provide? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Requirement	Solution
Drag and drop opportunities to change the stage.	Add a Kanban control. Add a Timeline control. Add an Editable Grid control. Add a Calendar control.
Show each salesperson their opportunities in Calendar and Kanban view.	Add both controls to a custom view. Add both controls to the My Opportunities view. Add one control to All Opportunities and a custom view. Add one control to My Opportunities and a custom view.
Show each salesperson the number of open opportunities by stage in a standard view.	Use the List view. Use the Timeline control. Use the Kanban control. Use the chart pane on the view.

Answer

Correct Answer:

Answer Area

Requirement	Solution
Drag and drop opportunities to change the stage.	Add a Kanban control. Add a Timeline control. Add an Editable Grid control. Add a Calendar control.
Show each salesperson their opportunities in Calendar and Kanban view.	Add both controls to a custom view. Add both controls to the My Opportunities view. Add one control to All Opportunities and a custom view. Add one control to My Opportunities and a custom view.
Show each salesperson the number of open opportunities by stage in a standard view.	Use the List view. Use the Timeline control. Use the Kanban control. Use the chart pane on the view.

Explanation:

- 1. Drag and drop opportunities to change the stage → Add a Kanban control**
 - The Kanban control provides drag-and-drop functionality, allowing salespeople to move opportunities between stages visually.
- 2. Show opportunities in Calendar and Kanban view → Add both controls to the My Opportunities view**
 - To provide both visualizations for a salesperson's own opportunities, configure the My Opportunities view with both controls.
- 3. Show the number of open opportunities by stage → Use the chart pane on the view.**
 - A standard Dynamics 365 view can display aggregated information through the Chart Pane, showing counts grouped by stage.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/63137-exam-pl-200-topic-1-question-23-discussion/>

021 Question.

You plan to implement Microsoft Dataverse.

You must track changes for two columns in the Account table. You must maintain a historical log of changes for the two columns and track only what is necessary.

You configure the appropriate organization settings.

You need to configure the system to track changes for the two columns.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Enable auditing for the Account table.
- B. Enable auditing for the two specific columns.
- C. Enable change tracking for the Account table.
- D. Enable change tracking for the two specific columns.

Answer

Correct Answer: A,B

Explanation:

The requirement is to:

- Maintain a historical log of changes.
- Track changes for only two specific columns.
- Organization-level auditing has already been enabled.

In Dataverse, to track historical changes to specific fields, you must use Auditing, not Change Tracking.

- **A. Enable auditing for the Account table**

Auditing must first be enabled at the table level before any column auditing can occur.

- **B. Enable auditing for the two specific columns**

To minimize tracking and record only the required changes, enable auditing only on the two columns that need to be monitored.

- **Not C. Enable change tracking for the Account table**

Change Tracking is used for data synchronization and integration scenarios, not for maintaining an audit history of field changes.

- **Not D. Enable change tracking for the two specific columns**

Change Tracking is enabled at the table level, not for individual columns, and does not provide an audit log.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/63338-exam-pl-200-topic-1-question-25-discussion/>

022 Question.

You are implementing a model-driven app to support a new line of business. There are several places where automated business logic must be applied.

You need to determine how to apply the business logic.
Which method should you use?

To answer, drag the appropriate methods to the appropriate business logic statements. Each method may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Methods	Answer Area	
	Business logic	Method
Business rule	Make a field read only until a predetermined value is exceeded.	Method
Real-time workflow	Automatically send an email when a record's status is changed to deactivated.	Method
Power Automate instant flow	Use the previous value of a field when the value is automatically updated as part of the	Method

Answer

Correct Answer:

Methods	Answer Area	
	Business logic	Method
	Make a field read only until a predetermined value is exceeded.	Business rule
	Automatically send an email when a record's status is changed to deactivated.	Real-time workflow
Power Automate instant flow	Use the previous value of a field when the value is automatically updated as part of the	Real-time workflow

Explanation:

- **Make a field read only until a predetermined value is exceeded → Business rule**

A Business Rule can:

- Lock/unlock fields
- Show/hide fields
- Set field requirements

- Apply client-side logic without code
- **Automatically send an email when a record's status is changed to deactivated → Real-time workflow**

A **Real-time Workflow** can:

- Trigger immediately on record changes
- Send emails automatically
- Execute synchronously
- **Use the previous value of a field when the value is automatically updated as part of the process → Real-time workflow**
 - Accessing and acting on the value during the update process requires server-side execution before/during save, which is handled by a **Real-time Workflow**.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/79698-exam-pl-200-topic-1-question-29-discussion/>

023 Question.

Your organization does not permit the use of custom code for solutions.

You need to create a view that can be viewed by all users in an organization.

Where should you create the view?

- A. Advanced Find
- B. Entities component of a solution
- C. Microsoft Excel template
- D. Templates area

Answer

Correct Answer: B

Explanation:

The requirement is to create a view that can be viewed by all users in the organization and without custom code.

A view available to all users is a **system (public) view**. System views are created and managed as part of a table/entity within a solution.

- **Entities component of a solution (Correct)**
 - Allows creation and modification of system views.
 - Views are available to all users with access to the table.
- **Advanced Find (Incorrect)**

- Creates personal views, which are only visible to the user unless explicitly shared.
- **Microsoft Excel template (Incorrect)**
 - Used for exporting and reporting, not for creating Dataverse/Dynamics views.
- **Templates area (Incorrect)**
 - Used for document, email, and similar templates, not views.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/79699-exam-pl-200-topic-1-question-30-discussion/>

024 Question.

You develop a Power Apps app.

Users report that the main form does not display data from other entities or allow them to edit data from other entities.

You need to embed information from other entities in the form and allow users to edit the data.

Which actions should you perform? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Requirement

Action

Edit data

	▼
Add a mobile form	
Add a quick create form	
Add a sub-grid	
Add a virtual entity	

View data

	▼
Add a reference panel	
Add a quick view	

Answer

Correct Answer:

Answer Area

Requirement

Action

Edit data

	▼
Add a mobile form	
Add a quick create form	
Add a sub-grid	
Add a virtual entity	

View data

	▼
Add a reference panel	
Add a quick view	

Explanation:

- Edit data → Add a sub-grid
- A sub-grid displays related records from another table on a form. Users can open and edit those related records directly from the sub-grid, provided they have the necessary permissions.
- View data → Add a quick view
- A Quick View form displays information from a related table on the current form. The data is read-only and cannot be edited directly.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/60498-exam-pl-200-topic-1-question-31-discussion/>

025 Question.

A company uses a canvas app to manage production resources in a specific region. Employees must be at company locations to use the app.

Due to a sudden requirement for employees to work remotely, employees no longer commute to a specific location to conduct their work and cannot access the canvas app.

You must reconfigure the app to ensure that employees only access the app from a limited number of locations.

You need to restrict access to the app.

Which components should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Requirement	Component
Ensure that employees can only access the app from a specific region	▼ Canvas app settings Power Platform admin center Azure Active Directory Office 365 admin center
Specify the locations where a user can access the app	▼ Security role Conditional Access policy Local Security policy Compliance policy

Answer

Correct Answer:

Answer Area

Requirement	Component
Ensure that employees can only access the app from a specific region	▼ Canvas app settings Power Platform admin center Azure Active Directory Office 365 admin center
Specify the locations where a user can access the app	▼ Security role Conditional Access policy Local Security policy Compliance policy

Explanation:

Azure Active Directory (Microsoft Entra ID) provides Conditional Access capabilities that can restrict access based on:

- Named locations
- IP address ranges
- Countries/regions

- Device state
- Risk conditions

To allow access only from approved locations while employees work remotely:

1. Configure the policy in Azure Active Directory (Microsoft Entra ID).
2. Create a Conditional Access policy.
3. Define the allowed locations (named locations, IP ranges, countries/regions).
4. Apply the policy to Power Apps / Power Platform users.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/81623-exam-pl-200-topic-1-question-32-discussion/>

026 Question.

You attempt to deactivate several currencies in a Microsoft Dataverse environment.

You are not able to deactivate one of the currencies.

You need to determine why you cannot deactivate the currency.

What is the reason?

- A. You are not the currency record owner.
- B. The currency is used by an active business process.
- C. The currency is the base currency.
- D. The currency is used by another record.

Answer

Correct Answer: C

Explanation:

In Microsoft Dataverse, every environment has a base currency that is defined when the environment is created.

Key points:

- The base currency cannot be deactivated or deleted.
- Additional currencies can be deactivated if they are no longer needed.
- Record ownership (A) does not determine whether a currency can be deactivated.
- Active business processes (B) do not prevent currency deactivation.
- A currency can still be deactivated even if it has been used by records; those records retain their currency information (D).

Therefore, if one specific currency cannot be deactivated while others can, the most likely reason is that it is the base currency of the Dataverse environment.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/81624-exam-pl-200-topic-1-question-33-discussion/>

027 Question.

A user has access to an existing Microsoft Dataverse database.

You need to ensure that the user can create canvas apps that consume data from Dataverse. You must not grant permissions that are not required.

Which out-of-the-box security role should you assign to the user?

- A. Environment Admin
- B. Basic User
- C. Environment Maker
- D. System Customizer

Answer

Correct Answer: C

Explanation:

The requirement is:

- The user must be able to create canvas apps.
- The apps must consume data from Dataverse.
- You must follow the principle of least privilege.

The Environment Maker role is specifically designed for users who need to create and manage Power Apps, Power Automate flows, and other environment resources, without granting broad administrative privileges.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/79701-exam-pl-200-topic-1-question-34-discussion/>

028 Question.

You are configuring Microsoft Dataverse security. You plan to assign users to teams.

Record ownership and permissions will differ based on business requirements.

You need to determine which team types meet the requirements.

Which team type should you use? To answer, drag the appropriate team types to the correct requirements. Each team type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Team types	Requirement	Team Type
Access team	Ability to own records in Dataverse	
Azure Active Directory group team	Provides permissions without a security role assigned	
Microsoft Teams team		

Answer

Correct Answer:

Team types	Requirement	Team Type
	Ability to own records in Dataverse	Azure Active Directory group team
	Provides permissions without a security role assigned	Access team
Microsoft Teams team		

Explanation:

- **Ability to own records in Dataverse → Azure Active Directory group team**
- An **Azure Active Directory (Microsoft Entra ID) group team** can be assigned security roles and can own records in Dataverse.
- **Provides permissions without a security role assigned → Access team**
- An **Access Team** does not require security roles. It grants access to specific records through sharing and access team templates

Discussion: <https://www.examttopics.com/discussions/microsoft/view/80881-exam-pl-200-topic-1-question-35-discussion/>

029 Question.

A company has an AI agent that automates the review of customer feedback stored in a cloud database.

A company has locations in the United States, Brazil, India, and Japan. The company conducts financial transactions in all of these regions.

Financial transactions in Brazil are going to stop, but the office will remain open.

Users must no longer be able to create records associated with the Brazilian currency. Historical records must remain intact.

You need to configure Microsoft Dataverse to meet the requirement

What should you do?

- A. Disable the Brazilian language pack.
- B. Rename the Brazilian currency.
- C. Delete the Brazilian currency record.
- D. Deactivate the Brazilian currency record.

Answer

Correct Answer: D

Explanation:

For The requirements are:

- Users must **no longer create new records** using the Brazilian currency.
- **Historical records must remain intact.**

When a currency is **deactivated** in Dataverse:

- It is no longer available for new transactions or records.
- Existing records that already use the currency continue to function and retain their historical currency values.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/81627-exam-pl-200-topic-1-question-36-discussion/>

030 Question.

You are setting up Power Apps security for a company. The company has a CEO, two vice presidents, and 10 managers. Five support representatives report to each manager.

You set up Manager Hierarchy so managers are able to view data only for the representatives who report to them. The CEO must be able to view all data for everyone. All support representatives must be able to view customer information in each other's data across all managers.

You need to resolve issues that arise during testing.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Issue

Managers are unable to view all their report data.

Action

Add the manager's name to the representative's user record.
Change the Manager Hierarchy depth to 2.
Move the manager and reports to a separate business unit.
Set up a position in hierarchy.

The CEO is unable to view representative data but can view manager data.

Add the CEO to the representative user record as a manager.
Change Manager Hierarchy depth to 3.
Create team security.

Five support representatives can view only their own data.

Add the manager's name to the representative's user record.
Add users to field security.
Set up a position hierarchy.

Answer

Correct Answer:

Answer Area

Issue

Managers are unable to view all their report data.

Action

Add the manager's name to the representative's user record.
Change the Manager Hierarchy depth to 2.
Move the manager and reports to a separate business unit.
Set up a position in hierarchy.

The CEO is unable to view representative data but can view manager data.

Add the CEO to the representative user record as a manager.
Change Manager Hierarchy depth to 3.
Create team security.

Five support representatives can view only their own data.

Add the manager's name to the representative's user record.
Add users to field security.
Set up a position hierarchy.

Explanation:

Discussion: <https://www.examttopics.com/discussions/microsoft/view/81443-exam-pl-200-topic-1-question-37-discussion/>

031 Question.

You are embedding a Power Apps visual in a Power BI dashboard.
External customers must authenticate to have access to the dashboard.
You need to configure the solution.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Set the Power BI service to authenticate users.
- B. Use a table in the Power BI dashboard.
- C. Publish to Power BI Report Server.
- D. Set the Power BI service to allow anonymous access.
- E. Share the Power Apps visual components with external users.

Answer

Correct Answer: A,E

Explanation:

To allow **external customers** to use a Power BI dashboard containing a **Power Apps visual**, while ensuring they **authenticate**:

A. Set the Power BI service to authenticate users

External users must authenticate through Azure AD/Microsoft Entra ID (typically B2B guest access) to access Power BI content.

E. Share the Power Apps visual components with external users

Users need permission not only to the Power BI report but also to the embedded Power Apps app. The Power Apps visual must be shared with those external users.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/83259-exam-pl-200-topic-1-question-38-discussion/>

032 Question.

Your organization does not permit the use of custom code for solutions.

You need to create a view that can be viewed by all users in an organization.

Where should you create the view?

- A. Advanced Find
- B. Entities component of a solution
- C. Microsoft Excel template
- D. System Settings

Answer

Correct Answer: B

Explanation:

The requirement is to create a **view that can be viewed by all users in the organization**.

In Dynamics 365/Dataaverse:

- **Advanced Find** creates **personal views**, which are only available to the user who created them (unless shared). (Incorrect)
- **Entities component of a solution** is where **system (public) views** are created and managed. These views are available to all users with access to the table. (Correct)
- **Microsoft Excel template** is used for exporting/importing data, not creating views. (Incorrect)
- **System Settings** does not provide functionality for creating views (Incorrect)

Discussion: <https://www.examttopics.com/discussions/microsoft/view/79704-exam-pl-200-topic-1-question-39-discussion/>

033 Question.

You are designing the organization structure for a company that has 5,000 users. You need to configure security roles for the company while minimizing administrative effort. What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Requirement	Action
Apply a security role to everyone in a business unit.	
Ensure an individual can see records in their current business unit and a child business unit.	

Answer

Correct Answer:

Requirement	Action
Apply a security role to everyone in a business unit.	
Ensure an individual can see records in their current business unit and a child business unit.	

Explanation:

Apply a security role to everyone in a business unit → Assign the security role to the default business unit team

For 5,000 users, the lowest administrative effort is to assign the role to the **default business unit team**. All users in the business unit inherit the team's security role.

Ensure an individual can see records in their current business unit and a child business unit → Grant the user the Parent: Child Business Units security permission

Dataverse security roles support the access level:

Parent: Child Business Units

This allows a user to access records in their own business unit and subordinate business units.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/81641-exam-pl-200-topic-1-question-40-discussion/>

034 Question.

You are using the Data import wizard to import records into the account table from a CSV file. The CSV-to-table mapping is as follows:

- The Name column represents the account name and maps to the Account Name column.
- The Parent Name column represents the holding company of the account with subsidiaries underneath.

Records that are imported into the table are only related to other records in the file.

You need to configure the import to create the relationship between records.

What should you do?

- A. Map Parent Name in the CSV file to the Parent Account column. Select Account Name as the lookup criteria.
- B. Map Parent Name in the file to the Parent Account column. Select Parent Account as the lookup criteria.
- C. Create an alternate key on the account table by using the Account Name column. Do not map Parent Name in the file.
- D. Look up the record IDs of the records in the Parent Account column. Add the record IDs as a new column in the file. Map the new column to the Parent Account column.

Answer

Correct Answer: A

Explanation:

The **Parent Account** field is a **lookup column** that references another Account record.

When importing data with the **Data Import Wizard**, if the parent and child accounts are all contained within the same import file, Dataverse can create the relationships during the import by:

1. Mapping **Parent Name** → **Parent Account** (lookup field).
2. Specifying the field used to identify the parent record, which is **Account Name**.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/81645-exam-pl-200-topic-1-question-43-discussion/>

035 Question.

A company has a sales application that is supported by an Azure SQL database. You are developing a Power Apps app for use by customer service agents.

The app must reference customer data from the sales application. Data in the sales application is constantly changing and must not be replicated in Microsoft Dataverse.

Some customer data is considered sensitive. You must protect data for specific fields when users view data in the app.

You need to configure table creation for the app.

How should you configure the app? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Requirement

Dataverse table type to create for the referenced customer data.

Action

	▼
Create a virtual table.	
Create an activity table.	
Create a user-owned table.	
Create an organization-owned table.	

Protect sensitive customer data for specific fields.

	▼
Create an alternate key.	
Create a secured column.	
Implement input method editor (IME) mode.	
Set the value of the visible property of the fields to false.	

Answer

Correct Answer:

Answer Area

Requirement

Dataverse table type to create for the referenced customer data.

Action

▼
Create a virtual table.
Create an activity table.
Create a user-owned table.
Create an organization-owned table.

Protect sensitive customer data for specific fields.

▼
Create an alternate key.
Create a secured column.
Implement input method editor (IME) mode.
Set the value of the visible property of the fields to false.

Explanation:

1. Dataverse table type → Create a virtual table

The data resides in an **Azure SQL Database**, changes frequently, and **must not be replicated into Dataverse**.

Therefore, use a **Virtual Table**:

- Displays data from an external source (Azure SQL) in Dataverse.
- Does not store a copy of the data in Dataverse.
- Always reflects current data from the source system.

2. Protect sensitive customer data → Create a secured column

To restrict access to specific fields, Dataverse provides **Column Security**.

A **secured column**:

- Allows field-level security.
- Controls which users can view, create, or update the data in that column.
- Protects sensitive information regardless of forms or apps using the table.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/81517-exam-pl-200-topic-1-question-44-discussion/>

036 Question.

A customer uses Power Apps to view and maintain their contacts that are stored in Microsoft Dataverse.

Several columns must be configured to ensure the security settings for sales associates are view only.

You need to configure the access restrictions.

Which component for field-level security should you use? To answer, select the appropriate

options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Action	Component
Enable the fields for record-level security.	Azure Data Lake Gen2 Azure SQL Power Apps app designer Microsoft Power Platform admin center
Set the security settings for the sales associates to view only.	Azure Active Directory group team Dataverse table Field Security Profiles User

Answer

Correct Answer:

Answer Area

Action	Component
Enable the fields for record-level security.	Azure Data Lake Gen2 Azure SQL Power Apps app designer Microsoft Power Platform admin center
Set the security settings for the sales associates to view only.	Azure Active Directory group team Dataverse table Field Security Profiles User

Explanation:

1. Enable the fields for field-level security → Power Platform admin center

To make a Dataverse column eligible for field-level security, you enable **Column Security** on the field. This configuration is managed within the **Microsoft Power Platform admin center** and Dataverse customization tools.

2. Set sales associates to view-only access → Field Security Profiles

Field Security Profiles control whether users can:

- **Read a secured field**
- **Create values in the field**
- **Update values in the field**

To make sales associates **view-only**, assign them a Field Security Profile with:

- **Read = Allowed**
- **Create = Not Allowed**
- **Update = Not Allowed**

Discussion: <https://www.examttopics.com/discussions/microsoft/view/81518-exam-pl-200-topic-1-question-45-discussion/>

037 Question.

You modify a model-driven app for a bicycle repair help desk. The model-driven app is for help desk users when customers have an issue with their bicycle.

After you add a custom table named bicycle, you configure the table for Microsoft Dataverse search. The table will contain information from callers about their bicycles. The account table is related to the custom table. Contact information is brought over to the custom table.

You add the following columns to the table:

- Bicycle type
- Tire brand
- Special equipment

Users must be able to perform the following types of searches:

- Search for all customers who have a bicycle type of Contoso and live in Florida.
- Search all tables for any record that contains the word broken.

You need to decide which type of search will give you the results desired.

Which search should you configure? To answer, drag the appropriate search types to the correct requirements. Each search type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Search types	Answer Area						
Dataverse search	<table border="1"><thead><tr><th>Requirements</th><th>Search type</th></tr></thead><tbody><tr><td>Customer with bicycle type of Contoso and lives in Florida</td><td> </td></tr><tr><td>Includes the word broken across tables</td><td> </td></tr></tbody></table>	Requirements	Search type	Customer with bicycle type of Contoso and lives in Florida		Includes the word broken across tables	
Requirements	Search type						
Customer with bicycle type of Contoso and lives in Florida							
Includes the word broken across tables							
Quick find							
Advanced find							

Answer

Correct Answer:

Search types	Answer Area						
	<table border="1"><thead><tr><th>Requirements</th><th>Search type</th></tr></thead><tbody><tr><td>Customer with bicycle type of Contoso and lives in Florida</td><td> Advanced find </td></tr><tr><td>Includes the word broken across tables</td><td> Dataverse search </td></tr></tbody></table>	Requirements	Search type	Customer with bicycle type of Contoso and lives in Florida	Advanced find	Includes the word broken across tables	Dataverse search
Requirements	Search type						
Customer with bicycle type of Contoso and lives in Florida	Advanced find						
Includes the word broken across tables	Dataverse search						
Quick find							

Explanation:

Customer with bicycle type of Contoso and lives in Florida → Advanced Find is designed for complex queries with multiple criteria and relationships.

This requires filtering on **multiple fields** and potentially across related tables (Bicycle Type = Contoso and Address State = Florida).

Includes the word *broken* across tables → Dataverse Search (formerly Relevance Search) performs a global search across configured Dataverse tables and returns records containing the specified term.

This requires searching for a keyword across multiple tables and columns in Dataverse.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/81519-exam-pl-200-topic-1-question-46-discussion/>

038 Question.

You make the following customizations to a Microsoft Dataverse environment:

- Create a new table.
- Add data to the new table.
- Delete an unused area from the site map.

The components must be transported to a different environment.

You need to determine the method required to transport each component.

Which method should you use? To answer, drag the appropriate methods to the correct components. Each method may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Methods	Answer area
	ComponentMethod
Configuration Migration tool	New tableMethod
Solution	Data for the new tableMethod
SolutionPackager tool	Site mapMethod

Answer

Correct Answer:

Methods	Answer area
	ComponentMethod
	New tableSolution
	Data for the new tableConfiguration Migration tool
SolutionPackager tool	Site mapSolution

Explanation:

Solution is used to transport Dataverse customizations and metadata, including:

- Tables (entities)
- Columns
- Forms
- Views
- Site map changes

Configuration Migration tool is used to move data/configuration records between environments.

SolutionPackager tool is primarily used by developers to unpack and repack solution files for source control and ALM; it is not the tool used to transport these components directly.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/95988-exam-pl-200-topic-1-question-47-discussion/>

039 Question.

Your organization does not permit the use of custom code for solutions.

You need to create a view that can be viewed by all users in an organization.

Where should you create the view?

- A. System Settings
- B. Microsoft Excel template
- C. Microsoft Visual Studio
- D. Table component of a solution

Answer

Correct Answer: D

Explanation:

A view that can be seen by **all users** is a **System View**. System views are created and managed as part of the **table (entity) customization** and are transported through **solutions**.

- **Table component of a solution** (Correct)
 - Create a system view within the table and include it in a solution.
 - Available to all users with access to the table.
- **System Settings** (Incorrect)
 - Used for environment-wide settings, not for creating views.
- **Microsoft Excel template** (Incorrect)
 - Used for exporting/importing data and templates, not Dataverse views.
- **Microsoft Visual Studio** (Incorrect)
 - Custom code is not permitted, and Visual Studio is not required to create Dataverse views

Discussion: <https://www.examttopics.com/discussions/microsoft/view/157696-exam-pl-200-topic-1-question-48-discussion/>

040 Question.

A company plans to add another language to a Microsoft Dataverse environment.

Several components were added or modified in the environment.

You need to ensure that these components get translated.

Which method should you use? To answer, drag the appropriate methods to the correct component types. Each method may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Methods	Answer Area	
	Component type	Method
Create a separate version for each language.	View	
Export and re-import translated text.	Email template	
Use embedded labels.	Report	

Answer

Correct Answer:

Methods	Answer Area	
	Component type	Method
	View	Export and re-import translated text.
	Email template	Create a separate version for each language.
	Report	Use embedded labels.

Explanation:

- **Views** are part of Dataverse metadata and can be translated by exporting translations, translating the text, and then re-importing the translation file.
- **Email templates** are not automatically translated. Typically, you create a separate email template for each language.
- **Reports (SSRS reports)** support localization through **embedded labels**, which allow the report to display text in different languages.

Discussion: <https://www.examtips.com/discussions/microsoft/view/96867-exam-pl-200-topic-1-question-49-discussion/>

041 Question.

A company uses Power Apps.

Users must be able to view only the address1 columns in the Account table.

You need to ensure other address columns are not visible to users when creating views and filters.

What should you do?

- A. Delete the other address columns from the table.
- B. Disable the Search option for the columns.
- C. Use column-level security to remove read access to all users.
- D. Create business rules to hide the other address columns.

Answer

Correct Answer: C

Explanation:

The requirement is not just to hide the columns on forms, but to ensure that users **cannot see or use the other address columns in views and filters**.

Column-level security (Field Security):

- Restricts access to specific columns.
- Prevents users from viewing secured columns.
- Prevents the columns from being available in views, searches, and filters for users without access.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/96051-exam-pl-200-topic-1-question-50-discussion/>

042 Question.

A company uses Power Apps.

You create a custom table and configure a child table relationship with the contact table.

You need to configure the cascading rules for each action.

Which behavior should you use? To answer, drag the appropriate behaviors to the correct actions. Each behavior may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Behaviors

Restrict
Cascade All
Cascade None

Answer Area**Action**

Custom table record is deleted.

Custom table record is shared.

Behavior

Answer

Correct Answer:**Behaviors**

Cascade None

Answer Area**Action**

Custom table record is deleted.

Custom table record is shared.

Behavior

Restrict
Cascade All

Explanation:

- **Delete → Restrict**
 - Prevents the parent Contact record from being deleted if related child records exist.
 - Commonly used to preserve referential integrity.
- **Share → Cascade All**
 - When a Contact record is shared, the sharing permissions automatically cascade to all related child records.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/95989-exam-pl-200-topic-1-question-51-discussion/>

043 Question.

You plan to add a Power Apps app to Microsoft Teams.

A Microsoft Dataverse for Teams environment has not been provisioned.

You need to create a Dataverse for Teams environment.

Which two actions can you perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Create a new app in Teams.
- B. Install an existing app in Teams.
- C. Create a new environment in the Microsoft Power Platform Admin Center.
- D. Create an app permission policy in the Teams admin center.

Answer

Correct Answer: A,B

Explanation:

A **Dataverse for Teams environment** is automatically created (provisioned) when:

- A user **creates a new Power Apps app within Teams**.
- A user **installs an app in Teams that requires Dataverse for Teams**.

Creating a Dataverse for Teams environment is **not** done from the Power Platform Admin Center, and app permission policies in the Teams admin center do not provision Dataverse environments.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/96880-exam-pl-200-topic-1-question-52-discussion/>

044 Question.

A company uses Power Apps with Microsoft Dataverse.

The company enables auditing on the Dataverse database. The company tenant reaches the maximum storage capacity.

You need to delete some auditing data.

Which three deletion options should you use? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. by record
- B. between two specified dates
- C. by table
- D. older than a specified date
- E. by column

Answer

Correct Answer: A,B,D

Explanation:

Dataverse auditing logs can be deleted using the **Audit Log Management** features. Supported deletion options include:

- **By record** – delete audit history for specific records.
- **Between two specified dates** – remove audit logs within a date range.
- **Older than a specified date** – bulk delete historical audit data older than a chosen date.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/96056-exam-pl-200-topic-1-question-53-discussion/>

045 Question.

A company uses a Power Apps app with Microsoft Dataverse.

The company requires the import of records into Dataverse. Duplicate records in the data must be deleted without user intervention.

You create a duplicate detection rule.

You need to configure the rule for the data import.

Which option should you configure?

- A. Enable the During data import option.
- B. Enable the Templates for Data Import option.
- C. Disable the Allow Duplicates option.
- D. Enable the When a record is created or updated option.

Answer

Correct Answer: A

Explanation:

A **duplicate detection rule** in Dataverse can be configured to run in different scenarios:

- **When a record is created or updated**
- **During data import**

Since the requirement is to **detect and remove/prevent duplicate records during an import without user intervention**, the duplicate detection rule must be enabled for **data imports**.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/96717-exam-pl-200-topic-1-question-54-discussion/>

046 Question.

A company has a model-driven app that uses Microsoft Dataverse.

Users need to add an alternate phone number when entering their account information. The users also require a list that displays the customers that do not have an alternate phone number.

You need to enable the required features.

Which features should you use? To answer, drag the appropriate features to the correct requirements. Each feature may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

Features	Requirement	Feature
Table	Add alternate phone number.	Feature
View	List of customers without alternate phone number.	Feature
Column		
Relationship		

Answer

Correct Answer:

Features	Requirement	Feature
Table	Add alternate phone number.	Column
	List of customers without alternate phone number.	View
Relationship		

Explanation

- **Column:** To store an alternate phone number, you add a new column (field) to the Account table.
- **View:** To display all customers that do not have an alternate phone number, create a view with a filter such as *Alternate Phone Number does not contain data*.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/96881-exam-pl-200-topic-1-question-55-discussion/>

047 Question.

You create a model-driven app for an automobile parts help desk.

A help desk agent uses a form to gather information about customers' automobiles in two custom tables. The names of the tables are Client and Automobile.

The form must prepopulate the following information about the customer from the client table:

- First name
- Last name

The agent must be able to type the following information about the automobile:

- Automobile make
- Automobile model

You need to implement the form.

What should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Requirement

Prepopulate client information

Enter automobile information

Configuration

Dataflow
Relationship
Alternate key
Virtual table

Table
View
Connector
Power Automate flow

Answer

Correct Answer:

Answer Area

Requirement

Prepopulate client information

Enter automobile information

Configuration

Dataflow

Relationship

Alternate key

Virtual table

Table

View

Connector

Power Automate flow

Explanation:

Prepopulate client information → Relationship

To automatically display the client's **First Name** and **Last Name** from the **Client** table when working with an automobile record, you need to create a **relationship** between the **Client** and **Automobile** tables. The relationship allows the form to access and display data from the related client record.

Enter automobile information → Table

The **Automobile Make** and **Automobile Model** are attributes of the automobile itself, so they should be stored as columns in the **Automobile table**. Therefore, the relevant configuration is the **Table**.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/96058-exam-pl-200-topic-1-question-56-discussion/>

048 Question.

A company uses Power Apps. You enable auditing in Microsoft Dataverse.

Users report the following issues when viewing the audit logs:

- Unable to view the read access audit logs.

- Unable to view the Account table audit logs.

You need to troubleshoot the issues.

What are the causes of the issues? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Issue

Unable to view the read access audit logs.

Cause

Storage for the tenant is over capacity.
Auditing is not enabled at the environment level.

Unable to view the Account table audit logs.

Auditing is disabled at the app level.
Auditing is disabled at the table level.
Auditing for read access is not enabled.

Answer

Correct Answer:

Answer Area

Issue

Unable to view the read access audit logs.

Cause

Storage for the tenant is over capacity.
Auditing is not enabled at the environment level.

Unable to view the Account table audit logs.

Auditing is disabled at the app level.
Auditing is disabled at the table level.
Auditing for read access is not enabled.

Explanation:

Unable to view the read access audit logs → Auditing for read access is not enabled

- Dataverse does **not audit record reads by default**. To see read access audit entries, **read access auditing** must be explicitly enabled. If it is not enabled, no read audit logs are generated.

Unable to view the Account table audit logs → Auditing is disabled at the table level

- Auditing must be enabled at multiple levels:
 - Environment/organization level
 - Table level
 - Column level (if applicable)
- If users cannot view audit logs for the **Account** table specifically, the most likely cause is that auditing is **not enabled on the Account table**.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/96882-exam-pl-200-topic-1-question-57-discussion/>

049 Question.

A company is implementing a data model by using Dataverse.

The company requires the following columns in a new custom table:

Column name	Requirement
Special Notes	Must contain string data that stores 100 characters and be rendered as a multiline control.
Specification	Must contain string data that stores up to 8,000 characters and be rendered as a multiline control.
Student	Must contain an input control that can store a reference to an account or a contact in the system.
Course Type	Must contain a list of predefined options. Users must be able to select only one option.

You need to choose the column type that uses the least amount of database storage for each column.

Which column types should you choose? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Column name	Column type
Special Notes	Text Text Area Multiline Text
Specification	Text Text Area Multiline Text
Student	Choices Customer Lookup
Course Type	Choice Choices Lookup

Answer

Correct Answer:

Answer Area

Column name	Column type
Special Notes	Text Text Area Multiline Text
Specification	Text Text Area Multiline Text
Student	Choices Customer Lookup
Course Type	Choice Choices Lookup

Explanation:

- **Special Notes → Text Area**
 - Stores up to 100 characters.
 - Must be displayed as a multiline control.
 - Text Area is designed for shorter multiline text and uses less storage than Multiline Text.
- **Specification → Multiline Text**
 - Must store up to 8,000 characters.
 - Requires a multiline control.

- **Student → Customer (special lookup type that can reference both Account and Contact)**
 - Must reference either an Account or a Contact.
- **Course Type → Choice (single-select option set)**
 - Users select one value from a predefined list.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/112129-exam-pl-200-topic-1-question-58-discussion/>

050 Question.

A company plans to implement a model-driven app. The company will enter data through the app.

The company has the following requirements:

- Users must be able to search for the data inside the app.
- Users must be able to search for the data outside the app.

You need to configure a solution for each requirement.

What should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Requirement

Search data inside the app.

Solution

Categorized Search
Dataverse Search
Microsoft Search
Quick Find Search



Search data outside the app.

Content Search
Dataverse Search
Microsoft Search
Modern Search

Answer

Correct Answer:

Answer Area

Requirement	Solution
Search data inside the app.	
Search data outside the app.	

Explanation:

- **Search data inside the app → Dataverse Search**
 - Dataverse Search (formerly Relevance Search) provides a fast, global search experience within model-driven apps.
 - Users can search across multiple tables and columns from within the app.
- **Search data outside the app → Microsoft Search**
 - Microsoft Search enables users to find Dataverse information from Microsoft 365 experiences such as Bing, Office.com, and SharePoint.
 - This satisfies the requirement to search for data outside the model-driven app.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/112046-exam-pl-200-topic-1-question-59-discussion/>

051 Question.

A company is implementing Microsoft Power Platform solutions.

The company requests information on the features that are supported by Power Fx.

You need to identify the features of Power Fx.

What should you identify?

- A. It uses an undefined value for uninitialized variables.
- B. It uses formulas that are similar to Microsoft Excel formulas.
- C. It uses synchronous data operations.
- D. It uses the model-driven app formula language.

Answer

Correct Answer: B

Explanation:

Power Fx is the low-code formula language used in Microsoft Power Platform, especially in **canvas apps**. It is designed to be familiar to users who know **Microsoft Excel**, using functions and expressions similar to Excel formulas.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/132058-exam-pl-200-topic-1-question-60-discussion/>

052 Question.

A company is evaluating the capabilities in Dataverse and the scenarios for using virtual tables.

You need to identify the capabilities of virtual tables.

What is a capability of virtual tables?

- A. Virtual tables store data in the Dataverse environment.
- B. Virtual tables retrieve data from an external data source.
- C. Virtual tables can be configured for user and team ownership.
- D. Virtual tables support Dataverse auditing.

Answer

Correct Answer: B

Explanation

Virtual tables (formerly known as virtual entities) allow Dataverse to display data that resides in an **external system** without copying or storing the data in Dataverse.

Key characteristics:

- Retrieve data from external data sources such as SQL Server, Azure services, or other OData providers.

- Data remains in the source system.
- Appears in Dataverse and model-driven apps like a standard table.
- Data is not stored in Dataverse.
- Virtual tables do not support all Dataverse capabilities, including auditing.
- Virtual tables are organization-owned and do not support user/team ownership.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/132059-exam-pl-200-topic-1-question-61-discussion/>

053 Question.

You must create a new table to support a new feature for an app. Records for the table must be associated with a business unit and specify security roles for the business unit.

You need to configure table ownership.

Which table ownership type should you use?

- A. user or team owned
- B. business-owned
- C. none
- D. organization-owned

Answer

Correct Answer: B

Explanation:

A **business-owned table** is used when:

- Records belong to a specific business unit.
- Access is controlled through security roles assigned to business units.
- Records are not owned by individual users or teams.

This exactly matches the requirement:

"Records for the table must be associated with a business unit and specify security roles for the business unit."

Discussion: <https://www.examttopics.com/discussions/microsoft/view/140624-exam-pl-200-topic-1-question-66-discussion/>

054 Question.

A company uses Power Apps.

You create a custom phone table that is a child of the contact table.

You need to configure the cascading rules for each action.

Which behavior should you use? To answer, drag the appropriate behaviors to the correct actions. Each behavior may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Behaviors		Answer Area		Behavior
Restrict		Action		
Cascade All	•	Prevent the contact record from being deleted if associated with a phone record.		
Cascade None	•	Update the owner of the phone records when the contact owner changes.		

Answer

Correct Answer:

Behaviors		Answer Area		Behavior
		Action		
	•	Prevent the contact record from being deleted if associated with a phone record.		Restrict
Cascade None	•	Update the owner of the phone records when the contact owner changes.		Cascade All

Explanation:

- **Restrict** prevents deletion of the parent (**Contact**) record when related child (**Phone**) records exist.
- **Cascade All** causes ownership changes on the parent Contact record to automatically cascade to all related Phone records.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/147251-exam-pl-200-topic-1-question-67-discussion/>

055 Question.

Your organization does not permit the use of custom code for solutions.

You need to create a view that can be viewed by all users in an organization.

Where should you create the view?

- A. System Settings
- B. Advanced Find
- C. Table component of a solution
- D. Microsoft Excel template

Answer

Correct Answer: C

Explanation:

There are two types of views in Dataverse:

- **System Views** – visible to all users who have access to the table.
- **Personal Views** – created by individual users, typically through Advanced Find, and visible only to the creator unless shared.

Since the requirement is:

"Create a view that can be viewed by all users in an organization"

you must create a **System View**, which is configured within the **table component of a solution**.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/144216-exam-pl-200-topic-1-question-68-discussion/>

056 Question.

Your organization does not permit the use of custom code for solutions.

You need to create a view that can be viewed by all users in an organization.

Where should you create the view?

- A. Templates area
- B. System Settings
- C. List view of the table
- D. Table component of a solution

Answer

Correct Answer: D

Explanation:

To create a view that is available to **all users in the organization**, you must create a **System View**.

System views are created and managed as part of a Dataverse table within a Solution. Once published, they are available to all users who have access to the table.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/144217-exam-pl-200-topic-1-question-69-discussion/>

057 Question.

A company is evaluating the capabilities in Dataverse and the scenarios for using virtual tables.

You need to identify the capabilities of virtual tables.

What is a capability of virtual tables?

- A. Virtual tables can be configured for user and team ownership.
- B. Virtual tables support Dataverse auditing.
- C. Virtual tables contain columns for Status, Created On, and Modified On by default.
- D. Virtual tables require configuration of a data provider.

Answer

Correct Answer: D

Explanation:

A **virtual table** allows Dataverse to display data stored in an **external data source** without physically storing that data in Dataverse. To connect to the external source, a **data provider** must be configured

Discussion: <https://www.examttopics.com/discussions/microsoft/view/144219-exam-pl-200-topic-1-question-70-discussion/>

058 Question.

A company is evaluating the capabilities in Dataverse and the scenarios for using virtual tables.

You need to identify the capabilities of virtual tables.

What is a capability of virtual tables?

- A. Virtual tables support change tracking.
- B. Virtual tables retrieve data from an external data source.
- C. Virtual tables can be configured for user and team ownership.

D. Virtual tables support Dataverse auditing.

Answer

Correct Answer: B

Explanation:

Virtual tables in Dataverse allow you to work with data that remains in an **external system** without storing that data in Dataverse.

Key characteristics:

- Retrieve data from external data sources (for example, SQL Server, Azure SQL, OData services).
- Data remains in the source system.
- Appears in Dataverse like a standard table.
- Do not support Dataverse auditing.
- Cannot be configured for user or team ownership (they are organization-owned).
- Do not support change tracking.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/157213-exam-pl-200-topic-1-question-76-discussion/>

059 Question.

A Your organization does not permit the use of custom code for solutions.

You need to create a view that can be viewed by all users in an organization.

Where should you create the view?

- A. Advanced Find
- B. Studio System Settings
- C. Templates area
- D. Maker portal

Answer

Correct Answer:

Explanation: D

A view that is available to **all users** is a **system view**. System views are created and managed in the **Power Apps Maker portal** as part of a table definition (typically within a solution).

Discussion: <https://www.examttopics.com/discussions/microsoft/view/306446-exam-pl-200-topic-1-question-77-discussion/>

060 Question.

A company is using Dataverse with a model-driven app. The app includes a table named Quotations.

Users in the system enter relevant details, such as customer, address, line items, and total amounts. The users then create a standardized report to manually populate the details.

The company requires the formatted report to be generated from the record and populated with the record details. The company does not want to purchase additional licenses.

You need to recommend a solution.

Which solution should you recommend?

- A. a Word template
- B. an Excel template
- C. an article template

Answer

Correct Answer: A

Explanation:

The requirement is to:

- Generate a **formatted report** from a Dataverse record.
- Automatically populate the report with data from the **Quotation** record (customer, address, line items, totals, etc.).
- Avoid purchasing additional licenses.

Word templates in Dataverse are specifically designed for this scenario. They allow users to create standardized documents that merge data directly from Dataverse records and can be generated from within a model-driven app

Discussion: <https://www.examttopics.com/discussions/microsoft/view/319525-exam-pl-200-topic-1-question-78-discussion/>

061 Question.

Your organization does not permit the use of custom code for solutions.

You need to create a view that can be viewed by all users in an organization.

Where should you create the view?

- A. Templates area
- B. Microsoft Excel template
- C. Advanced Find
- D. Table component of a solution

Answer

Correct Answer: D

Explanation:

To create a view that is available to **all users in the organization**, you must create a **System View**.

System views are created and managed within the **table definition** in Dataverse, typically through a **Solution** in the Power Apps Maker portal. Once published, the view is available to all users who have access to the table.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/157215-exam-pl-200-topic-1-question-79-discussion/>

062 Question.

You are configuring Dataverse for a company.

The company has the following requirements for document management, which must be met by using native functionality:

- A single file must be stored and accessed directly from an Account row. No additional metadata should be captured.
- Multiple files must be stored and accessed from a Contact with support for version control.
- Documents must be stored within an on-premises environment.
- Additional rich-text notes must be stored alongside one or multiple file uploads.

You need to recommend a solution for each requirement.

Which solution should you recommend? To answer, move the appropriate solutions to the correct requirements. You may use each solution once, more than once, or not at all. You may need to move the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Solutions

Attachments

Microsoft Azure Blob Storage

Document column

Microsoft SharePoint

Document management

Requirement

Save a file on an Account row.

Store multiple files by using version control.

Host documents on premises.

Upload documents that have rich-text metadata.

Solution

Answer

Correct Answer:

Solutions

Document management

Requirement

Save a file on an Account row.

Store multiple files by using version control.

Host documents on premises.

Upload documents that have rich-text metadata.

Solution

Document column

Microsoft SharePoint

Microsoft Azure Blob Storage

Attachments

Explanation:

- **Document column** → Best for storing a **single file directly on a Dataverse record** with no additional metadata requirements.
- **Microsoft SharePoint** → Provides **document management, multiple files, and version control**.
- **Microsoft Azure Blob Storage** → Can be configured for **on-premises document storage scenarios** using native Dataverse integration options.
- **Attachments (Notes/Annotations)** → Support **one or more file uploads** along with **rich-text notes** in the note body.

Discussion: <https://www.examtips.com/discussions/microsoft/view/321803-exam-pl-200-topic-1-question-82-discussion/>

063 Question.

A company is evaluating the capabilities in Dataverse and the scenarios for using virtual tables.

You need to identify the capabilities of virtual tables.

What is a capability of virtual tables?

- A. Virtual tables store data in the Dataverse environment.
- B. Virtual tables contain time dimension attributes by default.
- C. Virtual tables support change tracking.
- D. Virtual tables retrieve data from an external data source.

Answer

Correct Answer: D

Explanation:

Virtual tables (formerly called *virtual entities*) allow Dataverse to present data that resides in an **external data source** without storing a copy of the data in Dataverse.

Key characteristics of virtual tables:

- Retrieve data from external systems (SQL Server, Azure SQL, OData, custom providers, etc.)
- Data remains in the source system
- Can be used in model-driven apps like regular Dataverse tables
- Do not store data in Dataverse
- Do not support change tracking
- Do not include time-dimension attributes by default.

Discussion: <https://www.examtips.com/discussions/microsoft/view/394308-exam-pl-200-topic-1-question-83-discussion/>

064 Question.

A You create an app to manage customer service cases.

Cases entered in forms require different types of data to be stored in different types of columns.

You need to create forms for each of the following case types:

Case type	Requirement
Case type A	A new case form that includes a timeline
Case type B	A new case form that includes a business process flow
Case type C	A new case form that can display case data on an interactive dashboard
Case type D	A new mobile-friendly case form that requires minimal fields for record creation
Case type E	A new mobile-friendly case form that displays the subject, case title, and status fields from a parent case

Which form types should you create? To answer, drag the appropriate form types to the meet the data entry requirements. Each source may be used once, more than once, or not at all. You may

need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Form types

quick create

main

quick view

card

Answer Area

Case type

Case type A

Case type B

Case type C

Case type D

Case type E

Form type

Form type

Form type

Form type

Form type

Form type

Answer

Correct Answer:

Form types

Answer Area

Case type

Form type

Case type A

main

Case type B

main

Case type C

card

Case type D

quick create

Case type E

quick view

Explanation:

This question tests the different **Dataverse form types**:

- **Main form** → Supports timelines, business process flows, and full data entry.
- **Card form** → Used in **interactive dashboards**.
- **Quick Create form** → Mobile-friendly, minimal fields for rapid record creation.
- **Quick View form** → Displays fields from a related (parent) record and is read-only.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/60298-exam-pl-200-topic-2-question-1-discussion/>

065 Question.

You are a Dynamics 365 Customer Service developer.

A salesperson creates a chart.

You need to ensure that the chart is available to all users on the team.

Which actions should the salesperson perform? To answer, drag the appropriate actions to the correct users. Each action may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Actions

Share the chart with the team.

Assign the chart to each person on the team.

Export the user chart to Microsoft Power BI. Import it as a Power BI visualization.

Export the user chart for import as a user chart.

Export the user chart for import as a system chart.

Answer Area

Step

Action

1

Action

2

Action

Answer

Correct Answer:

Actions

Assign the chart to each person on the team.

Export the user chart to Microsoft Power BI. Import it as a Power BI visualization.

Export the user chart for import as a user chart.

Answer Area

Step

Action

1

Export the user chart for import as a system chart.

2

Share the chart with the team.

Explanation:

A chart created by a salesperson is initially a **personal (user) chart**.

To make it broadly available:

1. **Export the user chart for import as a system chart** 
 - System charts are available to all users who have access to the table.
2. **Share the chart with the team** 
 - This allows the team members to access the chart immediately as a shared chart.

Why not the others?

- **Assign the chart to each person on the team**
Not how charts are distributed.
- **Export to Power BI**
Unnecessary for making a Dynamics 365 chart available to users.

- **Export the user chart for import as a user chart**

Would still be a personal chart rather than an organization-wide chart.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/42126-exam-pl-200-topic-2-question-2-discussion/>

066 Question.

You implement an editable grid for the Account entity.

The business team provides the following list of features that they would like you to implement:

- Group by or sort columns in the current view.
- Configure a business rule to show an error message.
- Edit values in calculated fields.
- Edit the Address composite field.
- Use the editable grid on mobile phones.

Which actions can you perform? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Action	Can be performed?
Group by or sort columns in the current view.	Yes No
Configure a business rule to show an error message.	Yes No
Edit values in calculated fields.	Yes No
Edit the Address composite field.	Yes No
Use the editable grid on mobile phones.	Yes No

Answer

Correct Answer:

Answer Area

Action	Can be performed?
Group by or sort columns in the current view.	Yes No
Configure a business rule to show an error message.	Yes No
Edit values in calculated fields.	Yes No
Edit the Address composite field.	Yes No
Use the editable grid on mobile phones.	Yes No

Explanation:

- **Group by or sort columns** → Yes. Editable grids support sorting and grouping.
- **Business rule to show an error message** → Yes. Business rules are supported in editable grids.
- **Edit calculated fields** → No. Calculated fields are read-only.
- **Edit Address composite field** → No. Composite fields cannot be edited directly in an editable grid.
- **Use on mobile phones** → Yes. Editable grids are supported on mobile clients.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/41345-exam-pl-200-topic-2-question-3-discussion/>

067 Question.

You must create a form for team members to use. The form must provide the ability to:

- Lock a field on a form.
- Trigger business logic based on a field value.

- Use existing business information to enhance data entry.

You need to implement business rule components to create the form.

Which components should you use? To answer, drag the appropriate components to the correct requirements. Each component may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Components	Answer Area	
	Requirement	Component
Actions	Lock a form field.	Component
Conditions	Trigger business logic based on a field value.	Component
Recommendation	Leverage existing business information to enhance data entry.	Component

Answer

Correct Answer:

Components	Answer Area	
	Requirement	Component
	Lock a form field.	Actions
	Trigger business logic based on a field value.	Conditions
	Leverage existing business information to enhance data entry.	Recommendation

Explanation:

- **Actions** perform operations such as Lock or Unlock field, Set Business Required, Set Field Value, Show Error Message, etc.
- **Conditions** evaluate field values and determine when business logic should execute.

- **Recommendation** provides suggested values or actions based on existing business information to improve data entry.

.Discussion: <https://www.examttopics.com/discussions/microsoft/view/41777-exam-pl-200-topic-2-question-4-discussion/>

068 Question.

You have a form that displays a custom field from an entity.

A customer wants to restrict users from filtering on the custom field.

You need to prevent users from filtering the field in Advanced Find.

What should you modify?

- A. Fields in the Edit Filter Criteria option of the Quick Find view
- B. a searchable field on the Field Properties form
- C. Fields in the Add Find Columns option of the Quick Find view

Answer

Correct Answer: B

Explanation:

In Dataverse, whether a column can be used in **Advanced Find** is controlled by the column's **Searchable** property.

If you want to prevent users from filtering on a custom field in Advanced Find:

1. Open the column properties.
2. Set the column to **not searchable**.
3. Publish the changes.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/60506-exam-pl-200-topic-2-question-5-discussion/>

069 Question.

You are designing a canvas app that connects to Common Data Service.

You need to configure the app to meet the requirements and ensure that the canvas app is available offline.

What should you implement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Requirement	Function
Pass values from the current screen when moving to another screen.	Navigate Back MovePrevious
Display data to a user when the app is offline.	LoadData LoadDataOffline ShowDataOffline

Answer

Correct Answer:

Answer Area

Requirement	Function
Pass values from the current screen when moving to another screen.	Navigate Back MovePrevious
Display data to a user when the app is offline.	LoadData LoadDataOffline ShowDataOffline

Explanation:

- **Pass values from the current screen when moving to another screen → Navigate**
 - Use the **Navigate** function. It allows you to move to another screen and pass context variables/parameters to that screen.
- **Display data to a user when the app is offline → LoadData**
 - Use **LoadData**. In offline scenarios, data is typically stored locally with **SaveData** and retrieved with **LoadData** when the device is disconnected.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/63420-exam-pl-200-topic-2-question-6-discussion/>

070 Question.

You have a canvas app that allows users to view, select, and purchase products. The app uses a Gallery control to display products and checkboxes that allow users to select products.

When users select items from the product catalog, they move to a different screen to complete a purchase.

Users must be able to clear all product selections when they click the button.

You need to configure the button.

What should you do?

- A. Use the Reset(Control) formula and pass the gallery control as a parameter to the Reset formula.
- B. Use the Reload(Control) formula and pass the gallery control as a parameter to the Reload formula.
- C. Use the ForAll() function to iterate through each item of the Gallery and clear user selections.
- D. Set the OnCheck value to populate a collection and the OnUncheck value to remove the item from the collection. Clear collection when the user selects the button.

Answer

Correct Answer: D

Explanation:

In a Gallery with multiple checkboxes, a common pattern is:

- **OnCheck** → Add the selected item to a collection (Collect()).
- **OnUncheck** → Remove the item from the collection (Remove()).
- **Clear selections button** → Use Clear() or ClearCollect() to empty the collection.

This effectively removes all selected products at once and ensures selections remain available when navigating between screen

Discussion: <https://www.examttopics.com/discussions/microsoft/view/42355-exam-pl-200-topic-2-question-7-discussion/>

071 Question.

You have a canvas app that contains the following text input fields: Id, FirstName, LastName. The app also has a button named Button1.

The OnSelect property for Button1 contains the following expression:

Collect(People, {Id:Id.Text, FirstName:FirstName.Text, LastName:LastName.Text})

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statement	Yes	No
The People collection is automatically created if it does not already exist.	☐	☐
When Button1 is pressed, if a record with the current value of Id.Text already exists in the People collection, the values for FirstName and LastName are updated.	☐	☐
If you update the record in the Collection function to include the value from a new field named Age, it will result in an error.	☐	☐

Answer

Correct Answer:

Answer Area

Statement	Yes	No
The People collection is automatically created if it does not already exist.	☒	☐
When Button1 is pressed, if a record with the current value of Id.Text already exists in the People collection, the values for FirstName and LastName are updated.	☐	☒
If you update the record in the Collection function to include the value from a new field named Age, it will result in an error.	☐	☒

Explanation:

1. **People collection automatically created → Yes**

- Collect() creates the collection if it does not already exist.

2. **Existing record is updated → No**

- Collect() always adds a new record.
- It does not search for existing records or update them. Functions such as Patch() or UpdateIf() would be used for updates.

3. **Adding a new Age field causes an error → No**

- Collections are flexible.

- Adding a new column (such as Age) automatically adds that column to the collection and populates blanks for existing records.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/79710-exam-pl-200-topic-2-question-8-discussion/>

072 Question.

You are a Dynamics 365 Customer Service administrator.

A user must be able to view system posts and activities in a dashboard.

You need to create the dashboard for the user.

Which components should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Requirement	Component
Display system posts	Timeline Organization insights IFrame Relationship Insights
Display activities	Lists Social Insights Organization Insights Relationship Insights

Answer

Correct Answer:

Answer Area

Requirement	Component
Display system posts	Timeline Organization Insights IFrame Relationship Insights
Display activities	Lists Social Insights Organization Insights Relationship Insights

Explanation:

- **Timeline** is used to display posts, notes, activities, and system-generated posts in Dynamics 365 records and dashboards.
- **Lists** can display activity views (tasks, phone calls, appointments, emails, etc.) on a dashboard.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/54310-exam-pl-200-topic-2-question-9-discussion/>

073 Question.

You are building a model-driven app. The environment has Advanced settings enabled.

A form in the app requires a custom interface.

You need to embed the custom interface onto the form without using custom code.

What should you do?

- Create a canvas app and bind its properties to the form.
- Modify the model-driven app to use tablet form factor.
- Use an IFRAME.
- Create a quick view form.

Answer

Correct Answer: C

Explanation:

When **Advanced Settings** are enabled in a model-driven app, you can embed external or custom user interfaces directly into a form by using an **IFRAME**. This allows you to incorporate custom web content **without writing custom code in the form itself**.

- Why the other options are incorrect:
- **A. Create a canvas app and bind its properties to the form**
 - Modern model-driven apps support embedding canvas apps, but the question specifically refers to a custom interface and the traditional approach available through Advanced Settings. Canvas apps are not simply "bound" to form properties in the way described.
- **B. Modify the model-driven app to use tablet form factor**
 - Form factor affects layout and device experience, not embedding custom interfaces.
- **D. Create a quick view form**
 - Quick view forms display related Dataverse record information and cannot host arbitrary custom interfaces.

Exam Tip

In Dynamics 365/Dataverse, when a question mentions **embedding custom web content into a form without custom code** and references **Advanced Settings**, the expected answer is usually **IFRAME**.

Discussion: <https://www.examtips.com/discussions/microsoft/view/169996-exam-pl-200-topic-2-question-10-discussion/>

074 Question.

A company is implementing Power Apps and Power Automate. Several components are created within Power Apps, Microsoft Dataverse, and Power Automate. These components must be promoted from the development environment to the user acceptance test environment in a single solution package. You need to create the solution package for promotion. Where should you create the package?

- A. Azure DevOps
- B. Power Apps designer
- C. Microsoft Power Platform admin center
- D. Azure portal
- E. Office 365 admin center

Answer

Correct Answer: B

Explanation:

To promote components from **Power Apps**, **Dataverse**, and **Power Automate** together, you must first add them to a **Solution**. Solutions are created and managed within the **Power Apps maker portal (Power Apps designer)**.

The typical process is:

1. Create a **Solution** in Power Apps.
2. Add app components, Dataverse tables, cloud flows, and other artifacts to the solution.
3. Export the solution as **Managed** or **Unmanaged**.
4. Import the solution into the UAT environment.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/80261-exam-pl-200-topic-2-question-11-discussion/>

075 Question.

A company is creating a Power Apps solution for a production facility.

The current solution is in English. The customized components must be translated into several languages.

You need to extract the text for translation.

In which location can you achieve this goal?

- A. The tables in the web application.
- B. The selected environment in the Microsoft Power Platform admin center.
- C. The solution in the web application.
- D. The individual solution components in the web application.

Answer

Correct Answer: C

Explanation:

To translate customized components in Power Apps/Dataverse, you use **the solution translation feature**:

1. Open the **Solution** that contains the customizations.
2. Select **Translate → Export Translations**.
3. A ZIP file containing translation labels is generated.
4. Translate the text.
5. Import the translated file back into the solution using **Import Translations**.

Because translation export/import is performed at the solution level, the correct location is the solution in the web application.

Discussion: <https://www.examtactics.com/discussions/microsoft/view/81768-exam-pl-200-topic-2-question-12-discussion/>

076 Question.

You have a canvas app that allows users to view, select, and purchase products. The app uses a Gallery control to display products and checkboxes that allow users to select products.

When users select items from the product catalog, they move to a different screen to complete a purchase.

Users must be able to clear all product selections when they click the button.

You need to configure the button.

What should you do?

- A. Use the Reload(Control) formula and pass the gallery control as parameter to the Reload formula.
- B. Use the Reset(control) formula and pass the checkbox to the formula to clear user selections.
- C. Set the OnCheck value to populate a collection and the OnUncheck value to remove the item from the collection. Clear the collection when the user selects the button.
- D. Use the Revert(Products) formula and pass the checkbox to the formula to clear user selections.
- E. Use the Reset(Control) formula and pass the gallery control as a parameter to the Reset formula.

Answer

Correct Answer: C

Explanation:

Set the OnCheck value to populate a collection and the OnUncheck value to remove the item from the collection. Clear the collection when the user selects the button.

In canvas apps, when users select products in a gallery and then navigate to another screen, the selected items are commonly stored in a **collection**.

A typical implementation is:

- **OnCheck** → Collect(...) the selected product into a collection.
- **OnUncheck** → Remove(...) the product from the collection.
- **Clear selections button** → Clear(CollectionName).

This approach reliably clears all selected products, regardless of screen navigation.

Discussion: <https://www.examtactics.com/discussions/microsoft/view/54114-exam-pl-200-topic-2-question-13-discussion/>

077 Question.

A customer tracks events by using a custom entity.

The custom entity includes a custom field for the venue of the events. The customer must be able to display the events by venue in a calendar.

You need to ensure that all events display by venue in the calendar.

To which component should you add a control?

- A. Form
- B. Subgrid
- C. Chart
- D. View

Answer

Correct Answer: D

Explanation:

To display records in a **calendar**, you add a **Calendar control** to a **view** of the entity.

The calendar control can use fields such as:

- Start Date
- End Date
- Venue (location)

Once configured on the view, users can switch to the calendar visualization and see events grouped or displayed according to the configured fields

Discussion: <https://www.examttopics.com/discussions/microsoft/view/54515-exam-pl-200-topic-2-question-14-discussion/>

078 Question.

You are creating a canvas app.

A user will click a button on each screen of a Power Apps app to proceed to the next screen.

You need to implement the action which selects the next screen that the user sees.

Which event should you handle?

- A. ScreenTransition
- B. OnSelect
- C. OnLoad
- D. OnCheck

.

Answer

Correct Answer: B

Explanation:

In a **canvas app**, when a user clicks a button, the action is handled by the button's **OnSelect** property. To navigate to another screen, you typically use the **Navigate()** function within the **OnSelect** event.

Example:

Navigate(Screen2, ScreenTransition.Fade)

Why the other options are incorrect

A. ScreenTransition – Specifies the visual effect used during navigation; it is not an event.

C. OnLoad – Runs when a screen or app loads, not when a button is clicked.

D. OnCheck – Used for controls such as checkboxes and toggle controls, not buttons

Discussion: <https://www.examttopics.com/discussions/microsoft/view/54381-exam-pl-200-topic-2-question-15-discussion/>

079 Question.

A company has a canvas app that includes the following screens: Screen1 and Screen2. The OnVisible property for Screen1 contains the following expression.

Set(AgeGroups, ["1-25", "26-54", "55+"])

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Statements	Yes	No
AgeGroups can be accessed from Screen1 and Screen2.	☐	☐
AgeGroups is a collection.	☐	☐
You can use the Update function to change values in AgeGroups.	☐	☐

Answer

Correct Answer:

Answer Area

Statements	Yes	No
AgeGroups can be accessed from Screen1 and Screen2.	☒	☐
AgeGroups is a collection.	☐	☒
You can use the Update function to change values in AgeGroups.	☐	☒

Explanation:

- **AgeGroups can be accessed from Screen1 and Screen2 → Yes**
 - Set() creates a **global variable** that is available throughout the app, including all screens.
- **AgeGroups is a collection → No**
 - Collections are created using functions such as Collect() or ClearCollect().
 - Set() creates a global variable, not a collection.
- **You can use the Update function to change values in AgeGroups → No**
 - Update() is used to modify records in a data source or collection.
 - Since AgeGroups is a global variable, you would modify it by calling Set() again.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/41519-exam-pl-200-topic-2-question-16-discussion/>

080 Question.

You are a Dynamics 365 Customer Service developer.

A salesperson creates a chart.

You need to ensure that the chart is available to all users on the team.

What should you do?

- A. Share the chart with the team.
- B. Assign the chart to each person on the team.
- C. Export the user chart to Power BI. Import the chart as a Power BI visualization.

D. Export the user chart for import as a user chart.

Answer

Correct Answer: A

Explanation:

In Dynamics 365 Customer Service, when a user creates a **personal (user) chart**, it is only visible to that user by default. To make the chart available to other users or a team, the chart must be **shared**.

- **Share the chart with the team** → Makes the personal chart available to all members of the team.
- No need to assign it individually to each user.

Discussion: <https://www.examtactics.com/discussions/microsoft/view/61453-exam-pl-200-topic-2-question-17-discussion/>

081 Question.

You create an app.

You need to create the site map for the app.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions

Add a view.

Add a group.

Add an area.


Add a subarea.

Answer Area



Answer

Correct Answer:



Explanation:

When creating a sitemap, you first create an **Area**, then within the area create a **Group**, and finally add **Subareas** that link to tables, dashboards, pages, or URLs.

"Add a view" is not part of the sitemap hierarchy.

Discussion: <https://www.examtactics.com/discussions/microsoft/view/60445-exam-pl-200-topic-2-question-18-discussion/>

082 Question.

A company is implementing Microsoft Power Platform solutions.

The company requests information on the features that are supported by Power Fx.

You need to identify the features of Power Fx.

What should you identify?

- A. It is available for purchase through a Microsoft reseller.
- B. It uses a plug-in.
- C. It uses imperative and declarative logic.
- D. It uses synchronous data operations.

Answer

Correct Answer: C

Explanation:

Power Fx is the low-code formula language used in Microsoft Power Apps. It supports both:

- Declarative logic: Describes *what* a value should be (similar to Excel formulas).

Sum(Products, Price)

- Imperative logic: Describes *actions* to perform in sequence, typically in behavior properties such as OnSelect.

Set(varTotal, 100);

Discussion: <https://www.examttopics.com/discussions/microsoft/view/157047-exam-pl-200-topic-2-question-19-discussion/>

083 Question.

You are configuring a new Power Apps portal. You have two web roles, one for authenticated users and one for anonymous users. You grant the Anonymous Users role to users.

A test user reports that they can access the home page but cannot view a page linked from the home page.

You need to determine why the test user cannot view the portal page.

What is the cause of the issue?

- A. The setting to make the page available to everyone is disabled.
- B. Inherited permissions are not enabled for the linked page.
- C. The Authenticated Users Web role does not have permission to view the page.
- D. Maintenance mode is enabled on the portal.

Answer

Correct Answer: B

Explanation:

In Power Apps Portals (Power Pages), a page can inherit permissions from its parent page.

In this scenario:

- The test user can access the **home page**.
- The user **cannot access a page linked from the home page**.
- The user has the **Anonymous Users** web role.

A common cause is that the linked page is not configured to **inherit permissions** from the parent page (Home page). As a result, the linked page does not grant access to anonymous users even though the parent page does.

Discussion: <https://www.examtactics.com/discussions/microsoft/view/83641-exam-pl-200-topic-2-question-20-discussion/>

084 Question.

A company is configuring a Power Apps portal using Microsoft Dataverse.
The company requires the following:

- Only authenticated users must be able to sign into the portal.
- Authenticated users must have varying degrees of access to the different parts of the portal.
- Users must enter one of several external identities when creating an account during the open registration process.

You need to configure user authentication and permissions.

Which component should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Configuration	Component										
Required for each authenticated user before security can be assigned.	<table><tr><td></td><td>▼</td></tr><tr><td colspan="2">Contact table record</td></tr><tr><td colspan="2">Local user</td></tr><tr><td colspan="2">Microsoft work or school account</td></tr><tr><td colspan="2">Account table record</td></tr></table>		▼	Contact table record		Local user		Microsoft work or school account		Account table record	
	▼										
Contact table record											
Local user											
Microsoft work or school account											
Account table record											
Required for authenticated users to access restricted pages of the portal.	<table><tr><td></td><td>▼</td></tr><tr><td colspan="2">Contact table record</td></tr><tr><td colspan="2">Local user</td></tr><tr><td colspan="2">Microsoft work or school account</td></tr><tr><td colspan="2">Web roles</td></tr></table>		▼	Contact table record		Local user		Microsoft work or school account		Web roles	
	▼										
Contact table record											
Local user											
Microsoft work or school account											
Web roles											

Answer

Correct Answer:

Answer Area

Configuration	Component
Required for each authenticated user before security can be assigned.	Contact table record Local user Microsoft work or school account Account table record
Required for authenticated users to access restricted pages of the portal.	Contact table record Local user Microsoft work or school account Web roles

Explanation:

Required for each authenticated user before security can be assigned → Contact table record

In Power Apps Portals (Power Pages), every authenticated user must be associated with a **Contact** record in Dataverse. Security permissions and web roles are assigned to the Contact record.

Required for authenticated users to access restricted pages of the portal → Web roles

Access to secured pages is controlled through **Web Roles**. Users are assigned one or more web roles, and page permissions are granted to those roles.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/83766-exam-pl-200-topic-2-question-21-discussion/>

085 Question.

You create a new solution for a business process.

The business process includes uploading specific file types to a web service.

You need to ensure that the business process works the same way anywhere the solution is deployed.

Which option should you use? To answer, drag the appropriate options to the correct configurations. Each option may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Options

Connection reference
Environment variable
Solution system settings

Answer Area

Configuration

Blocked file types

URL to a web service

Option

Option

Option

Answer

Correct Answer:

Options

Connection reference

Answer Area

Configuration

Blocked file types

URL to a web service

Option

Solution system settings

Environment variable

Explanation:

Blocked file types → Solution system settings

Blocked file extensions are configured as **solution system settings** so that the solution carries the configuration and behaves consistently when deployed to other environments.

URL to a web service → Environment variable

An **environment variable** is used for values that may differ between environments (Dev, Test, Prod), such as:

- Web service URLs
- API endpoints
- Connection strings
- External service identifiers

This allows the same solution to be deployed while changing only the environment-specific value.

Why not Connection reference?

A **connection reference** is used to reference connectors (e.g., SharePoint, Outlook, Dataverse) in Power Automate flows and apps, not for storing a web service URL.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/83286-exam-pl-200-topic-2-question-22-discussion/>

086 Question.

A company collaborates by using Microsoft Teams.

You must create a Power Apps app directly from within a Teams channel. The app will be used by members of the channel to manage sales orders.

You need to create the app by using Dataverse for Teams.

How should you create the app?

- A. Create a canvas app by using a Power Apps personal app in Teams.
- B. Create a canvas app by using the App Studio app.
- C. Use the Power Apps web designer.
- D. Create a model-driven app by using the App Studio app.

Answer

Correct Answer: A

Explanation:

When building an app **directly within Microsoft Teams** using **Dataverse for Teams**, you create a **canvas app** from the **Power Apps app in Teams**.

Dataverse for Teams is designed specifically for:

- Teams-based collaboration
- Canvas apps
- Power Automate flows
- Dataverse for Teams tables

Discussion: <https://www.examttopics.com/discussions/microsoft/view/82520-exam-pl-200-topic-2-question-23-discussion/>

087 Question.

A company has a portal. Users sign into the portal by using a social media account.

The company wants to replace the existing portal with a Power Apps portal. Users must sign up for access to the portal by using a Microsoft account and a unique invitation code that will be provided to the users.

You need to configure authentication for the home page.

Which values should you use? To answer, drag the appropriate values to the appropriate authentication settings. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Values	Answer Area	
	Authentication setting	Value
Yes	External sign in	
No	Open registration	

Answer

Correct Answer:

Values	Answer Area	
	Authentication setting	Value
	External sign in	Yes
	Open registration	No

Explanation:

- **External sign in = Yes**
 - Users must sign in using a Microsoft account, which is an external identity provider. Therefore, external sign-in must be enabled.
- **Open registration = No**
 - Users must provide a **unique invitation code** to gain access.

- Open registration allows anyone to self-register without an invitation, which does not meet the requirement.

Discussion: <https://www.examtactics.com/discussions/microsoft/view/81903-exam-pl-200-topic-2-question-24-discussion/>

088 Question.

You are customizing a model-driven app for a company. You create a Theme template to ensure the company logo and colors are properly used within these apps.

The theme must meet the following requirements:

- Updated to add the logo
- Downloaded by the makers to create the app

You need to configure the assets. To answer, drag the appropriate configurations to the correct requirements. Each configuration may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Configurations	Requirement	Configuration
Edit the theme in System settings and upload a jpg file.	Update logo.	
Replace an existing UI item's hexadecimal number.	Change model-driven app colors.	
Upload the theme elements as new web resources.		
Use the component library.		

Answer

Correct Answer:

Configurations	Requirement	Configuration
	Update logo.	Edit the theme in System settings and upload a jpg file.
	Change model-driven app colors.	Replace an existing UI item's hexadecimal number.
Upload the theme elements as new web resources.		
Use the component library.		

Explanation:

Update logo → Edit the theme in System settings and upload a jpg file

To add or update the company logo in a Dynamics 365 / model-driven app theme, you edit the theme and upload a logo image (typically JPG or PNG) through the theme settings.

Change model-driven app colors → Replace an existing UI item's hexadecimal number

Theme colors are controlled through hexadecimal color values for UI elements such as the navigation bar, links, and accents.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/83266-exam-pl-200-topic-2-question-25-discussion/>

089 Question.

A user needs to create a Power Apps portal app.

The user is getting a permission denied error when creating the portal app.

You need to configure permissions to create the portal app.

Which three permissions should you configure? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. In the Power Platform admin center, ensure that the user account has read-write access.
- B. In Azure Active Directory, assign the Contributor role to the application at the subscription scope.
- C. In Azure Active Directory, ensure that the user has permission to register an app.
- D. In the Power Platform admin center, change the portal app owner to the user.
- E. In the Power Platform admin center, ensure that the user has the System administrator security role.

Answer

Correct Answer: A,C,E

Explanation:

A. In the Power Platform admin center, ensure that the user account has read-write access.

The user needs appropriate permissions in the environment, including read-write access to create and manage portal components.

C. In Azure Active Directory, ensure that the user has permission to register an app.

Portal provisioning creates and configures Azure AD applications. If users cannot register applications in Azure AD, portal creation can fail with permission errors.

E. In the Power Platform admin center, ensure that the user has the System administrator security role.

The **System Administrator** security role provides the Dataverse permissions required to create and configure a portal.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/84248-exam-pl-200-topic-2-question-26-discussion/>

090 Question.

You have a Power Apps portal app that supports a sales community and a service community in the same environment. The only language configured in the environment is English. The company wants to add support for two more languages.

The solution must meet the following requirements:

- Languages must be for both sales and service functions.
- The company logo and colors must be used and apply to all screens.
- Communities must be separate with different URLs and access lists.

You need to configure the solution.

What should you configure? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Requirement

Configuration

Languages

	▼
Create two portals, one for each community.	
Create three portals, one for each language.	
Create one portal and import translations.	
Create six portals, one for each combination of language and community.	

Company logo and colors

	▼
Add themes.	
Add web resources.	
Add a portal header and footer	

Answer

Correct Answer:

Answer Area

Requirement

Languages

Configuration

- Create two portals, one for each community.
- Create three portals, one for each language.
- Create one portal and import translations.
- Create six portals, one for each combination of language and community.

Company logo and colors

- Add themes.
- Add web resources.
- Add a portal header and footer

Explanation:

Languages → Create two portals, one for each community.

The requirement states:

- Sales and Service communities must be **separate**.
- Each must have its own **URL and access list**.

Therefore, you need **two portals**:

- Sales Portal
- Service Portal

Each portal can support multiple languages through portal localization and translated content. There is no need to create separate portals for each language.

Company logo and colors → Add themes

To apply branding consistently across all pages and screens of a portal, use **Themes**.

Themes provide:

- Logo branding
- Colors
- Styling applied throughout the portal

Discussion: <https://www.examtactics.com/discussions/microsoft/view/82638-exam-pl-200-topic-2-question-27-discussion/>

091 Question.

A company is creating a canvas app and a model-driven app to manage their customer accounts. The canvas app requires a business rule to set the Business Type column to large if the customer size is greater than a specific currency value.

The model-driven app requires a business rule to recommend the account rating be re-evaluated when the account goes on credit hold for this app only.

You need to configure the scope for the business rules.

Which scope should you use? To answer, drag the appropriate scopes to the correct business rules. Each scope may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Scopes	Answer Area						
All forms	<table border="1"><thead><tr><th>Business rule</th><th>Scope</th></tr></thead><tbody><tr><td>Business Type column setting for customer size</td><td></td></tr><tr><td>Account rating re-evaluation</td><td></td></tr></tbody></table>	Business rule	Scope	Business Type column setting for customer size		Account rating re-evaluation	
Business rule	Scope						
Business Type column setting for customer size							
Account rating re-evaluation							
Specific form							
Table							

Answer

Correct Answer:

Scopes	Answer Area						
All forms	<table border="1"><thead><tr><th>Business rule</th><th>Scope</th></tr></thead><tbody><tr><td>Business Type column setting for customer size</td><td>Table</td></tr><tr><td>Account rating re-evaluation</td><td>Specific form</td></tr></tbody></table>	Business rule	Scope	Business Type column setting for customer size	Table	Account rating re-evaluation	Specific form
Business rule	Scope						
Business Type column setting for customer size	Table						
Account rating re-evaluation	Specific form						

Explanation:

Business Type column setting for customer size → Table

The rule must work in a **canvas app**. Business rules that need to apply regardless of the app or form should use the **Table** scope, allowing the logic to be enforced at the Dataverse table level.

Account rating re-evaluation → Specific form

The requirement states:

*"when the account goes on credit hold **for this app only**"*

Since the rule should apply only to a particular model-driven app form and not everywhere the table is used, configure the business rule for a **Specific form**.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/79989-exam-pl-200-topic-2-question-28-discussion/>

092 Question.

A company uses a Microsoft Power Platform environment.

The company plans to implement a Power Apps app. The application must meet the following requirements:

- Audit all user activity and only retain the audit logs for one year.
- Annually remove products that were created over a year ago.

You need to configure the automated processes.

What should you configure? To answer, drag the appropriate configurations to the correct requirements. Each configuration may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Configurations		Answer Area	
		Requirement	Configuration
Table auditing	●	Audit log retention	
Bulk deletion job	●	Product removal	
Environment auditing	●		
Filtered view	●		

Answer

Correct Answer:

Configurations		Answer Area	
		Requirement	Configuration
Table auditing	●	Audit log retention	Environment auditing
	●	Product removal	Bulk deletion job
	●		
Filtered view	●		

Explanation:

Audit log retention → Environment auditing

Environment-level auditing enables tracking of user activity and manages audit log retention settings, including keeping audit data for a specified period such as one year.

Product removal → Bulk deletion job

A Bulk Deletion Job can be scheduled to automatically delete records that meet criteria, such as products created more than one year ago.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/96878-exam-pl-200-topic-2-question-29-discussion/>

093 Question.

A company creates a canvas app.

The app requires users to enter their social security number. The app should only display the last four digits when the user tabs to a different column.

You need to configure the app.

Which option should you use?

- A. Business rule
- B. Business process flow
- C. Power BI DAX
- D. Power Fx

Answer

Correct Answer: D

Explanation:

In a canvas app, UI behavior and data formatting are implemented using Power Fx formulas.

To display only the last four digits of a Social Security Number after the user leaves the field (for example, in the control's display logic), you would use a Power Fx expression such as:

"_**- " & Right(txtSSN.Text, 4)***

Discussion: <https://www.examttopics.com/discussions/microsoft/view/96692-exam-pl-200-topic-2-question-30-discussion/>

094 Question.

A company uses Power Apps.

The company plans to create a canvas app that uses a responsive design.

You need to configure the app.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Disable the Scale to fit setting.
- B. Configure the height and width properties by using drag handles.
- C. Enable the lock orientation setting.
- D. Configure the height and width properties by using a formula.

Answer

Correct Answer: A,D

Explanation:

For a **responsive canvas app**, Microsoft recommends:

1. **Disable the Scale to fit setting**
 - This allows the app to adapt dynamically to different screen sizes instead of scaling a fixed-size layout.
2. **Configure the height and width properties by using formulas**
 - Responsive apps use formulas such as Parent.Width, Parent.Height, App.Width, and App.Height to automatically resize controls based on the available screen space.

Why the others are incorrect

B. Configure the height and width properties by using drag handles

- Drag handles create fixed dimensions and do not support responsive behavior.

C. Enable the lock orientation setting

- Locking the orientation restricts responsiveness across device orientations and is generally not used for responsive designs.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/96694-exam-pl-200-topic-2-question-31-discussion/>

095 Question.

A company uses model-driven apps.

Users in the sales department enter the first name, last name, and phone number of customers in the app. The users request a single screen in the app to enter the customer data.

You need to configure the app.

What should you do?

- A. Create a Power Automate flow.
- B. Use a Power Virtual Agents app.
- C. Create a canvas app.
- D. Modify the site map.

Answer

Correct Answer: C

Explanation:

The requirement is to provide users with a **single screen** for entering customer data (first name, last name, and phone number).

A **canvas app** is ideal when you need:

- A customized user experience
- A single-screen data entry interface
- Complete control over the layout and user interaction

Why the other options are incorrect

- **Create a Power Automate flow**
 - Power Automate automates processes; it does not provide a data entry screen.
- **Use a Power Virtual Agents app**
 - Power Virtual Agents (Copilot Studio) is used for chatbots, not for creating data entry forms.
- **Modify the site map**
 - The site map controls navigation in a model-driven app and does not create a custom single-screen interface.

Discussion: <https://www.examtactics.com/discussions/microsoft/view/96695-exam-pl-200-topic-2-question-32-discussion/>

096 Question.

You create a Power Apps app for Microsoft Teams using Microsoft Dataverse for Teams.

Users report that they are unable to view the app in Teams.

You need to ensure that users can access the app.

What should you do?

- A. Share the app with a security group by using the Maker portal.

- B. Publish the app by using the Maker portal.
- C. Request that a tenant administrator pin the app to the app bar in Teams.
- D. Share the app with a security group in Teams.
- E. Share the app with individual users by using the Maker portal.

Answer

Correct Answer: E

Explanation:

For a **Power Apps app built in Microsoft Teams using Dataverse for Teams**, users cannot access the app until it is explicitly **shared** with them.

The app creator must:

1. Open the app in the **Power Apps Maker portal**.
2. Select **Share**.
3. Share the app with the required users (or groups, if supported).
4. Ensure users have permissions to the underlying Dataverse for Teams tables.

Why the other options are incorrect

- **Share the app with a security group by using the Maker portal**
 - Dataverse for Teams apps are typically shared directly with users or Teams members; this is not the expected answer for this scenario.
- **Publish the app by using the Maker portal**
 - Publishing makes the latest version available but does **not** grant users access.
- **Request that a tenant administrator pin the app to the app bar in Teams**
 - Pinning improves visibility but does not grant permissions.
- **Share the app with a security group in Teams**
 - Apps are shared through Power Apps, not by sharing a Teams security group.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/96696-exam-pl-200-topic-2-question-33-discussion/>

097 Question.

You create a canvas app.

The app requires access to data that is stored in collections. The app must provide the following actions:

- Create a new collection variable.
- Remove table values from a collection.

You need to configure functions for the app.

Which functions should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Action

Create a new collection variable.

Function

Set
Select
Collect
AddColumns

Remove table values from a collection.

Clear
Reset
Revert
DropColumns

Answer

Correct Answer:

Answer Area

Action

Create a new collection variable.

Function

▼

- Set
- Select
- Collect**
- AddColumns

Remove table values from a collection.

▼

- Clear**
- Reset
- Revert
- DropColumns

Explanation:

- **Create a new collection variable**

Use **Collect()** to create a collection and add records to it.

Collect(MyCollection, {Name:"Item1"})

- **Remove table values from a collection**

Use **Clear()** to remove all records from a collection while keeping the collection itself.

Clear(MyCollection)

- **Why the others are incorrect**

- **Set** → Creates/updates a global variable, not a collection.
- **Select** → Triggers the OnSelect behavior of a control.
- **AddColumns** → Adds calculated columns to a table.
- **Reset** → Resets a control to its default value.
- **Revert** → Discards changes to a data source.
- **DropColumns** → Removes columns from a table, not records from a collection.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/96697-exam-pl-200-topic-2-question-34-discussion/>

098 Question.

A company creates a canvas app.

The company plans to make the app available in Microsoft Teams. Only employees will be allowed to use the app.

You need to add the app to Teams.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions		Answer area
Upload the Power Apps app to the Teams channel Files tab.		
Share the app to the Teams channel email address.		
Sign in to the Microsoft Power Platform Admin Center.		
Select and download the Power Apps app.	>	^
Sign into the Maker portal for Microsoft Power Platform.	<	v
Select the required Power Apps app.		
Add the app to Teams.		

Answer

Correct Answer:

Actions		Answer area
Upload the Power Apps app to the Teams channel Files tab.		Sign into the Maker portal for Microsoft Power Platform.
Share the app to the Teams channel email address.		Select the required Power Apps app.
Sign in to the Microsoft Power Platform Admin Center.		Add the app to Teams.
Select and download the Power Apps app.	>	^
	<	v

Explanation:

To make a canvas app available in Microsoft Teams:

1. Open the **Power Apps Maker portal**.
2. Select the canvas app you want to publish to Teams.
3. Use **Add to Teams** to generate and publish the Teams app package

Discussion: <https://www.examtactics.com/discussions/microsoft/view/112576-exam-pl-200-topic-2-question-35-discussion/>

099 Question.

A company creates a Microsoft Teams app that stores data in two tables in a Microsoft Dataverse for Teams environment.

Users require access to the app and the app data.

You need to configure access.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Access

Access to the data

Action

Assign a permission set for each table in the app.
Create a security role and assign permissions by table.
Share the data and assign permissions.

Access to the app

Share with a security group.
Share with users.
Publish the app to a Teams channel.

Answer

Correct Answer:

Answer Area

Access

Access to the data

Action

Assign a permission set for each table in the app.
Create a security role and assign permissions by table.
Share the data and assign permissions.

Access to the app

Share with a security group.
Share with users.
Publish the app to a Teams channel.

Explanation:

Access to the data → Create a security role and assign permissions by table.

- In **Dataverse for Teams**, access to table data is controlled through **security roles and table permissions**.

Access to the app → Share with users.

- Users must be granted access to the Teams app itself.

Why the other options are incorrect

- **Assign a permission set for each table in the app**
 - Permission sets are associated with Power Pages, not Dataverse for Teams apps.
- **Share the data and assign permissions**
 - Data access is managed through security roles and table permissions.
- **Share with a security group**
 - Possible in some Power Apps scenarios, but for a Teams app the expected method is sharing the app with users.
- **Publish the app to a Teams channel**
 - Publishing makes the app available in Teams but does not grant users app or data permissions.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/112577-exam-pl-200-topic-2-question-36-discussion/>

100 Question.

A company plans to implement Power Pages.

The company requests that you create demonstration sites based on the following requirements:

- A website that supports automated scheduling
- A website that supports event registration
- A website that can be extended by using the company's branding

In addition, custom development work must be minimized.

You need to identify the appropriate Power Pages templates to use.

Which templates should you use? To answer, drag the appropriate templates to the correct requirements. Each template may be used once, more than once, or not at all. You may need to drag the split between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Templates

after school program
blank page
building permit
financial institution

Answer Area

Requirement

Automated scheduling

Event registration

Extension by using branding

Template

Answer

Correct Answer:

Templates

financial institution

Answer Area

Requirement

Automated scheduling

Event registration

Extension by using branding

Template

after school program

building permit

blank page

Explanation:

- **After school program** includes scheduling and registration scenarios, making it the best fit for **automated scheduling**.
- **Building permit** includes forms and registration processes, making it suitable for **event registration** with minimal customization.
- **Blank page** provides a customizable starting point and is the best option when the primary requirement is to apply the company's own branding and design.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/112656-exam-pl-200-topic-2-question-37-discussion/>

101 Question.

You are modifying a model-driven app. You set up a customer table in Microsoft Power Platform to retrieve user data.

You set up a form with the following columns for users to enter their data. The form includes the following columns:

Column	Data type
Country/region	Choices (multi-select)
Passport ownership	Choice (yes /no)
Passport expiration date	Text

The form must do the following:

- The Country/region column must automatically populate with US when English is chosen as a language. If the user selects Other for this column, the column must remain blank so that user can enter a value.

- The Passport expiration date column must appear only if the user selects Yes in the Passport ownership column.

You need to configure the app with the least amount of effort.

What should you configure? To answer, drag the appropriate solution component to the correct requirements. Each solution component may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Solution components		Requirement	Solution component
Power Automate flow	• • • •	Country/region	
Business rule		Passport expiration date column appears	
Business process flow			
Formula			

Answer

Correct Answer:

Solution components		Requirement	Solution component
Power Automate flow	• • • •	Country/region	Business rule
		Passport expiration date column appears	Business rule
Business process flow			
Formula			

Explanation:

Both requirements can be implemented with a **Business Rule**, which is the **least-effort** solution in a model-driven app:

Country/region → Business Rule

A Business Rule can:

- Check the selected language.
- Set **Country/region = US** when English is selected.
- Leave the field editable/blank when "Other" is selected.

Passport expiration date column appears → Business Rule

A Business Rule can:

- Evaluate the **Passport ownership** Yes/No field.
- Show the **Passport expiration date** field when the value is **Yes**.
- Hide it when the value is **No**.

Why not the others?

- **Power Automate flow** → Used for process automation, not real-time form behavior.
- **Business process flow** → Guides users through stages; does not dynamically set field values or visibility.
- **Formula** → Not required here because Business Rules provide the functionality with less effort.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/112062-exam-pl-200-topic-2-question-38-discussion/>

102 Question.

Do You have a canvas app.

The canvas app must store data in a variable that is available only to the current screen.

You need to create the variable.

Which two functions should you use? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. UpdateContext
- B. Navigate
- C. SaveData
- D. Set
- E. Collect

Answer

Correct Answer: A,B

Explanation:

The requirement is for a variable that is available **only to the current screen**.

In Power Apps, **context variables** are screen-scoped variables and can be created in two ways:

- **A. UpdateContext**

Creates or updates a context variable for the current screen.

UpdateContext({MyVar:"Value"})

- **B. Navigate**

Can create/update a context variable when navigating to another screen.

Navigate(Screen2, None, {MyVar:"Value"})

Why the others are incorrect

C. SaveData :Stores data locally for offline use, not a screen-scoped variable.

D. Set: Creates a **global variable** available throughout the app.

E. Collect: Creates or modifies a **collection**, not a screen-scoped variable.

Discussion: <https://www.examtopycs.com/discussions/microsoft/view/112370-exam-pl-200-topic-2-question-39-discussion/>

103 Question.

You plan to create a canvas app with multiple screens.

The app needs to store temporary data while the app is running. The app has the following data requirements:

- Each screen must maintain a separate copy of data and pass the data to another screen.
- The app must be able to update separate rows of a table independently.

You need to configure variables for the data.

Which variable types should you use? To answer, drag the appropriate variable types to the correct requirements. Each variable type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Variable types		Requirement	Variable type
Collection	•	Screens maintain separate data and pass the data to another screen.	
Global variable	•	Update separate rows of a table independently.	
Context variable	•		

Answer

Correct Answer:

Variable types		Requirement	Variable type
	•	Screens maintain separate data and pass the data to another screen.	Context variable
Global variable	•	Update separate rows of a table independently.	Collection
	•		

Explanation:

Screens maintain separate data and pass the data to another screen

Use a **Context variable**.

- Context variables are scoped to a screen.
- They can be passed between screens using the Navigate() function.
- They are ideal for temporary data specific to a screen.

Update separate rows of a table independently

Use a **Collection**.

- Collections can store multiple records (rows).
- Each row can be added, updated, or removed independently.
- Collections are commonly used as in-memory tables in canvas apps.

Why not Global Variable?

- A **Global variable** stores a single value or record and is available throughout the app.
- It is not the best choice for maintaining independent table rows.

Discussion: <https://www.examtactics.com/discussions/microsoft/view/112652-exam-pl-200-topic-2-question-40-discussion/>

104 Question.

You plan to create a canvas app.

The app must meet the following requirements:

- Send an email after a record is saved.
- Display the expiration column on a form if the creation date of the record is older than 90 days.

You need to configure the app.

Which features should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Requirement

Send an email.

Feature

▼

Connection
Collection
Power Automate flow
Formula

Display the expiration column.

▼

Formula
Collection
Connection

Answer

Correct Answer:

Answer Area

Requirement

Send an email.

Feature

▼

Connection
Collection
Power Automate flow
Formula

Display the expiration column.

▼

Formula
Collection
Connection

Explanation:

Send an email → Power Automate flow

To send an email after a record is saved, use a **Power Automate flow**. Power Automate is designed for workflow automation and can be triggered when a record is created or updated.

Display the expiration column → Formula

To show or hide a field based on whether the creation date is older than 90 days, use a **Power Fx formula** on the field's **Visible** property.

Example logic:

DateDiff(CreationDate, Today()) > 90

Discussion: <https://www.examttopics.com/discussions/microsoft/view/125068-exam-pl-200-topic-2-question-41-discussion/>

105 Question.

A company plans to create two Microsoft Power Platform applications.

One of the applications requires a custom control layout without using code. The other application will be used primarily by external users.

You need to create the applications.

Which application types should you use? To answer, drag the appropriate application types to the correct requirements. Each application type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Application types		Requirement	Application type
Canvas app		Custom control layout without coding	
Model-driven app		Used by external users	
Power Pages portal			
Power BI			

Answer

Correct Answer:

Application types		Requirement	Application type
		Custom control layout without coding	Canvas app
Model-driven app		Used by external users	Power Pages portal
Power BI			

Explanation:

Custom control layout without coding → Canvas app

A **Canvas app** provides complete control over the user interface through a drag-and-drop designer and Power Fx formulas, allowing highly customized layouts without traditional coding.

Used by external users → Power Pages portal

Power Pages (formerly Power Apps Portal) is designed for external users such as customers, partners, and vendors, providing secure web access to Dataverse data.

Discussion: <https://www.examtopycs.com/discussions/microsoft/view/125069-exam-pl-200-topic-2-question-42-discussion/>

106 Question.

You create a Power Apps app.

The app must be able to display a list of records that are sorted by category. The app must also expand or hide the list by subtopics.

You need to configure the app.

Which tool should you use?

- A. card
- B. expression
- C. gallery
- D. Power BI dashboard

Answer

Correct Answer: C

Explanation:

A **Gallery** control in a Canvas App is designed to:

- Display a list of records.
- Sort and filter records.
- Show grouped or categorized information.
- Support expandable/collapsible layouts (for example, categories and subtopics).

This makes it the best choice for displaying records sorted by category and allowing users to expand or hide subtopics.

Why the other options are incorrect

- **A. Card:** A card displays a single field or record within a form, not a list of records.
- **B. Expression:** Expressions (Power Fx formulas) define behavior and calculations but are not UI controls.
- **D. Power BI dashboard :** Power BI dashboards are for analytics and reporting, not interactive record lists within a Power Apps app.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/133850-exam-pl-200-topic-2-question-43-discussion/>

107 Question.

A company is implementing Power Apps and Power Automate.

Several components are created within Power Apps, Microsoft Dataverse, and Power Automate. These components must be promoted from the development environment to the user acceptance test environment in a single solution package.

You need to create the solution package for promotion.

Where should you create the package?

- A. Azure portal
- B. Microsoft Power Platform admin center
- C. Office 365 admin center
- D. Power Apps maker portal

Answer

Correct Answer: D

Explanation:

To move Power Apps, Dataverse components, and Power Automate flows together between environments, you must create a **Solution** in the **Power Apps maker portal**.

Process:

1. Open the **Power Apps maker portal**.
2. Create a **Solution**.
3. Add the app, Dataverse tables, flows, and other components.
4. Export the solution (Managed or Unmanaged).
5. Import it into the UAT environment.

Why the others are incorrect

- A. **Azure portal:** Azure Portal does not create Power Platform solution packages.
- B. **Microsoft Power Platform admin center:** Used for environment administration, not solution authoring.
- C. **Office 365 admin center:** Used for Microsoft 365 tenant administration.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/144564-exam-pl-200-topic-2-question-49-discussion/>

108 Question.

You are building a model-driven app for a company.

You identify several custom commands that the app must support, including the following commands:

- Save a row.
- Move the user to a different row in the application.
- Navigate the user to an external webpage.
- Show a notification that the user can accept or decline.

You need to identify the formula to use for each requirement.

Which formulas should you identify? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Power Fx formulas

Requirement

Save a row.

Formula

▼

Patch()
SaveData()
SubmitForm()
Confirm()

Move to a different row.

▼

Back()
Exit()
Launch()
Navigate()

Navigate the user to an external webpage.

▼

Back()
Exit()
Launch()
Navigate()

Show a notification with options.

▼

Confirm()
InvokeControl()
Notify()
Set()

Answer

Correct Answer:

Power Fx formulas

Requirement

Save a row.

Formula

Patch()
SaveData()
SubmitForm()
Confirm()

Move to a different row.

Back()
Exit()
Launch()
Navigate()

Navigate the user to an external webpage.

Back()
Exit()
Launch()
Navigate()

Show a notification with options.

Confirm()
InvokeControl()
Notify()
Set()

Explanation:

- **SubmitForm()** – Saves the current form record to the data source.
- **Navigate()** – Moves the user to another screen/page/record within the app.
- **Launch()** – Opens an external URL, website, email, or document.
- **Confirm()** – Displays a confirmation dialog with options such as Accept/Cancel or Yes/No.

Discussion: <https://www.examtips.com/discussions/microsoft/view/145199-exam-pl-200-topic-2-question-50-discussion/>

109 Question.

You are building a model-driven app. The environment has Advanced settings enabled.

A form in the app requires a custom interface.

You need to embed the custom interface onto the form without using custom code.

What should you do?

- A. Modify the model-driven app to use mobile form factor.
- B. Modify the model-driven app to use tablet form factor.
- C. Create an HTML web resource.
- D. Use the classic experience to add a canvas app.

Answer

Correct Answer: D

Explanation:

The requirement is to:

- Embed a **custom interface** into a **model-driven app form**.
- Do so **without using custom code**.

A **canvas app embedded in a model-driven form** provides a highly customized user experience without requiring custom development. In environments with **Advanced settings enabled**, this is configured from the form editor (historically through the classic experience).

- **Why not the others?**
- **A. Modify the model-driven app to use mobile form factor**
 - Changes the layout for phones but does not embed a custom interface.
- **B. Modify the model-driven app to use tablet form factor**
 - Changes the layout for tablets but does not provide a custom interface.
- **C. Create an HTML web resource**
 - Requires custom HTML/JavaScript code, which violates the requirement of **without using custom code**.

Exam Tip

When you see:

- **Custom interface**
- **Model-driven app**
- **No custom code**

The expected answer is typically **embedded Canvas App**.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/316449-exam-pl-200-topic-2-question-57-discussion/>

110 Question.

A company uses model-driven apps.

Users in the sales department enter the first name, last name, and phone number of customers in the app. The users request a single screen in the app to enter the customer data.

You need to configure the app.

What should you do?

- A. Create a Power Automate flow.
- B. Use Copilot Studio.
- C. Create a canvas app.
- D. Modify the site map.

Answer

Correct Answer: C

Explanation:

The requirement is:

"Users request a single screen in the app to enter the customer data."

A **canvas app** is the best choice when you need a highly customized data-entry experience on a single screen. It allows you to design a streamlined interface containing only the fields users need (First Name, Last Name, Phone Number).

Why not the others?

- **A. Create a Power Automate flow**
 - Flows automate processes; they do not provide a data-entry screen.
- **B. Use Copilot Studio**
 - Copilot Studio is used to create conversational agents, not data-entry forms.
- **D. Modify the site map**
 - The site map controls navigation in a model-driven app and does not create a single-screen data-entry experience.

Exam Tip

When a question mentions:

- **Single screen**
- **Custom data entry experience**
- **Simplified user interface**

The expected answer is usually **Canvas App**

Discussion: <https://www.examttopics.com/discussions/microsoft/view/326390-exam-pl-200-topic-2-question-59-discussion/>

111 Question.

A company is implementing advanced features for a Power Pages website.

The company hosts documents and lists in several SharePoint environments that are hosted both on-premises and online. Users of the Power Pages site must be able to view, search for, and filter this data from a single, intuitive experience.

You need to determine which advanced feature to implement.

What should you implement?

- A. Virtual tables
- B. SharePoint Server integration
- C. Power BI embedded
- D. Progressive search

Answer

Correct Answer: D

Explanation:

The requirement is:

- Documents and lists exist in **multiple SharePoint environments**.
- Some SharePoint environments are **on-premises** and some are **online**.
- Users must be able to **view, search, and filter** information through a **single experience** in Power Pages.

Progressive search is an advanced Power Pages feature that enables users to search across multiple data sources and refine/filter results through a unified interface.

Why not the others?

- **A. Virtual tables**
 - Expose external data in Dataverse but do not provide the unified search and filtering experience described.
- **B. SharePoint Server integration**
 - Integrates documents with SharePoint, but it does not provide a consolidated search experience across multiple SharePoint environments.

- **C. Power BI embedded**

- Used for analytics and reporting, not for searching and filtering documents and lists

Discussion: <https://www.examttopics.com/discussions/microsoft/view/315255-exam-pl-200-topic-2-question-60-discussion/>

112 Question.

You are implementing a model-driven app for a company.

The company requires the following implementation for the app:

- When a user selects a button, a side pane must open that allows the user to upload documents.
- Documents that are uploaded must be stored within the external document management solution configured for the environment.
- Use of custom code must be avoided.

You need to implement the requirements.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Connect to SharePoint Online.
Add a new custom page.
Create a canvas app.
Use the modern app designer.
Publish changes.
Connect to the Dataverse Attachments table.
Use the classic app designer.

Model-driven app implementation

Answer

Correct Answer:

Actions	Model-driven app implementation
	Connect to SharePoint Online.
	Add a new custom page.
Create a canvas app.	Use the modern app designer.
	Publish changes.
Connect to the Dataverse Attachments table.	
Use the classic app designer.	

Explanation:

The requirements point to using a **Custom Page** inside a **model-driven app**:

- A side pane can host a **custom page**.
- The custom page is built using the canvas-app experience, without custom code.
- Documents must be stored in the external document management system (**SharePoint Online**).
- After configuring the page and app, publish the changes.

Correct sequence

1. **Connect to SharePoint Online**
2. **Add a new custom page**
3. **Use the modern app designer**
4. **Publish changes**

Discussion: <https://www.examttopics.com/discussions/microsoft/view/315457-exam-pl-200-topic-2-question-61-discussion/>

113 Question.

You are building a model-driven app. The environment has Advanced settings enabled.

A form in the app requires a custom interface.

You need to embed the custom interface onto the form without using custom code.

What should you do?

- A. Modify the model-driven app to use mobile form factor.
- B. Modify the model-driven app to use tablet form factor.
- C. Use an IFRAME.
- D. Use the classic experience to add a canvas app.

Answer

Correct Answer: D

Explanation:

The requirement is to:

- Embed a **custom interface** on a **model-driven app form**.
- Avoid custom code.

An **embedded canvas app** allows you to create a custom user experience and place it directly on a model-driven form without writing code.

Why not the other options?

A. Modify the model-driven app to use mobile form factor

- Only changes the form layout for phones; it does not provide a custom interface.

B. Modify the model-driven app to use tablet form factor

- Only changes the layout for tablets; it does not embed a custom interface.

C. Use an IFRAME

- Typically requires hosting external content and is considered a custom integration approach. It is not the no-code method expected for this scenario.

Exam tip

For PL-200/PL-400 style questions, when you see:

- Model-driven app
- Custom interface
- Without custom code

the correct answer is usually **an embedded Canvas App**.

Discussion: <https://www.examtactics.com/discussions/microsoft/view/316450-exam-pl-200-topic-2-question-62-discussion/>

114 Question.

A company is implementing advanced features for a Power Pages website.

The company hosts documents and lists in several SharePoint environments that are hosted both on-premises and online. Users of the Power Pages site must be able to view, search for, and filter this data from a single, intuitive experience.

You need to determine which advanced feature to implement.

What should you implement?

- A. Faceted search
- B. Content delivery network
- C. Power BI embedded
- D. Progressive search

Answer

Correct Answer: D

Explanation:

The key requirement is:

*Users must be able to **view, search, and filter** documents and lists that are stored across **multiple SharePoint environments** (both on-premises and online) from a **single, intuitive experience**.*

Progressive search is a Power Pages capability that provides a unified search experience across different data sources and allows users to refine and filter search results.

Why not the others?

A. Faceted search

- Faceted search helps users filter search results, but it does not address the requirement to aggregate and search across multiple SharePoint repositories from a single experience.

B. Content delivery network (CDN)

- A CDN improves performance for static content delivery and has nothing to do with searching documents and lists.

C. Power BI embedded

- Power BI Embedded is used for analytics and reporting, not document discovery, search, and filtering.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/315458-exam-pl-200-topic-2-question-63-discussion/>

115 Question.

Body You are building a model-driven app. The environment has Advanced settings enabled.

A form in the app requires a custom interface.

You need to embed the custom interface onto the form without using custom code.

What should you do?

- A. Create a canvas app and bind its properties to the form.
- B. Create an HTML web resource.
- C. Create a quick view form.
- D. Create a canvas app and add it to a solution.

Answer

Correct Answer: A

Explanation:

The requirement is to:

- Provide a **custom interface** on a **model-driven app form**.
- Avoid using **custom code**.
- The environment has **Advanced settings enabled**.

An **embedded canvas app** is the recommended no-code/low-code approach for adding a custom UI to a model-driven form. The canvas app can be embedded in the form and its properties can be bound to fields from the current record.

Why not the others?

B. Create an HTML web resource

- Requires custom HTML/JavaScript, which violates the requirement to avoid custom code.

C. Create a quick view form

- Quick view forms display related data but do not provide a custom interface.

D. Create a canvas app and add it to a solution

- Adding a canvas app to a solution does not embed it on the form. The key requirement is to embed and bind it to the form record.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/315459-exam-pl-200-topic-2-question-64-discussion/>

116 Question.

You are customizing a model-driven app view that is used to manage contract approvals by using Power Fx.

A custom command button must appear only when:

- One or more records are selected in the grid view.
- All selected records have a RecordStatus field value of Ready.

You need to configure the command to meet the business requirements.

Which Power Fx expressions should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Condition

At least one record is selected.

All selected records have a value of Ready.

Power Fx expression

!IsBlank(Self.Selected.AllItems)
CountRows(Self.Selected.AllItems) > 0
CountRows(Self.Selected.AllItems) = 1

Self.RecordStatus = "Ready"
ForAll(Self.Selected.AllItems, RecordStatus = "Ready")
CountIf(Self.Selected.AllItems, RecordStatus <> "Ready") = 0

Answer

Correct Answer:

Answer Area

Condition

At least one record is selected.

All selected records have a value of Ready.

Power Fx expression

!IsBlank(Self.Selected.AllItems)
CountRows(Self.Selected.AllItems) > 0
CountRows(Self.Selected.AllItems) = 1

Self.RecordStatus = "Ready"
ForAll(Self.Selected.AllItems, RecordStatus = "Ready")
CountIf(Self.Selected.AllItems, RecordStatus <> "Ready") = 0

Explanation:

For a command button that should only be visible when:

1. **At least one record is selected**
2. **All selected records have RecordStatus = "Ready"**

the correct Power Fx expressions are:

At least one record is selected

CountRows(Self.Selected.AllItems) > 0

Why?

- Returns true when one or more records are selected.
- CountRows(...) = 1 would only allow exactly one record.
- !IsBlank(Self.Selected.AllItems) is not the recommended way to test for selected rows.

All selected records have a value of Ready

CountIf(Self.Selected.AllItems, RecordStatus <> "Ready") = 0

Why?

- Counts records that are not Ready.
- If the count is 0, then every selected record is Ready.
- Self.RecordStatus = "Ready" only checks a single record.
- ForAll(...) is not appropriate because ForAll returns a table, not a single Boolean value suitable for command visibility.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/394312-exam-pl-200-topic-2-question-68-discussion/>

117 Question.

You plan to create user interface (UI) flows to automate several web-based business processes that you currently perform manually.

You need to ensure that users can create and run web UI flows.

Which three components must you install and configure on user's devices? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Power Automate Desktop
- B. Latest version of Microsoft Edge
- C. On-premises data gateway
- D. Selenium IDE
- E. Latest version of Mozilla Firefox

Answer

Correct Answer: A,B,D

Explanation:

To create and run **web UI flows** (legacy Power Automate UI flows/web automation), users need:

A. Power Automate Desktop

- Required to create, record, edit, and run UI flows.

B. Latest version of Microsoft Edge

- Supported browser for web automation and recording.

D. Selenium IDE

- Used by UI flows for web recording and playback capabilities.

Why not the others?

C. On-premises data gateway

- Used to access on-premises data sources from cloud services.
- Not required to create or run web UI flows.

E. Latest version of Mozilla Firefox

- Not a required component for Power Automate web UI flow

Discussion: <https://www.examttopics.com/discussions/microsoft/view/60320-exam-pl-200-topic-3-question-1-discussion/>

118 Question.

You are designing a desktop user interface (UI) flow.

The UI flow automates legacy software.

You need to prepare data for transfer to Microsoft SharePoint list.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions

Select information to pass to the SharePoint list.

Copy and paste the text in the output definition window.

On the Outputs menu of the UI flow, choose **Select text on screen**.

Enter a name and description for the output.

Start recording the UI flow.

Stop the recording and save the flow.

Answer Area



Answer

Correct Answer:

Actions

Copy and paste the text in the output definition window.

Stop the recording and save the flow.

Answer Area

Start recording the UI flow.

On the Outputs menu of the UI flow, choose **Select text on screen**.

Select information to pass to the SharePoint list.

Enter a name and description for the output.



Explanation:

For a **desktop UI flow**, to extract information from a legacy application and make it available for use later (for example, to create SharePoint list items), you first define an **output**.

The correct sequence is:

1. **Start recording the UI flow**
2. **On the Outputs menu of the UI flow, choose Select text on screen**
3. **Select information to pass to the SharePoint list**
4. **Enter a name and description for the output**

Discussion: <https://www.examttopics.com/discussions/microsoft/view/43262-exam-pl-200-topic-3-question-2-discussion/>

119 Question.

You have a business process flow.

You need to update the business process flow while minimizing administrative and maintenance efforts.

What should you implement? To answer, drag the appropriate features to the correct requirements. Each feature may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Features

Action step

Classic workflow

Power Automate flow

Answer Area

Requirement

Allow users to navigate to the previous stage only from specific stages.

Create checklist records in specific stages on demand.

Feature

Feature

Feature

Answer

Correct Answer:

Features

Power Automate flow

Answer Area

Requirement

Allow users to navigate to the previous stage only from specific stages.

Create checklist records in specific stages on demand.

Feature

Classic workflow

Action step

Explanation:

- **Classic workflow**

Use this when you need to control **business process flow stage navigation**, including moving users back to a previous stage under specific conditions.

- **Action step**

Use an **action step** in a business process flow when users need to manually trigger an action from a specific stage, such as creating checklist records on demand.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/41577-exam-pl-200-topic-3-question-3-discussion/>

120 Question.

You are creating a new business process flow to qualify leads.

You create an action. The action is not available inside the Action Step.

You need to make the action available to the Action Step.

Which two steps must you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Ensure that the entity for the action matches the corresponding entity for the business process flow stage.
- B. Add at least one step to the action.
- C. Select Run as an on-demand process.
- D. Activate the action.

Answer

Correct Answer: A,D

Explanation:

To make an action available in a **Business Process Flow Action Step**, you must:

A. Ensure that the entity for the action matches the corresponding entity for the business process flow stage.

D. Activate the action.

Why?

An Action Step in a Business Process Flow can only use actions that:

- Are associated with the same table/entity as the stage.
- Are **activated**.

Why not the others?

B. Add at least one step to the action

- An action does not need a workflow step to appear in the Action Step list.

C. Select Run as an on-demand process

- This setting applies to classic workflows, not actions.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/41351-exam-pl-200-topic-3-question-4-discussion/>

121 Question.

You plan to automate several different processes by using Power Automate.

Each process has unique characteristics.

You need to recommend components for each process.

Which components should you recommend? To answer, drag the appropriate components to the correct processes. Each component may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Components	Answer Area						
Attended UI flow	<table border="1"><thead><tr><th>Process</th><th>Component</th></tr></thead><tbody><tr><td>Access data from an internally created web application with basic REST API functionality as part of a nightly batch job.</td><td>Component</td></tr><tr><td>Access data from a public web site with no API functionality for emails processed through an unmonitored queue.</td><td>Component</td></tr></tbody></table>	Process	Component	Access data from an internally created web application with basic REST API functionality as part of a nightly batch job.	Component	Access data from a public web site with no API functionality for emails processed through an unmonitored queue.	Component
Process	Component						
Access data from an internally created web application with basic REST API functionality as part of a nightly batch job.	Component						
Access data from a public web site with no API functionality for emails processed through an unmonitored queue.	Component						
Unattended UI flow							
Flow that uses a custom connector							
Flow that uses a prebuilt connector							

Answer

Correct Answer:

Components	Answer Area						
Attended UI flow	<table border="1"><thead><tr><th>Process</th><th>Component</th></tr></thead><tbody><tr><td>Access data from an internally created web application with basic REST API functionality as part of a nightly batch job.</td><td>Flow that uses a custom connector</td></tr><tr><td>Access data from a public web site with no API functionality for emails processed through an unmonitored queue.</td><td>Unattended UI flow</td></tr></tbody></table>	Process	Component	Access data from an internally created web application with basic REST API functionality as part of a nightly batch job.	Flow that uses a custom connector	Access data from a public web site with no API functionality for emails processed through an unmonitored queue.	Unattended UI flow
Process	Component						
Access data from an internally created web application with basic REST API functionality as part of a nightly batch job.	Flow that uses a custom connector						
Access data from a public web site with no API functionality for emails processed through an unmonitored queue.	Unattended UI flow						
Flow that uses a prebuilt connector							

Explanation:

1. Internally created web application with REST API → Flow that uses a custom connector

- The application exposes a REST API.
- If there is no existing Power Automate connector, the recommended approach is to create a **custom connector** and use it from a cloud flow.
- This is more reliable and maintainable than UI automation.

2. Public website with no API functionality → Unattended UI flow

- No API is available.
- The process is triggered from an **unmonitored queue**, so no user will be present to interact with the UI.
- Therefore, robotic process automation (RPA) must run without human intervention.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/41579-exam-pl-200-topic-3-question-5-discussion/>

122 Question.

You create workflows to automate business processes.

You need to create a workflow that automatically sends emails based on a mail merge template.

The workflow must contain the following configurations:

- Run immediately.
- Validate when a condition is met.
- Perform an action when a condition is met.

To answer, select the appropriate configuration in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Workflow Requirement	Configuration Option
Run immediately.	▼ Approve the workflow. Configure the workflow to run now. Configure child workflow to run now.
Validate when a condition is met.	▼ Publish workflow. Subject contains data. Trigger when a Power Automate button is pressed.
Perform an action when a condition is met.	▼ Send an email. View chart. Update a security role.

Answer

Correct Answer:

Answer Area

Workflow Requirement	Configuration Option
Run immediately.	▼ Approve the workflow. Configure the workflow to run now. Configure child workflow to run now.
Validate when a condition is met.	▼ Publish workflow. Subject contains data. Trigger when a Power Automate button is pressed.
Perform an action when a condition is met.	▼ Send an email. View chart. Update a security role.

Explanation:

- **Configure the workflow to run now** → Executes the workflow immediately.
- **Subject contains data** → Example of a conditional check/validation within the workflow.
- **Send an email** → The action that sends the email (which can use an email template).

Discussion: <https://www.examttopics.com/discussions/microsoft/view/60006-exam-pl-200-topic-3-question-6-discussion/>

123 Question.

You are developing a canvas app.

You need to apply business rules to the app without writing code.

Which three actions can you use? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Validate data and show error messages.
- B. Enable or disable fields.
- C. Set field requirement levels.
- D. Set field values.
- E. Show or hide fields

Answer

Correct Answer: B,D,E

Explanation:

In Power Apps, **Business Rules** can be used to apply logic without writing code. Supported actions include:

B. Enable or disable fields

D. Set field values

E. Show or hide fields

Why not the others?

A. Validate data and show error messages

- Business Rules can validate data in model-driven apps, but this capability is not supported in canvas apps in the same way.

C. Set field requirement levels

- Setting a column's required level is a Dataverse/model-driven app capability and isn't supported as a Business Rule action in canvas apps.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/61021-exam-pl-200-topic-3-question-7-discussion/>

124 Question.

A company plans to use Power Automate to increase employee efficiency.

You need to recommend the types of flows that the company should use.

Which flow type should you recommend? To answer, drag the appropriate flow types to the correct tasks. Each flow type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Task	Flow type
Perform repetitive actions in an existing application that does not have an API	Desktop flow Automated flow Business process flow
Send an email to a contact on their birthday	Instant flow Scheduled flow Automated flow

Answer

Correct Answer:

Answer Area

Task	Flow type
Perform repetitive actions in an existing application that does not have an API	Desktop flow Automated flow Business process flow
Send an email to a contact on their birthday	Instant flow Scheduled flow Automated flow

Explanation:

The correct mappings are:

1. Perform repetitive actions in an existing application that does not have an API → Desktop flow

Why?

- Desktop flows (RPA) automate interactions with legacy applications and systems that do not expose APIs.

2. Send an email to a contact on their birthday → Scheduled flow

Why?

- A scheduled flow runs at defined intervals (for example, daily) and can check whether today matches a contact's birthday, then send the email automatically.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/82598-exam-pl-200-topic-3-question-8-discussion/>

125 Question.

A company is creating a business process flow in Power Automate to analyze the probability that a customer will buy a specific product.

The company uses ratings from zero to one hundred. The company assigns likelihoods based on the following table:

Rating	Likelihood that customer will buy product
0-35	Low
36-60	Medium
60-75	High
Greater than 75	Very High

You need to define the business process steps. All logic must be included in a single evaluation statement.

Which step should you use? To answer, drag the appropriate steps to the correct ratings. Each step may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Steps

Check Condition
Conditional Branch
Custom Step
Default Action

Answer Area

Rating

0-35

36-60

76+

Step

Answer

Correct Answer:

Steps

Check Condition
Custom Step

Answer Area

Rating

0-35

36-60

76+

Step

Conditional Branch
Conditional Branch
Default Action

Explanation:

This question is about **Business Process Flow branching logic**.

The requirement states:

All logic must be included in a single evaluation statement.

In a Business Process Flow, a **Conditional Branch** is used to evaluate conditions and create different paths. The branches represent the explicit ranges, and the final unmatched path is handled by the **Default Action**

Why?

A typical implementation would be:

1. **Conditional Branch** → Rating ≤ 35 → Low

2. **Conditional Branch** → Rating ≤ 60 → Medium
3. **Conditional Branch** → Rating ≤ 75 → High
4. **Default Action** → Anything remaining (>75) → Very High

Discussion: <https://www.examtactics.com/discussions/microsoft/view/81723-exam-pl-200-topic-3-question-9-discussion/>

126 Question.

You are creating a Power Platform solution.

You need to help end users understand which actions to take next and ensure that user interaction occurs in manageable steps.

Which actions should you perform? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Requirement	Action
Guide the user with actions to take.	▼ Configure views and charts. Configure business process flows. Configure workflows.
Ensure user interaction in manageable steps.	▼ Configure the timeline on the form. Configure each stage with the actions that needs to be completed. Configure Insights.

Answer

Correct Answer:

Answer Area

Requirement	Action
Guide the user with actions to take.	▼ Configure views and charts. Configure business process flows. Configure workflows.
Ensure user interaction in manageable steps.	▼ Configure the timeline on the form. Configure each stage with the actions that needs to be completed. Configure Insights.

Explanation:

- **Business Process Flows (BPFs)** are specifically designed to guide users through a process and indicate what should be done next.
- BPFs break a process into **stages**, and each stage can contain **steps/actions** that users must complete before moving forward.
- Views, charts, timelines, workflows, and insights do not provide the same guided, stage-based user experience.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/60327-exam-pl-200-topic-3-question-10-discussion/>

127 Question.

You are developing an app.

You must trigger a mobile notification whenever a specific hashtag is posted from Twitter. The notification will send email to the company's social media teams distribution list.

You need to create a connection to the Twitter service and build a solution.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions	Answer Area
Create an action to search for the new posts with the hashtag.	
Select the Twitter connector and use the user credentials for the connection.	
Sign in to the Business platform admin center and create a new project and connection set.	
Create a trigger to send an email.	⬅️
Select the Twitter connector, generate an authentication key from the service, and use the key for the connection.	➡️
Create an action to send an email.	⬆️
Create a trigger to search for the new posts with the hashtag.	⬇️
Sign in to Power Automate and create a new blank flow.	

Answer

Correct Answer:

Actions	Answer Area
Create an action to search for the new posts with the hashtag.	Sign in to Power Automate and create a new blank flow.
	Select the Twitter connector and use the user credentials for the connection.
Sign in to the Business platform admin center and create a new project and connection set.	Create a trigger to search for the new posts with the hashtag.
Create a trigger to send an email.	Create an action to send an email
Select the Twitter connector, generate an authentication key from the service, and use the key for the connection.	

This is a standard **Power Automate Twitter trigger + email** action scenario.

The correct sequence is:

1. **Sign in to Power Automate and create a new blank flow**
2. **Select the Twitter connector and use the user credentials for the connection**
3. **Create a trigger to search for the new posts with the hashtag**
4. **Create an action to send an email**

Why?

- A Power Automate solution starts by creating a flow.
- The Twitter connector uses OAuth/user credentials, not a manually generated authentication key.
- The detection of tweets containing a specific hashtag is the trigger.
- Sending the email notification is the action that follows the trigger.

Explanation:

Discussion: <https://www.examttopics.com/discussions/microsoft/view/79717-exam-pl-200-topic-3-question-11-discussion/>

128 Question.

You manage Microsoft Power Platform apps for a company.

You need to hide the Flows button on the user interface.

Which configuration setting should you change?

- A. the SiteMap
- B. the Customizations section of System Settings

- C. the Entity component of the default solution
- D. the Buttons tab of Flow

Answer

Correct Answer: B

Explanation:

In Dynamics 365 / Power Platform model-driven apps, the **Flows** button (Power Automate integration) can be controlled through:

Settings → Administration → System Settings → Customization

There is an option to show or hide the **Flow** functionality from the user interface.

Why not the others?

A. SiteMap

- Controls navigation items, not the Flow button displayed on forms and views.

C. Entity component of the default solution

- Used to customize tables/entities and their components, not global Flow visibility.

D. Buttons tab of Flow

- No such configuration exists for hiding the Flow button globally.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/62395-exam-pl-200-topic-3-question-12-discussion/>

129 Question.

BYou configure and test a user interface (UI) flow. You plan to run the flow as a scheduled flow. The UI flow must run on a Windows 10 device. As part of process automation, the UI flow must sign into the Windows 10 device with the credentials for a user account named User1.

You need to ensure that the flow runs during non-peak hours and requires no physical user intervention.

What should you do?

- A. Ensure that the User1 account has an active user session on the device.
- B. Ensure that all user sessions are signed out.
- C. Ensure that there are no active user sessions on the device.
- D. Ensure that all user sessions are signed out except for locked user sessions.

Answer

Correct Answer: C

Explanation:

For a **scheduled UI flow** (unattended RPA):

- The flow must run **without human intervention**.
- Power Automate uses the provided credentials (**User1**) to sign in automatically.
- The machine must be available for the automation to establish its own session.

Therefore, there should be **no active user sessions** on the device when the unattended UI flow starts.

Why not the others?

A. Ensure that the User1 account has an active user session on the device.

- This is more appropriate for **attended** automation, not unattended scheduled execution.

B. Ensure that all user sessions are signed out.

- Too broad. The recommended condition is specifically that there are **no active sessions**, allowing the unattended flow to create its own session.

D. Ensure that all user sessions are signed out except for locked user sessions.

- Locked sessions can interfere with unattended execution and are not required.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/41347-exam-pl-200-topic-3-question-13-discussion/>

130 Question.

A company plans to send escalation emails to all customers with overdue invoices. You are creating a Microsoft Power Automate flow to determine whether to send an escalation email. The system must send an alert for all invoices that are seven days or more overdue. You need to configure the flow. Which expression should you use?

- A. `@GreaterOrEquals(TriggerEmail()?['OverdueDate']: '7')`
- B. `'OverdueDate' >= '7'?TriggerEmail(): false`
- C. `TriggerEmail() = 'OverdueDate' >= 7;`

Answer

Correct Answer: A

Explanation:

The requirement is to send an escalation email when an invoice is **7 days or more overdue**.

In Power Automate, the correct way to evaluate this is with the **GreaterOrEquals** function:

`@GreaterOrEquals(TriggerEmail()?['OverdueDate'], 7)`

This returns **true** when the value of **OverdueDate** is greater than or equal to **7**.

Why not the others?

B uses invalid Power Automate expression syntax.

C is not valid Power Automate expression syntax and performs an assignment rather than a comparison.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/79991-exam-pl-200-topic-3-question-14-discussion/>

131 Question.

You add a business process flow to the Account table. The flow has three stages. You need to ensure that a workflow can run when a user completes the final stage. Which option should you use?

- A. Start when: Record status changes
- B. Available to run: Run this workflow in the background
- C. Available to run: As an on-demand process
- D. Available to run: As a child process

Answer

Correct Answer: D

Explanation:

In a **Business Process Flow (BPF)**, an **Action Step** can invoke:

- A **workflow configured as a child process**
- A custom action

To run a workflow when the user completes a stage (such as the final stage), the workflow must be available to the BPF, which requires it to be configured as a **child process**.

Why not the others?

A. Start when: Record status changes

- Triggers based on record status changes, not BPF stage completion.

B. Available to run: Run this workflow in the background

- Controls execution mode, not whether the workflow can be called from a BPF.

C. Available to run: As an on-demand process

- Allows manual execution by users, but does not make it available as a BPF child workflow.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/80316-exam-pl-200-topic-3-question-15-discussion/>

132 Question.

You need to create a Power Automate desktop flow.

What are two possible ways to create the flow? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Record mouse and keyboard events.
- B. Configure a pre-built template.
- C. Use pre-built actions.
- D. Create models by using Microsoft Visio.

Answer

Correct Answer: A,C

Explanation:

Power Automate Desktop flows can be created in two primary ways:

A. Record mouse and keyboard events

- Power Automate Desktop includes a **Recorder** that captures user interactions such as mouse clicks, keyboard input, and UI actions.
- The recorded steps are automatically converted into flow actions.

C. Use pre-built actions

- Power Automate Desktop provides hundreds of built-in actions (file operations, web automation, Excel, Outlook, loops, conditions, etc.).
- You can drag and drop these actions to manually build a desktop flow.

Why the others are incorrect

B. Configure a pre-built template

- Unlike cloud flows, desktop flows are not created by configuring pre-built templates as a primary creation method.

D. Create models by using Microsoft Visio

- Microsoft Visio is not used to create Power Automate Desktop flows

Discussion: <https://www.examttopics.com/discussions/microsoft/view/86139-exam-pl-200-topic-3-question-16-discussion/>

133 Question.

You are using Power Automate to create a list of customers from a Microsoft Excel file. The list must contain customers who meet one of the following criteria:

- Sales of less than \$500,000.
- Customers who are on credit hold.

You need to create a condition to filter the list of customers.

How should you complete the filter condition? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

@	(less(item()?['sales'], 500000),	empty(item()?['credithold'], 'true')
or		equals(item()?['credithold'], 'true')
and		not(equals(item()?['credithold'], 'true'))
not		

Answer

Correct Answer:

@	(less(item()?['sales'], 500000),	empty(item()?['credithold'], 'true')
or		equals(item()?['credithold'], 'true')
and		not(equals(item()?['credithold'], 'true'))
not		

Explanation:

The requirement is:

- **Sales < 500,000 OR**
- **Credit Hold = true**

In Power Automate expressions:

- less(item()?['sales'], 500000) checks sales less than 500,000.
- equals(item()?['credithold'], 'true') checks whether the customer is on credit hold.
- Since either condition can be true, use **or**.

Therefore, the completed expression is:

@or(

less(item()?['sales'], 500000),

```
equals(item()?['credithold'], 'true')  
)
```

Discussion: <https://www.examttopics.com/discussions/microsoft/view/79811-exam-pl-200-topic-3-question-17-discussion/>

134 Question.

A farm uses a canvas app to manage schedules for planting fields with crop seeds. The farm uses business intelligence to provide recommendations for schedule changes based on weather data. You must implement a business rule that changes information for several forms in the canvas app based on business intelligence data.

You need to configure the business rule.

Which scope should you use?

- A. Table
- B. All Forms
- C. Form specific

Answer

Correct Answer: A

Explanation:

Business rules have three possible scopes:

- **Entity (Table)** – applies to **all forms**, including model-driven apps and data created through other methods.
- **All Forms** – applies to all forms of a specific table.
- **Specific Form** – applies only to a selected form.

The requirement states that the business rule must **change information for several forms** based on business intelligence data. To ensure the rule is applied consistently across the table and all its forms, the appropriate scope is **Table (Entity)**.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/79812-exam-pl-200-topic-3-question-18-discussion/>

135 Question.

A company uses Power Apps and Power Automate.

There is an issue with the existing flow in the test environment. Development changes are allowed in the test environment.

You need to troubleshoot the issue with the flow.

Which command should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Action	Command					
Enable changes to the flow.	<table><tr><td></td></tr><tr><td>Add existing</td></tr><tr><td>Remove</td></tr><tr><td>Edit</td></tr><tr><td>Turn off</td></tr></table>		Add existing	Remove	Edit	Turn off
Add existing						
Remove						
Edit						
Turn off						
Enable changes to the object.	<table><tr><td></td></tr><tr><td>Edit</td></tr><tr><td>Publish</td></tr><tr><td>Turn off</td></tr></table>		Edit	Publish	Turn off	
Edit						
Publish						
Turn off						

Answer

Correct Answer:

Action	Command					
Enable changes to the flow.	<table><tr><td></td></tr><tr><td>Add existing</td></tr><tr><td>Remove</td></tr><tr><td>Edit</td></tr><tr><td>Turn off</td></tr></table>		Add existing	Remove	Edit	Turn off
Add existing						
Remove						
Edit						
Turn off						
Enable changes to the object.	<table><tr><td></td></tr><tr><td>Edit</td></tr><tr><td>Publish</td></tr><tr><td>Turn off</td></tr></table>		Edit	Publish	Turn off	
Edit						
Publish						
Turn off						

Explanation:

- **Remove**

If a flow is solution-aware and managed by a solution, removing it from the solution makes it available for direct modification in the environment.

- **Turn off**

A flow must be turned off before certain edits can be made safely during troubleshooting and development.

Discussion: <https://www.examtactics.com/discussions/microsoft/view/83287-exam-pl-200-topic-3-question-19-discussion/>

136 Question.

You plan on implementing complex business logic in Microsoft Dataverse tables by using Power Automate flows.

You realize that the functionality required to implement the business logic is not available in a Power Automate flow.

The new business logic must work in multiple Dataverse tables. In addition, the operation must return a value after it finishes and must be able to run from an existing Dataverse action.

You need to recommend the method to implement the missing logic.

What should you recommend?

- A. Bound action
- B. Custom API
- C. Unbound action
- D. Scheduled workflow

Answer

Correct Answer: B

Explanation:

The requirement states:

1. The logic is **not available in Power Automate**.
2. It must be reusable across **multiple Dataverse tables**.
3. It must **return a value** when it finishes.
4. It must be callable from an **existing Dataverse action**.

A **Custom API** is specifically designed to extend Dataverse with custom business logic that can:

- Execute server-side code (plug-ins).
- Accept input parameters and return output values.
- Be invoked from Power Automate, model-driven apps, JavaScript, and Dataverse actions.
- Work independently of a specific table (or be associated when needed).

Why not the others?

- **A. Bound action**
Bound actions are tied to a specific table/row, whereas the requirement is to work across multiple tables.
- **C. Unbound action**
Actions are the older approach. Microsoft recommends **Custom APIs** for new extensibility scenarios because they provide stronger control over parameters, execution, and return values.
- **D. Scheduled workflow**
Workflows do not satisfy the requirement to return a value and are not intended for this type of reusable custom business logic.

Discussion: <https://www.examtopycs.com/discussions/microsoft/view/83453-exam-pl-200-topic-3-question-20-discussion/>

137 Question.

A company plans to automate the following manual processes by using Power Automate.

Process	Time to Complete	Comments
1	30 minutes	The user's device must remain unlocked when the business process runs. The user will be required to leave their device unattended in a secure setting while the business process runs so that the user can assist with other efforts.
2	45 minutes	The process must run after normal business hours. The device that runs the business process must remain unlocked when the business process is not running.

You need to identify UI flow types for the two business processes.

Which desktop flow type should you use? To answer, drag the appropriate desktop flow types to the correct business processes. Each desktop flow type may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Desktop flow types

Attended

Unattended

Answer Area

Business process

1

2

Desktop flow type

Answer

Correct Answer:

Desktop flow types

Answer Area

Business process

1
2

Desktop flow type

Attended

Unattended

Explanation:

For Power Automate Desktop:

- **Attended flow** = requires a user session and the machine remains **unlocked** while the flow runs.
- **Unattended flow** = runs automatically without user interaction, typically after hours.

Process 1 → Attended

The device must remain unlocked while the process runs, and the user leaves it running while doing other work.

Process 2 → Unattended

The process must run after normal business hours.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/83768-exam-pl-200-topic-3-question-21-discussion/>

138 Question.

You are creating a business process flow for a Power Apps app.

The business process flow must meet the following requirements:

- Must be available offline.
- Send an email to the team when a record is created.

You need to set up business process flow.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Requirement

Configuration

Make it available offline

Ensure that the business process flow is referencing one table.
Ensure that the business process flow is referencing two tables.
Ensure that the business process flow is referencing one table per stage.

Send an email to the team

Create a step.
Create a stage.
Create a required column.

Answer

Correct Answer:

Answer Area

Requirement

Configuration

Make it available offline

Ensure that the business process flow is referencing one table.
Ensure that the business process flow is referencing two tables.
Ensure that the business process flow is referencing one table per stage.

Send an email to the team

Create a step.
Create a stage.
Create a required column.

Explanation:

Make it available offline → Ensure that the business process flow is referencing one table.

Business Process Flows are available offline **only when they reference a single table.**

Send an email to the team → Create a step.

To trigger an action such as sending an email, you add an **Action Step** to the Business Process Flow.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/96046-exam-pl-200-topic-3-question-22-discussion/>

139 Question.

A company has a model-driven app.

The app must meet the following requirements:

- Prevent users from saving a record if validation from a custom action fails.
- Query and update a list of records.

You need to configure processes for the app without using code.

Which processes should you use? To answer, drag the appropriate processes to the correct requirements. Each process may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Processes		Answer Area	
Cloud flow	•	Requirement	Process
Classic workflow	•	Prevent users from saving a record.	
Business process flow	•	Query and update records.	

Answer

Correct Answer:

Processes		Answer Area	
	•	Requirement	Process
	•	Prevent users from saving a record.	Classic workflow
Business process flow	•	Query and update records.	Cloud flow

Explanation:

For the two requirements:

1. Prevent users from saving a record if validation from a custom action fails → Classic workflow

- A **real-time (synchronous) classic workflow** can run before the record is saved and stop the operation if validation fails.
- Cloud flows run asynchronously and cannot prevent the save operation.

2. Query and update a list of records → Cloud flow

- Cloud flows are designed to query, process, and update multiple records efficiently using Dataverse connectors and actions.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/96907-exam-pl-200-topic-3-question-23-discussion/>

140 Question.

You plan to create a canvas app.

The app requires a button on the data entry screen that users can select to send an email.

You need to configure the app.

What should you create?

- A. Classic workflow
- B. Power Automate cloud flow
- C. Azure Logic App
- D. Business process flow

Answer

Correct Answer: B

Explanation:

In a **canvas app**, if users need to select a button to send an email, the recommended approach is to:

1. Create a **Power Automate cloud flow** that sends the email.
2. Add the flow to the canvas app.
3. Configure the button's **OnSelect** property to run the flow.

Why not the others?

- **A. Classic workflow**
Classic workflows run in Dataverse and are not directly invoked by a button in a canvas app.
- **C. Azure Logic App**
While Logic Apps can send emails, the native no-code Power Platform solution for a canvas app is a Power Automate cloud flow.
- **D. Business process flow**
Business process flows guide users through stages of a process; they are not used to send emails from a canvas app button.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/99701-exam-pl-200-topic-3-question-24-discussion/>

141 Question.

You need to build a Power BI dashboard for sales managers to track opportunities.

When a new sale closes that is greater than \$1 million, a notification must pop up and an email must be sent to the leadership team.

You need to ensure the email is sent without editing the Microsoft Dataverse.

Which two elements should you configure? Each correct answer is part of the solution.

NOTE: Each correct selection is worth one point.

- A. a Power Automate flow
- B. a calculated column in the Dataverse
- C. a paginated report to save to Microsoft OneDrive
- D. a custom connector
- E. alerts in Power BI

Answer

Correct Answer: A,E

Explanation:

The requirement is:

- A Power BI dashboard tracks opportunities.
- When a sale exceeds **\$1 million**, a notification must appear.
- An email must be sent automatically.
- No changes can be made to Dataverse.

Power BI Alerts can monitor a dashboard tile and trigger when a threshold is exceeded (e.g., sales > \$1,000,000).

Power Automate can be triggered by a Power BI alert and then send an email to the leadership team.

Why not the others?

- **B. Calculated column in Dataverse**
Requires modifying Dataverse, which is not allowed.
- **C. Paginated report to OneDrive**
Does not provide real-time alerting and email notification based on dashboard thresholds.
- **D. Custom connector**
Not needed for standard Power BI alert and email functionality.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/96780-exam-pl-200-topic-3-question-25-discussion/>

142 Question.

A company uses a model-driven app for customer support.

The company has the following requirements for the app:

- Send an email in real-time to customers when they enter their email address.
- Send an email to customers at the same time every day for cases that are open for more than 24 hours.

The solution should require the least amount of customization.

You need to configure the model-driven app.

Which components should you use? To answer, drag the appropriate components to the requirements. Each component may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Components	Requirement	Component
Power Apps component framework (PCF) control	Send email to customer when email address entered.	Component
Classic workflow	Send email at the same time every day.	Component
Power Automate flow		
JavaScript		

Answer

Correct Answer:

Components	Answer Area	
Power Apps component framework (PCF) control		
	Requirement	Component
	Send email to customer when email address entered.	Classic workflow
JavaScript	Send email at the same time every day.	Power Automate flow

Explanation:

Send email to customer when email address entered

- This requires **real-time** processing when a record is created or updated.
- A **real-time Classic workflow** can trigger immediately when the email field is populated and send the email with minimal customization.

Send email at the same time every day

- This is a **scheduled** process (for cases open more than 24 hours).
- A **Power Automate flow** can run on a recurring schedule (for example, daily at 9:00 AM) and send emails for qualifying cases.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/96781-exam-pl-200-topic-3-question-26-discussion/>

143 Question.

You have a classic workflow. The workflow updates a custom column on a record when an account record is created.

The workflow must update the custom column based on the following conditions:

- Update the custom column value using the Account Number.
- If the Account Number column is blank, update the custom column value using the Ticker Symbol.
- If the Ticker Symbol column is blank, update the custom column value to N/A.

You need to configure the custom column value by using the update record step.

What should you do?

- Add a formula that evaluates the two column values and uses the first populated value or else the default value.

- B. Add an expression that evaluates the two column values and uses the first populated value or else the default value.
- C. Add the two columns with the default value by using the Forms Assistant.
- D. Add check conditions to determine if the two columns contain data.

Answer

Correct Answer: A

Explanation:

In a **classic Dataverse workflow**, when configuring an **Update Record** step, you can use the **Form Assistant** and **Process Expressions/Formulas** to populate a field dynamically.

The requirement is essentially:

Account Number

Else Ticker Symbol

Else "N/A"

This can be accomplished with a **formula** that evaluates the fields and returns the first non-empty value, otherwise the default value.

Why the others are incorrect

- **B. Add an expression...**
Classic workflows use **process formulas** rather than Power Automate-style expressions.
- **C. Add the two columns with the default value by using the Forms Assistant.**
This would concatenate or insert values but would not evaluate which field is populated.
- **D. Add check conditions to determine if the two columns contain data.**
While possible, it requires multiple conditional branches and does not satisfy the requirement to configure the value directly in the Update Record step as efficiently as a formula.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/95990-exam-pl-200-topic-3-question-27-discussion/>

144 Question.

A company uses a canvas app.

Supervisors must approve transactions when a user from the sales department enters a revenue amount that is over \$1 million.

You need to configure an approval process without using code.

What should you create?

- A. Power Automate cloud flow
- B. Power Apps component framework (PCF) control
- C. Column Expression
- D. Azure Service Bus service

Answer

Correct Answer: A

Explanation:

The requirement is to:

- Trigger an approval when a revenue amount exceeds **\$1 million**.
- Use a **canvas app**.
- Implement the solution **without code**.

Power Automate cloud flows provide built-in **Approvals** actions that can:

- Start and manage approval processes.
- Send approval requests to supervisors.
- Wait for approval or rejection.
- Integrate directly with canvas apps.

Why not the others?

- **B. Power Apps component framework (PCF) control**
PCF controls require custom development and are used to extend the UI, not to create approval workflows.
- **C. Column Expression**
Expressions can calculate values but cannot orchestrate approvals.
- **D. Azure Service Bus service**
Service Bus is a messaging service and would require custom integration; it is not a no-code approval solution.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/99709-exam-pl-200-topic-3-question-28-discussion/>

145 Question.

A company creates a Power Automate cloud flow for a Power Apps app.

The cloud flow must send a daily email that contains a list of year-to-date (YTD) totals.

You need to configure the flow.

Which feature should you use?

- A. Loop
- B. Wait
- C. Condition
- D. Parallel branch

Answer

Correct Answer: A

Explanation:

The flow must send a daily email containing a **list of YTD totals**. When generating a list of records (such as YTD totals), Power Automate typically needs to iterate through multiple items and build the email content.

A **Loop (Apply to each)** is used to process each record in a collection and compile the list that will be included in the email.

Why not the others?

- **B. Wait**
Pauses execution for a period of time; it does not process lists of records.
- **C. Condition**
Evaluates true/false logic but does not iterate through multiple YTD records.
- **D. Parallel branch**
Runs actions simultaneously and is unrelated to creating a list for an email.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/96205-exam-pl-200-topic-3-question-29-discussion/>

146 Question.

A company uses a model-driven app. The app uses a workflow to send email. Emails are sent to new customers that enter an email address for the first time in the app.

Customers report that they do not receive an email after entering an email address.

You need to troubleshoot the issue.

In which order should you perform the actions? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions	Answer area
Clear the option to delete the workflow retention jobs.	
Run the workflow.	
Edit the workflow.	
Review the tab with the process sessions.	

Answer

Correct Answer:

Actions	Answer area
Clear the option to delete the workflow retention jobs.	Run the workflow.
	Edit the workflow.
	Review the tab with the process sessions.

Explanation:

To troubleshoot a classic workflow, you should first reproduce the problem, then review the workflow execution details, and finally make corrections if needed.

Correct order:

- **Run the workflow**
- **Review the tab with the process sessions**
- **Edit the workflow**

Why?

- **Run the workflow** to reproduce the issue and generate a workflow execution record.
- **Review the Process Sessions** to identify errors, failures, or conditions that prevented the email from being sent.
- **Edit the workflow** to correct the identified issue.

Clear the option to delete the workflow retention jobs is not part of the normal troubleshooting sequence for this scenario.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/114698-exam-pl-200-topic-3-question-33-discussion/>

147 Question.

A company has a Power Apps app.

The app must meet the following requirements:

- Managers assign lead records to the sales department. A new phone call record must be created if a lead record has no activities.

- An email must be sent to the manager if the phone call record created is not completed after one day.

A classic workflow must run when a lead record is assigned.

You need to configure the check conditions for the workflow.

Which value should you use for each condition? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Condition	Value
Number of activities for new phone call record.	0 1 Process Activity Count
Duration for email sent to manager.	1 Day Lead Created On + 1 Day Lead Modified On + 1 Day

Answer

Correct Answer:

Answer Area

Condition	Value
Number of activities for new phone call record.	0 1 Process Activity Count
Duration for email sent to manager.	1 Day Lead Created On + 1 Day Lead Modified On + 1 Day

Explanation:

For this classic workflow:

Requirement 1

*Create a new phone call record **if a lead record has no activities.***

The check condition should verify that the activity count is **0**.

Number of activities for new phone call record = 0

Requirement 2

*Send an email to the manager if the phone call record is not completed **after one day.***

The workflow should wait until **1 day** has elapsed before checking whether the phone call is completed.

Duration for email sent to manager = 1 Day

Discussion: <https://www.examttopics.com/discussions/microsoft/view/112058-exam-pl-200-topic-3-question-34-discussion/>

148 Question.

You plan to create classic workflows for process automation on the Account table.

The process automation has the following requirements:

- If the Account Name column changes, a custom column named Previous Name must be updated with the original value.
- If the Credit Limit column changes, an email must be sent to the record owner with the new value.
- Asynchronous processes must be used whenever possible.

You need to implement the process automation.

What is the minimum number of workflows you should use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Workflow type

Number of workflows

Background

0
1
2

Real-time

0
1
2

Answer

Correct Answer:

Answer Area

Workflow type

Number of workflows

Background

0
1
2

Real-time

0
1
2

Explanation:

To satisfy the requirements while using **asynchronous processes whenever possible**:

Requirement 1

Account Name changes → Previous Name must contain the original value

- To capture the **original value before the change is committed**, you need a **Real-time workflow** (runs before/during the update).
- A background workflow cannot reliably access the previous value after the record has been updated.

1 Real-time workflow

Requirement 2

Credit Limit changes → Send email to record owner with new value

- Sending an email does not require immediate execution.
- The requirement explicitly says to use **asynchronous processes whenever possible**.

1 Background workflow

Discussion: <https://www.examtips.com/discussions/microsoft/view/127025-exam-pl-200-topic-3-question-35-discussion/>

149 Question.

A company uses Power Apps to create maintenance requests. The maintenance manager emails the manager of the department noted in the request.

The maintenance manager wants to automate the email process when a new maintenance request is created.

You need to build a Power Automate flow to automate the email process.

Which three components should you add to the flow in sequence? To answer, move the appropriate components from the list of components to the answer area and arrange them in the correct order.

Components

trigger

stage

action

data step


condition

Answer Area



Answer

Correct Answer:



Explanation:

In Power Automate, a flow is built in this sequence:

- **Trigger** – starts the flow when a new maintenance request is created.
- **Condition** – checks which department is associated with the request (to determine the correct manager).
- **Action** – sends the email to the manager.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/131886-exam-pl-200-topic-3-question-37-discussion/>

150 Question.

You are creating Power Automate automations targeting Dataverse.

The automations must meet the following requirements:

- Run a custom API created by a developer. The API performs an action against an existing Account row in the system.
- Create three rows in Dataverse. If an error occurs when you create the second row, the first row must be deleted.
- Run several create, update, and delete operations as part of a single transaction without writing custom code.
- Run several complex operations targeting multiple rows in the system as part of a single transaction.

You need to configure the actions.

Which actions should you configure? To answer, move the appropriate actions to the correct requirements. You may use each action once, more than once, or not at all. You may need to move the split bar between panes or scroll to view content.

Actions	Dataverse connector requirements	
	Requirement	Action
Add a new row.		
Perform a bound action.	Perform an action targeting an Account row.	
Perform an unbound action.	Create three new rows.	
Perform a changeset request.	Execute create, delete, and update operations.	
	Execute complex operations.	

Answer

Correct Answer:

Actions	Dataverse connector requirements	
	Requirement	Action
Add a new row.		
	Perform an action targeting an Account row.	Perform a bound action.
	Create three new rows.	Perform a changeset request.
	Execute create, delete, and update operations.	Perform a changeset request.
	Execute complex operations.	Perform an unbound action.

Explanation:

- Perform a bound action**
 Use this when the custom API/action is executed against a specific existing row, such as an **Account** row.
- Perform a changeset request**
 Use this when multiple Dataverse operations must run as a **single transaction**. If one operation fails, the previous operations are rolled back.
- Perform an unbound action**
 Use this for complex operations that are not tied to one specific row and can target multiple rows or broader Dataverse logic.

Discussion: <https://www.examtopycs.com/discussions/microsoft/view/142354-exam-pl-200-topic-3-question-40-discussion/>

151 Question.

A company has a business process flow that executes on the Contact table.

The company requires that the steps in the flow be executed in real time when users create a new task and update the status of a Contact row.

You need to implement a solution that automates the steps.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Actions

- Add a flow step.
- Modify the business process flow.
- Create a new business process flow.
- Activate the business process flow.
- Update the business process flow.
- Create a new custom action with action steps.
- Create a new cloud flow.

Answer Area

Answer

Correct Answer:

Actions

- Add a flow step.
-
- Create a new business process flow.
-
- Update the business process flow.
-
- Create a new cloud flow.

Answer Area

- Create a new custom action with action steps.
- Modify the business process flow.
- Activate the business process flow.

Explanation:

To automate steps in a **Business Process Flow (BPF)** in real time, you use an **Action Step** that calls a **Custom Action**.

The correct sequence is:

1. **Create a new custom action with action steps**
2. **Modify the business process flow**
3. **Activate the business process flow**

Why?

- First, create the **Custom Action** that will perform the required operations (create task, update contact status, etc.).
- Then **modify the existing BPF** to include an **Action Step** that invokes the custom action.
- Finally, **activate the BPF** so the changes take effect.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/139472-exam-pl-200-topic-3-question-41-discussion/>

152 Question.

A company is using the Account table and a main form named Account Main.

The company defines the following requirements for the Account Main form:

- Evaluate a single value selected as part of a drop-down list.
- Display a message and suggestion based on business intelligence if the drop-down list value equals a specific value.
- Logic must run against this form only.

You need to implement the logic.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

NOTE: More than one order of answer choices is correct. You will receive credit for any of the correct orders you select.

Actions


Set scope to Account Main form.
Create a choices column.
Set scope to Entity.
Add a Show Error Message action.
Add a Recommendation action.
Create a choice column.
Create a business rule.
Create a classic workflow.

Steps to implement logic



Answer

Correct Answer:



Explanation:

The requirements point to a **Business Rule** because:

- Evaluate a value from a **drop-down list (Choice column)**.
- Show a **message** and **recommendation** when a specific value is selected.
- Run only on the **Account Main** form.

Correct sequence

1. **Create a choice column**
2. **Create a business rule**
3. **Add a Recommendation action**
4. **Set scope to Account Main form**

Why?

- The drop-down list requires a **Choice column**.
- The logic is implemented using a **Business Rule**.
- A **Recommendation** action displays a message and suggested action based on a condition.
- The business rule scope must be set to the **Account Main form** so it runs only on that form.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/147375-exam-pl-200-topic-3-question-43-discussion/>

153 Question.

A company creates a Power Automate cloud flow for a Power Apps app.

The cloud flow must send an email to each active contact.

You need to configure the flow.

Which feature should you use?

- A. Condition
- B. Apply to each
- C. Wait
- D. Parallel branch

Answer

Correct Answer: B

Explanation:

The flow must send an email to **each active contact**. When a flow retrieves multiple contact records, it must iterate through the collection and perform the email action for every record.

Apply to each is used to:

1. Retrieve the list of active contacts.
2. Loop through each contact.
3. Send an email to each contact individually.

Why not the others?

- **A. Condition**
Evaluates true/false logic but does not iterate through multiple contacts.
- **C. Wait**
Pauses the flow for a specified period.
- **D. Parallel branch**
Runs actions simultaneously but is not used to process each record in a collection.

Discussion: <https://www.examtips.com/discussions/microsoft/view/149008-exam-pl-200-topic-3-question-44-discussion/>

154 Question.

You are creating a cloud flow for an automation targeting Dataverse.

When a new account is created in Dataverse, the name of the account must be updated based on the following logic:

- If the Account Category Code equals Preferred Customer (1), pre append the value Preferred | to the name.
- If the Account Category Code equals Standard (2) or is not populated, pre-append Standard | to the name.

You need to define the correct formula to use for the automation.

Which formula should you use?

- A. `if(equals(triggerOutputs()?['body/accountcategorycode'], 1), concat('Standard | ', triggerOutputs()?['body/name']), concat('Preferred | ', triggerOutputs()?['body/name']))`
- B. `if(equals(triggerOutputs()?['body/accountcategorycode'], 2), concat('Standard | ', triggerOutputs()?['body/name']), concat('Preferred | ', triggerOutputs()?['body/name']))`
- C. `if(equals(outputs('trigger')?['body/accountcategorycode'], 1), concat('Standard | ', outputs('trigger')?['body/name']), concat('Preferred | ', outputs('trigger')?['body/name']))`
- D. `if(equalsfoutputs('trigger')body/accountcategorycode', 2), concat('Standard | ', outputs('trigger')?['body/name']), concat('Preferred | ', outputs('trigger')?['body/name']))`

Answer

Correct Answer: D

Explanation:

The logic required is:

If Account Category Code = 1

→ Preferred | Account Name

Else

→ Standard | Account Name

Option **D** is the only formula that correctly checks for value **2 (Standard)** and returns:

Standard | Name

..

Otherwise, it returns:

Preferred | Name

..

The expression is:

```
if(  
    equals(outputs('trigger')?['body/accountcategorycode'], 2),  
    concat('Standard | ', outputs('trigger')?['body/name']),  
    concat('Preferred | ', outputs('trigger')?['body/name'])  
)
```

Since the requirement states that **Standard (2) or null** should result in "**Standard |**", and all other valid values (specifically 1) should result in "**Preferred |**", **D** is the best match among the provided options.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/145180-exam-pl-200-topic-3-question-45-discussion/>

155 Question.

A cloud flow you authored failed several times in production due to a transient network issue. The issue is now resolved.

You need to reprocess the failed flow runs with the least amount of administrative effort.

What should you do?

- A. Resubmit each run individually.
- B. Resubmit all runs in bulk.
- C. Rerun the trigger action.
- D. Turn the flow off and then on.

Answer

Correct Answer: B

Explanation:

Since the flow failures were caused by a **transient network issue** that has already been resolved, the most efficient approach is to **resubmit all failed runs in bulk**.

This minimizes administrative effort because:

- Multiple failed runs can be retried at once.
- There is no need to open and resubmit each run individually.
- The original trigger data is reused.

Why not the others?

- **A. Resubmit each run individually**
Works, but requires more effort.
- **C. Rerun the trigger action**
Not all triggers can be rerun, and this does not automatically reprocess the existing failed runs.
- **D. Turn the flow off and then on**
This does not reprocess failed runs.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/151211-exam-pl-200-topic-3-question-46-discussion/>

156 Question.

You are creating a Power Automate cloud flow. The cloud flow will create several SharePoint Online list items based on a variety of conditions.

If any of the dependent SharePoint Online actions fail, you must revert the changes while the automation runs.

You need to design the cloud flow to meet the requirement.

Which two actions should you implement for the design? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Add a scope.
- B. Set Run After to Has failed.
- C. Perform a changeset request action.
- D. Retrigger the flow run.

Answer

Correct Answer: A,B

Explanation:

The requirement is to **revert changes if any dependent SharePoint actions fail**. Since SharePoint does not support transactional rollback like Dataverse changesets, you must implement a compensation pattern.

A. Add a scope

- Group the SharePoint create/update operations inside a Scope.
- This allows centralized error handling and rollback logic.

B. Set Run After to Has failed

- Configure a second scope (rollback/cleanup scope) to run **after the first scope has failed**.
- In the rollback scope, delete or undo any SharePoint items that were created before the failure occurred.

Why not the others?

C. Perform a changeset request action

- Changesets provide transactional behavior for Dataverse operations.
- They are not available for SharePoint Online list operations.

D. Retrigger the flow run

- Retrying the flow does not revert changes that were already committed.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/144030-exam-pl-200-topic-3-question-47-discussion/>

157 Question.

A company has a Power Apps app.

The app must meet the following requirements:

- Managers assign lead rows to the sales department. A new phone call row must be created if a lead row has no activities.
- An email must be sent to the manager if the phone call row created is not completed after one day.

A classic workflow must run when a lead row is assigned.

You need to configure the check conditions for the workflow.

Which value should you use for each condition? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Condition

Number of activities to evaluate for the new phone call row

Value

▼

0

1

Process Activity Count

Duration to delay before sending an email to the manager

▼

1 Day

Lead Created On + 1 Day

Lead Modified On + 1 Day

Answer

Correct Answer:

Answer Area

Condition

Number of activities to evaluate for the new phone call row

Value

0
1
Process Activity Count

1 Day
Lead Created On + 1 Day
Lead Modified On + 1 Day

Explanation:

For this workflow:

Condition 1: Number of activities to evaluate for the new phone call row

The requirement states:

"A new phone call row must be created if a lead row has no activities."

Therefore, the workflow should check that the activity count equals **0**.

Value: 0

Condition 2: Duration to delay before sending an email to the manager

The requirement states:

"An email must be sent to the manager if the phone call row created is not completed after one day."

Since the workflow runs when the lead is assigned and creates the phone call, the delay should be **1 day** before checking whether the phone call is completed.

Value: 1 Day

Discussion: <https://www.examttopics.com/discussions/microsoft/view/157182-exam-pl-200-topic-3-question-51-discussion/>

158 Question.

A company uses Power Automate extensively.

The company maintains the following three environments:

Environment name	Dataverse enabled	Purpose
Environment1	No	Used for a small task management application. Administrators of the environment must be able to view failed flow run details only.
Environment2	Yes	Stores highly sensitive data that must not leave the geographical boundary. Auditing policies dictate that all activities must be stored for 90 days. Administrators need to receive automatic smart detection alerts.
Environment3	Yes	Central environment for the company, used to store analytical data for all cloud flow runs across the tenant which then surface in a model-driven app. No flows execute in this environment.

You need to recommend a monitoring solution for each environment. The solution must minimize development effort.

Which tools should you recommend? To answer, move the appropriate tools to the correct environments. You may use each tool once, more than once, or not at all. You may need to move the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Tools	Monitoring tools for different environments
Application Insights	
Microsoft Purview	
Power Platform admin center	
Power Automate Management connector	

Answer

Correct Answer:

Tools	Monitoring tools for different environments
Microsoft Purview	

Environment	Tool
Environment1	Power Platform admin center
Environment2	Application Insights
Environment3	Power Automate Management connector

Explanation:

Environment1 → Power Platform admin center

- No Dataverse.
- Administrators only need to view failed flow run details.
- Minimal development effort.

The Power Platform admin center provides flow monitoring and run history directly, including failed runs.

Environment2 → Application Insights

- Dataverse enabled.
- Highly sensitive data must remain within the geographical boundary.
- Need **automatic smart detection alerts**.
- Retain activity monitoring for auditing.

Application Insights provides telemetry, monitoring, anomaly detection, and smart detection alerts while supporting regional data residency requirements.

Environment3 → Power Automate Management connector

- Dataverse enabled.
- Central environment used to store analytical data for cloud flows across the tenant.
- Data surfaces in a model-driven app.
- No flows execute in this environment.

The Management connector can collect flow analytics and metadata from multiple environments and store/report on them centrally in Dataverse.

Discussion: <https://www.examtips.com/discussions/microsoft/view/394314-exam-pl-200-topic-3-question-52-discussion/>

159 Question.

You are designing a Power Virtual Agents chatbot.

The chatbot must be able to maintain customer information if the conversation topic changes during a dialog.

You need to configure variables to store customer name and email address.

Which type of variable should you create?

- A. session
- B. slot
- C. bot
- D. topic

Answer

Correct Answer: C

Explanation:

In **Power Virtual Agents (Copilot Studio)**:

- **Topic variables** are available only within the current topic.
- **Bot variables** persist across topics during the conversation and can be reused if the user switches topics.
- **Session variables** and **slot variables** are not the appropriate choice for sharing information across multiple topics in Power Virtual Agents.

Because the chatbot must **maintain customer name and email address when the conversation changes topics**, you should store them in **bot variables**.

Discussion: <https://www.examtactics.com/discussions/microsoft/view/59930-exam-pl-200-topic-4-question-2-discussion/>

160 Question.

You are designing a Power Virtual Agents chatbot for a store.

You need to teach the chatbot to acknowledge the store's product categories and the variations within specific categories.

You need to create custom entities to provide the chatbot with the knowledge of the product categories.

Which features should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Requirement	Feature
Analyze misspellings, grammar variations, and semantic variations.	▼ Slot filling Synonyms Smart matching Topics Fuzzy matching
Make the bot smarter by expanding the matching logic.	▼ Slot filling Synonyms Topics
Extract a category selected by a user during a conversation into a variable for later use.	▼ Slot filling Synonyms Smart matching Topics

Answer

Correct Answer:

Answer Area

Requirement	Feature
Analyze misspellings, grammar variations, and semantic variations.	▼ Slot filling Synonyms Smart matching Topics Fuzzy matching
Make the bot smarter by expanding the matching logic.	▼ Slot filling Synonyms Topics
Extract a category selected by a user during a conversation into a variable for later use.	▼ Slot filling Synonyms Smart matching Topics

Explanation:

- **Smart matching**
 - Helps Power Virtual Agents recognize misspellings, grammatical variations, and similar meanings when matching custom entity values.
- **Synonyms**
 - Expand the recognition logic by teaching the bot that different words or phrases represent the same category (for example, "TV", "Television", and "Smart TV").
- **Slot filling**
 - Automatically captures entity values mentioned by the user and stores them in variables for later use in the conversation.

Discussion: <https://www.examtactics.com/discussions/microsoft/view/62396-exam-pl-200-topic-4-question-3-discussion/>

161 Question.

A customer has a support website that includes FAQ pages, knowledge articles, and support content.

You plan to leverage an existing Power Virtual Agents bot to enhance and streamline existing support functionality for the existing support portal.

You need to create topics from existing website content. The process must minimize human errors during topic creation.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions		Answer area
Capture suggested topics.		
Identify the pre-filled trigger phrases.	>	^
Hover over the topic and select the Automate icon.	<	v
Add selected topics to the chatbot.		
Enable the topics.		

Answer

Correct Answer:

Actions		Answer area
		Capture suggested topics.
	>	Identify the pre-filled trigger phrases.
Hover over the topic and select the Automate icon.	<	Add selected topics to the chatbot.
Enable the topics.		

Explanation:

For Power Virtual Agents, when creating topics from existing website content (FAQ pages, knowledge articles, support content), the **Suggested Topics** feature is used.

The correct sequence is:

1. **Capture suggested topics**
2. **Identify the pre-filled trigger phrases**
3. **Add selected topics to the chatbot**

Why?

- **Capture suggested topics:** PVA analyzes the website content and generates suggested topics.
- **Identify the pre-filled trigger phrases:** Review the automatically generated trigger phrases for each suggested topic.

- **Add selected topics to the chatbot:** Accept the useful topics and add them to the bot.

The other options **are not part** of the topic-generation workflow:

- **Hover over the topic and select the Automate icon**
- **Enable the topics** (topics are typically available once added and configured).

Discussion: <https://www.examttopics.com/discussions/microsoft/view/63914-exam-pl-200-topic-4-question-4-discussion/>

162 Question.

You are creating a Power Virtual Agents chatbot that uses multiple topics.

Each user interaction can reference more than one topic.

You need to be able to capture a value in an initial topic and use it in subsequent topics.

Which type of variable should you create?

- A. Context
- B. Bot
- C. Topic

Answer

Correct Answer: B

Explanation:

In Power Virtual Agents (Copilot Studio):

- **Topic variables** are available only within the topic where they are created.
- **Bot variables** persist across topics and can be reused throughout the conversation.
- **Context variables** are not the standard variable type used to share data between topics.

Because the requirement is to:

Capture a value in an initial topic and use it in subsequent topics

you should store the value in a **Bot variable** so it remains available when the conversation moves from one topic to another.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/43269-exam-pl-200-topic-4-question-5-discussion/>

163 Question.

A company has a custom website.

You need to embed a Power Virtual Agents chatbot into the website.

What should you use?

- A. Webpage URL
- B. Form ID
- C. Bot ID
- D. Custom web channel

Answer

Correct Answer: D

Explanation:

To embed a **Power Virtual Agents (Power Virtual Agents/Copilot Studio) chatbot** into a custom website, you publish the bot and connect it through a **Custom website channel (custom web channel)**.

This provides the embed code or script that can be added to the website.

Why not the others?

- **A. Webpage URL**
A URL alone does not embed the chatbot in the website.
- **B. Form ID**
Form IDs are unrelated to chatbot embedding.
- **C. Bot ID**
A Bot ID identifies the bot but is not the mechanism used to publish and embed it on a website.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/60043-exam-pl-200-topic-4-question-6-discussion/>

164 Question.

A company is developing several Power Virtual Agents chatbots. The company manufactures more than 1,000 different products.

The chatbots must prompt users to enter or select a product.

You need to store the product information so that it can be reused across all chatbots.

Where should you store the model data?

- A. Global variables
- B. Custom entities
- C. Topics
- D. Multiple choice options

Answer

Correct Answer: B

Explanation:

The requirement is to:

- Store information about **more than 1,000 products**.
- Reuse the information across **multiple Power Virtual Agents chatbots**.
- Allow users to enter or select a product.

Custom entities are designed to store and recognize lists of values (such as product names, product categories, locations, etc.) for use in chatbot conversations. They can be reused across topics within a bot and are the appropriate way to model product data for recognition and selection.

Why not the others?

- **A. Global variables**
Variables store values during a conversation; they are not intended to maintain a reusable catalog of 1,000+ products.
- **C. Topics**
Topics define conversation paths, not reusable product data.
- **D. Multiple choice options**
Not practical for maintaining or presenting over 1,000 products

Discussion: <https://www.examtactics.com/discussions/microsoft/view/60203-exam-pl-200-topic-4-question-7-discussion/>

165 Question.

A company creates a Power Virtual Agents chatbot.

You need to determine when live agents are engaged to provide support.

Which metrics should you use? To answer, drag the appropriate metrics to the correct processes.

Each metric may be used once, more than once, or not at all.

You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Metrics

Engagement over time

Session outcomes over time

Escalation rate drivers

Escalation rate

Answer Area

Process

Determine which topics are transferred to live agents most often.

Determine the number of chats per day that are transferred to live agents.

Metric

Metric

Metric

Answer

Correct Answer:

Metrics	Answer Area	
	Process	Metric
Engagement over time		
Session outcomes over time	Determine which topics are transferred to live agents most often.	Escalation rate drivers
	Determine the number of chats per day that are transferred to live agents.	Escalation rate

Explanation:

- **Escalation rate drivers**
Shows the topics, issues, or reasons that most frequently cause conversations to be escalated to a live agent.
- **Escalation rate**
Measures how many chatbot sessions are escalated to a live agent and can be tracked over time to identify the number of chats transferred each day.

Why not the others?

- **Engagement over time**
Measures overall chatbot usage and engagement trends.
- **Session outcomes over time**
Shows how conversations ended (resolved, abandoned, escalated, etc.) but does not specifically identify the topics driving escalations.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/43283-exam-pl-200-topic-4-question-8-discussion/>

166 Question.

You create a new Power Virtual Agents chatbot for an organization.

Testing and production deployment of the chatbot are not complete.

You need to ensure that appropriate users can access the chatbot.

Which methods should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Requirement	Method
Test the chatbot with unlicensed internal users	▼ Use the demo website Share the chatbot to each user individually Share the chatbot to a security group containing all users
Allow other licensed internal users to edit the chatbot	▼ Share the chatbot to each user individually Share the chatbot to a security group containing all users Deploy the chatbot to Microsoft Teams in your tenant
Deploy the chatbot to production for public consumption	▼ Embed the chatbot code in an IFrame on your company's public website Deploy the chatbot to Microsoft Teams in your tenant Deploy the chatbot to AppSource

Answer

Correct Answer:

Answer Area

Requirement	Method
Test the chatbot with unlicensed internal users	▼ Use the demo website Share the chatbot to each user individually Share the chatbot to a security group containing all users
Allow other licensed internal users to edit the chatbot	▼ Share the chatbot to each user individually Share the chatbot to a security group containing all users Deploy the chatbot to Microsoft Teams in your tenant
Deploy the chatbot to production for public consumption	▼ Embed the chatbot code in an IFrame on your company's public website Deploy the chatbot to Microsoft Teams in your tenant Deploy the chatbot to AppSource

Explanation:

- Test the chatbot with unlicensed internal users → Use the demo website**
 - The demo website allows internal users to interact with and test the bot before deployment without requiring publication to production channels.
- Allow other licensed internal users to edit the chatbot → Share the chatbot to a security group containing all users**
 - Editing a Power Virtual Agents bot requires authoring permissions. Sharing the bot with a security group is the most efficient way to grant access to multiple licensed users.
- Deploy the chatbot to production for public consumption → Embed the chatbot code in an IFrame on your company's public website**

- For external/public users, the bot should be published and embedded on a public-facing website using the provided embed code (iFrame).

Discussion: <https://www.examttopics.com/discussions/microsoft/view/54176-exam-pl-200-topic-4-question-12-discussion/>

167 Question.

You are designing a chatbot for a sports outlet.

You need to complete the chatbot.

Which features should you use? To answer, drag the appropriate features to the correct requirements. Each feature may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Features	Requirement	Feature
Topics	Enable the chatbot to relate to a real-world object or topic in a dialog.	Feature
Entities	Define the path and triggers for a chatbot conversation.	Feature
Variables	Implement conditional logic to dynamically route a conversation across different paths.	Feature
Flows		

Answer

Correct Answer:

Features	Requirement	Feature
	Enable the chatbot to relate to a real-world object or topic in a dialog.	Entities
	Define the path and triggers for a chatbot conversation.	Topics
	Implement conditional logic to dynamically route a conversation across different paths.	Variables
Flows		

Explanation:

- **Entities** represent real-world objects, concepts, or topics that the chatbot can recognize in user input (for example, sports teams, products, or locations).
- **Topics** define conversation paths and contain trigger phrases that start a conversation flow.
- **Variables** store values and can be used with conditions to determine which conversational path the bot should follow.
- **Flows** are typically used to call Power Automate processes and are not the best match for any of these requirements.

Discussion: <https://www.examtactics.com/discussions/microsoft/view/54495-exam-pl-200-topic-4-question-13-discussion/>

168 Question.

A company has marketing teams for different regions.

A user creates and publishes a chatbot within Microsoft Teams for their specific marketing team.

The base metrics retrieved by the chatbot are relevant to all marketing teams.

The other marketing teams request access to the chatbot.

You need to publish the chatbot to the entire company.

What should you do?

- A. Configure the chatbot to be used with the Teams channel.
- B. Submit the chatbot for admin approval.
- C. Copy the published chatbot link and email it to the other teams.
- D. Invite the other teams to the team that has the chatbot.
- E. Export the chatbot and import it into a corporate environment.

Answer

Correct Answer: B

Explanation:

When a chatbot is created in **Microsoft Teams** using Power Virtual Agents (Copilot Studio for Teams), it is initially available only within the scope of that team.

To make the chatbot available across the entire organization in Teams:

1. Publish the bot.
2. Submit it for **administrator approval**.
3. The Teams administrator can then make the bot available organization-wide through the Teams app catalog.

Why the other options are incorrect

- **A. Configure the chatbot to be used with the Teams channel**

- The bot is already running in Teams. This does not make it available company-wide.
- **C. Copy the published chatbot link and email it to the other teams**
 - This is not a scalable or managed enterprise-wide deployment method.
- **D. Invite the other teams to the team that has the chatbot**
 - Users would gain access to the Team, not necessarily to an organizationally deployed bot.
- **E. Export the chatbot and import it into a corporate environment**
 - Not required to publish the bot across the organization from Teams.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/85542-exam-pl-200-topic-4-question-14-discussion/>

169 Question.

You create a Power Virtual Agents chatbot to reduce the number of incoming support calls that require a live person.

The chatbot does not direct users to the correct information. You determine that this is because the chatbot is not able to identify which product a user is referring to in a conversation.

You need to present a list of products so that users can select the correct product.

What should you create?

- A. Table
- B. Variable
- C. Slot filling
- D. Entity

Answer

Correct Answer:

Explanation:

In Power Virtual Agents (Copilot Studio), an **Entity** is used to identify and recognize specific items, concepts, or categories in a user's input.

Since the chatbot must recognize which **product** the user is referring to and present a list of valid products for selection, you should create a **custom Entity** that contains the product names.

Entities define the valid products and allow users to select or reference them consistently throughout the conversation.

Why not the others?

- **A. Table**
Tables are not used by Power Virtual Agents to identify products in a conversation.
- **B. Variable**
Variables store values during a conversation but do not define the list of products to recognize.
- **C. Slot filling**
Slot filling is a technique for collecting missing information, but it relies on entities to identify and validate the values being collected.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/80997-exam-pl-200-topic-4-question-15-discussion/>

170 Question.

You are creating a Power Virtual Agents chatbot for a Microsoft Power Platform power apps portal app.

The job title of users must be stored automatically when users log in. The job title must always appear in the chatbot.

You need to configure the job title functionality.

Which mechanism should you use?

- A. artificial intelligence
- B. variable
- C. entity
- D. topic

Answer

Correct Answer: B

Explanation:

In Power Virtual Agents, **variables** are used to store and retain information during a conversation. User attributes such as a job title can be stored in a variable and then referenced throughout the chatbot conversation.

- **Variable** → Stores and reuses values (such as Job Title, Name, Department).
- **Entity** → Identifies and extracts information from user input.
- **Topic** → Defines a conversation path.
- **Artificial intelligence** → Helps with intent recognition and conversational capabilities, but does not store user-specific data.

Since the requirement is to **automatically store the user's job title when they log in and make it available throughout the chatbot**, a **variable** is the appropriate mechanism.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/85544-exam-pl-200-topic-4-question-16-discussion/>

171 Question.

You are designing a Power Virtual Agents chatbot.

The environment you plan to use does not appear as an option in the Power Virtual Agents user interface.

You need to ensure that you can create the chatbot in the environment.

What should you do?

- A. Change the region for the environment.
- B. Convert the environment to a sandbox environment.
- C. Create an environment in a supported region.

Answer

Correct Answer: C

Explanation:

Power Virtual Agents (now Microsoft Copilot Studio) is available only in certain **supported regions**. If an environment does not appear in the environment list when creating a chatbot, it is typically because the environment is hosted in an **unsupported region**.

- **A. Change the region for the environment – Not possible.** An environment's region cannot be changed after it is created.
- **B. Convert the environment to a sandbox environment** – Environment type (Production/Sandbox) **does not** determine whether it appears for Power Virtual Agents.
- **C. Create an environment in a supported region – Correct.** Creating a new environment in a region supported by Power Virtual Agents makes it available for chatbot creation.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/86799-exam-pl-200-topic-4-question-17-discussion/>

172 Question.

You are a system administrator for a company with locations in Mexico, United States, and France. The company has both fulltime employees and contractors in all regions. Fulltime employees use a mobile app. The company has two security groups: fulltime employees and contractors.

The company requests a chatbot in Microsoft Teams to answer employee benefit questions. The chatbot must meet the following requirements:

- It must be in the local language.
- Only fulltime employees may access the chatbot.

You need to configure the chatbot.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Requirement	Configuration
Chatbot in local language	▼ Create one chatbot that manages all three languages. Create one chatbot and add it to three Teams channels that are configured for the local language. Create three chatbots, one for each language.
Employee access	▼ Share the chatbot with the fulltime employees. Publish the chatbot to the mobile app channel. Add the chatbot to Appsource. Publish the chatbot in Teams.

Answer

Correct Answer:

Requirement	Configuration
Chatbot in local language	▼ Create one chatbot that manages all three languages. Create one chatbot and add it to three Teams channels that are configured for the local language. Create three chatbots, one for each language.
Employee access	▼ Share the chatbot with the fulltime employees. Publish the chatbot to the mobile app channel. Add the chatbot to Appsource. Publish the chatbot in Teams.

Explanation:

Chatbot in local language

- Power Virtual Agents bots are created for a specific language.
- To support users in **Spanish (Mexico), English (United States), and French (France)**, you should create **three separate chatbots**, one for each language.

Employee access

- Access can be restricted by sharing the bot only with the appropriate Microsoft Entra ID (Azure AD) security group.
- Since only fulltime employees should use the bot, share it with the **Fulltime Employees** security group.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/98026-exam-pl-200-topic-4-question-18-discussion/>

173 Question.

A company sells all types of bicycles, bicycle parts, and accessories. You are creating a chatbot by using Microsoft Power Virtual Agent for the bicycle shop.

When someone types in a bicycle brand name or terms such as helmet or shoes, the chatbot must automatically go to the accessories section of the chatbot.

You need to configure the chatbot functions.

Which two functions should you configure? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Entities
- B. Fallback topic
- C. Smart matching
- D. Synonyms
- E. Slot filling

Answer

Correct Answer: A.D

Explanation:

The chatbot must recognize various bicycle brand names and accessory-related terms (such as *helmet* or *shoes*) and route the conversation to the accessories topic.

- **A. Entities:** Entities are used to identify and categorize information entered by users. You can create an entity for bicycle brands and accessories so the bot recognizes these values.
- **D. Synonyms:** Synonyms allow multiple words or phrases to map to the same entity value. For example:
 - Accessory
 - Helmet
 - Bike helmet
 - Cycling helmet
 - Shoes
 - Cycling shoes
 - Bike shoes

This enables the bot to understand different terms and direct users to the appropriate topic.

Why the others are incorrect

- **B. Fallback topic**
Used when the bot cannot determine the user's intent.

- **C. Smart matching**
Helps match similar phrases but does not specifically categorize product names and accessory terms.
- **E. Slot filling**
Used to collect required information during a conversation, not to recognize brands or accessory terms.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/96480-exam-pl-200-topic-4-question-19-discussion/>

174 Question.

You plan to create a Power Virtual Agents bot.

The bot must support single sign-on.

You need to publish the bot.

Which two locations should you use? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Mobile app developed for iOS and Android
- B. Website developed using pro developer tools
- C. Microsoft Teams
- D. Azure Bot Service channels

Answer

Correct Answer: C, D

Explanation:

Power Virtual Agents supports **Single Sign-On (SSO)** when published to specific channels:

- **Microsoft Teams** – Supports SSO using Microsoft Entra ID (Azure AD), allowing users to be authenticated automatically.
- **Azure Bot Service channels** – Support SSO when configured appropriately with Azure AD authentication.

Why the others are incorrect

- **A. Mobile app developed for iOS and Android**
 - Custom mobile apps do not automatically support Power Virtual Agents SSO unless additional development and authentication configuration are implemented.
- **B. Website developed using pro developer tools**

- A website alone does not provide built-in SSO support for a Power Virtual Agents bot. Additional custom authentication would be required.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/96621-exam-pl-200-topic-4-question-20-discussion/>

175 Question.

A company is planning to create a Power Virtual Agents bot.

The bot has the following requirements:

- The bot must provide address information for the company.
- The bot must be available from Microsoft Teams and from the internet website of the company.

You need to configure the bot.

Which component should you use?

- A. Channel
- B. Template
- C. Composer
- D. Skill

Answer

Correct Answer: A

Explanation:

The bot must be available in **Microsoft Teams** and on the company's **internet website**. In Power Virtual Agents (now Microsoft Copilot Studio), availability across different platforms is configured through **Channels**.

Channels allow you to publish the same bot to multiple endpoints, including:

- Microsoft Teams
- Custom websites
- Facebook Messenger
- Mobile apps
- Direct Line and other supported platforms

Why the other options are incorrect

- **B. Template** – Provides a starting point for bot creation but does not determine where the bot is available.
- **C. Composer** – Used to create more advanced conversational experiences and dialogs.

- **D. Skill** – A reusable capability that can be called by another bot; it does not publish the bot to Teams or websites.

Discussion: <https://www.examtactics.com/discussions/microsoft/view/98276-exam-pl-200-topic-4-question-21-discussion/>

176 Question.

A company plans to implement a voice-enabled Power Virtual Agents bot.

The company has the following requirements for the bot:

- Recognize when a caller states Tennis or any variation of the word.
- Provide options when a caller states the name of a sport.

You need to configure the bot.

Which features should you use? To answer, select the appropriate options in the answer area.

Answer Area

Requirement	Feature
Recognize when caller states Tennis .	Entity Topic Variable
Provide options when caller states name of sport.	Entity Topic Variable

Answer

Correct Answer:

Answer Area

Requirement

Recognize when caller states **Tennis**.

Feature

Entity

Topic

Variable

Provide options when caller states name of sport.

Entity

Topic

Variable

Explanation:

- **Entity**

Entities are used to recognize specific words, phrases, and their variations (synonyms). For example, an entity could contain:

- Tennis
- Lawn tennis
- Tennis game

This allows the bot to recognize different ways users may refer to the same sport.

- **Topic**

Topics define the conversation flow and responses. Once the bot identifies the sport through the entity, it can trigger the appropriate topic and provide options related to that sport.

- **Variable (incorrect)**

Variables store information during a conversation but do not recognize words or control conversation topics.

Discussion: <https://www.examtactics.com/discussions/microsoft/view/96623-exam-pl-200-topic-4-question-22-discussion/>

177 Question.

A company plans to implement chatbots by using Power Virtual Agents.

The company has the following requirements for the bots:

- Users in the accounting department must be able to create a bot for frequently asked questions.
- The support desk users must be able to use the bot.

The users must not be able to change environment parameters in the Microsoft Power Platform environment.

You need to configure the permissions for the bots.

Which actions should you implement? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Requirement

Users can create a bot.

Action

Assign users to a security role.
Share the bot with a security group.
Assign users the Maker permissions.
Assign users the System Administrator role.

Support desk users can use the bot.

Assign users to a security role.
Share the bot with a security group.
Assign users the Maker permissions.
Assign users the System Administrator role.

Answer

Correct Answer:

Answer Area

Requirement

Users can create a bot.

Action

Assign users to a security role.
Share the bot with a security group.
Assign users the Maker permissions.
Assign users the System Administrator role.

Support desk users can use the bot.

Assign users to a security role.
Share the bot with a security group.
Assign users the Maker permissions.
Assign users the System Administrator role.

Explanation:

- **Assign users the Maker permissions**
 - Makers can create and manage Power Virtual Agents bots.
 - This grants bot creation capabilities without giving environment administration rights.
 - The requirement specifically states users must **not** be able to change environment parameters.
- **Share the bot with a security group**
 - Allows support desk users to access and use the bot.
 - Permissions can be managed centrally through the security group.
- **System Administrator role (Incorrect)**
 - Too much privilege because it allows management of environment settings.
- **Assign users to a security role (Incorrect)**
 - Security roles control Dataverse access but do not specifically enable bot creation.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/97522-exam-pl-200-topic-4-question-23-discussion/>

178 Question.

You use Power Virtual Agents to create a bot that will answer and transfer help desk calls.

You create topics that contain nodes and functions. The company has the following requirements for the bot:

- When a caller states the word issue, help, or problem, the bot must respond with the question, “How can we help you today?”
- When the bot responds with the question, “How can we help you today?”, the bot must provide the caller with the choices of hardware, software, or other.
- When the caller asks a question, the bot must save the response so that it can perform an action on the response.

You need to configure the bot.

Which nodes or functions should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Requirement	Node/Function
Caller states issue, help, or problem.	- Trigger phrase - Question - Message - Action
Bot provides choices.	- Action - Question - Message - Variable
Responses are temporarily saved.	- Action - Variable - Trigger - Identifier

Answer

Correct Answer:

Answer Area

Requirement

Caller states **issue**, **help**, or **problem**.

Bot provides choices.

Responses are temporarily saved.

Node/Function

▼

Trigger phrase

Question

Message

Action

▼

Action

Question

Message

Variable

▼

Action

Variable

Trigger

Identifier

Explanation:

Trigger phrase

- Trigger phrases determine when a topic starts.
- Words such as **issue**, **help**, and **problem** would be configured as trigger phrases for the topic.

Question

- A Question node can present multiple-choice options such as:
 - Hardware
 - Software
 - Other
- It also captures the user's selection.

Variable

- Variables store user responses temporarily during a conversation so they can be used later in conditions, actions, or other dialog steps.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/96065-exam-pl-200-topic-4-question-24-discussion/>

179 Question.

A company creates a bot by using Power Virtual Agents.

The company requires the bot to transfer callers to an agent if the bot is unable to recognize a customer's request.

You need to configure the bot for the unrecognized information from the customer.

Which feature should you use?

- A. Fallback skill
- B. Fallback topic
- C. Fallback workstream
- D. Fallback entity
- E. Fallback queue

Answer

Correct Answer: B

Explanation:

In Power Virtual Agents, a **Fallback topic** is triggered when the bot cannot match a user's input to any existing topic or intent.

For this scenario:

1. The customer asks something the bot does not understand.
2. The **Fallback topic** is activated.
3. Within the fallback topic, you can configure actions such as:
 - Escalating to a live agent
 - Transferring the conversation to customer support
 - Collecting additional information

Why the other options are incorrect

- **A. Fallback skill** – Not a Power Virtual Agents feature for handling unrecognized input.
- **C. Fallback workstream** – Workstreams are used in Dynamics 365 Customer Service routing, not for intent recognition.
- **D. Fallback entity** – Entities are used to recognize and extract data from user input.
- **E. Fallback queue** – Queues can receive escalations, but they are not triggered directly by unrecognized utterances.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/96067-exam-pl-200-topic-4-question-25-discussion/>

180 Question.

A company plans to create a Power Virtual Agents chatbot.

The bot has the following requirements:

- Prompt for a location of the customer and the call must be routed to a support agent for the location.
- Transfer support calls at each location to a support bot that uses the Bot Framework.

You need to configure the bot.

Which components should you use? To answer, drag the appropriate components to the correct requirements. Each component may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Components	Requirement	Component
Variables	Route to location.	
Skills	Route to support bot.	
Topics		
Entities		

Answer

Correct Answer:



Explanation:

Entities → Route to location

- Entities capture and recognize information provided by the user, such as a location (e.g., Madrid, Paris, New York).
- The chatbot can use the identified location to determine which support agent or queue should handle the request.

Skills → Route to support bot

- Skills allow a Power Virtual Agents bot to hand off or integrate with a **Bot Framework bot**.
- They enable reuse of capabilities and routing conversations to specialized bots.

Why not the others?

- **Variables:** Store values temporarily but do not perform routing.
- **Topics:** Define conversation flows but are not specifically used to identify locations or connect to Bot Framework bots.

Discussion: <https://www.examtips.com/discussions/microsoft/view/96624-exam-pl-200-topic-4-question-26-discussion/>

181 Question.

A company is building a Power Virtual Agents chatbot.

Users in the accounting department require access to collaborate with the building of the bot.
Users in the sales department require access to only chat with the bot.

You need to configure the bot.

Which sharing options should you use? To answer, drag the appropriate sharing options to the correct requirements. Each sharing option may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Sharing options		Requirement	Sharing option
Users	•	Users in the accounting department	
Active Directory security groups	•	Users in the sales department	
Everyone in the organization	•		

Answer

Correct Answer:

Sharing options		Requirement	Sharing option
	•	Users in the accounting department	Users
	•	Users in the sales department	Active Directory security groups
Everyone in the organization	•		

Explanation:

- **Accounting department → Users**
These users need to **collaborate in building the bot**. Bot collaboration/authoring is typically shared with specific **users** who need edit/manage access.
- **Sales department → Active Directory security groups**
These users only need to **chat with the bot**. For chat access, the bot can be shared with an **Azure Active Directory / Microsoft Entra security group**, which is recommended for department-based access control. Microsoft documentation states that Copilot Studio agents can be shared for chat with **individual users, security groups, or everyone in the organization**, while collaboration is handled by inviting users to collaborate on the agent project.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/116273-exam-pl-200-topic-4-question-27-discussion/>

182 Question.

You create a Power Virtual Agents bot.

You observe that the bot is not able to recognize input from some users.

You need to configure the bot response for unrecognized input from users.

What are two possible ways to achieve this goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Connect to a different channel.
- B. Display a system-defined error message.
- C. Use a fallback topic.
- D. Transfer to an agent.

Answer

Correct Answer: C,D

Explanation:

When Power Virtual Agents (Microsoft Copilot Studio) cannot recognize a user's input, you can handle the situation by:

- **C. Use a fallback topic**
A fallback topic is triggered when the bot cannot match the user's utterance to any existing topic. You can customize the response and guide the user to the appropriate next step.
- **D. Transfer to an agent**
From the fallback topic, you can escalate the conversation to a live agent when the bot is unable to understand or resolve the customer's request.

Why the other options are incorrect

- **A. Connect to a different channel**
Channels determine where the bot is available (Teams, website, Facebook, etc.) and do not affect handling of unrecognized input.
- **B. Display a system-defined error message**
Power Virtual Agents uses fallback topics rather than configurable system-defined error messages as the primary mechanism for handling unrecognized utterances.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/116274-exam-pl-200-topic-4-question-28-discussion/>

183 Question.

You plan to create a Power Virtual Agents bot.

The bot has the following requirements:

- Ensure that user responses are available to any topic.
- Recognize a list of words from spoken language of users.

You need to configure the bot.

Which features should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Requirement

User responses are available to any topic.

Feature

Entity
Bot variable
Global variable

Recognize a list of words from spoken language.

Topic
Entity
Variable

Answer

Correct Answer:

Answer Area

Requirement

User responses are available to any topic.

Feature

Entity
Bot variable
Global variable

Recognize a list of words from spoken language.

Topic
Entity
Variable

Explanation:

- Global variable

- Global variables can be accessed across multiple topics in the bot.
 - This allows user responses collected in one topic to be available in any other topic.
- **Entity**
 - Entities are used to recognize and extract information from user input.
 - They can represent a list of words, phrases, or synonyms (for example, sport names, locations, product names, etc.).

Discussion: <https://www.examtactics.com/discussions/microsoft/view/127101-exam-pl-200-topic-4-question-29-discussion/>

184 Question.

You deploy a Power Virtual Agents chatbot that integrates with Dynamics 365 Omnichannel for Customer Service.

You observe that the chatbot is not able to recognize the questions asked by users.

You need to ensure that the chatbot can respond to unrecognized questions. The solution must minimize administrative effort.

What should you do?

- A. Add a fallback topic.
- B. Create new topics.
- C. Create an entity.
- D. Modify the Escalate system topic.

Answer

Correct Answer: A

Explanation:

A **fallback topic** is specifically designed to handle situations where the chatbot cannot recognize or match a user's question to an existing topic. When an unrecognized question is received, the fallback topic is triggered automatically and can provide a response, ask clarifying questions, or route the user to an agent.

Why the other options are incorrect:

- **B. Create new topics**
This would require creating topics for every possible unrecognized question and does **not** minimize administrative effort.

- **C. Create an entity**
Entities help recognize and extract information from user input but do not handle unmatched intents.
- **D. Modify the Escalate system topic**
The Escalate topic handles handoff scenarios, but unrecognized input is first handled by the **fallback topic**.

Discussion: <https://www.examtips.com/discussions/microsoft/view/130187-exam-pl-200-topic-4-question-30-discussion/>

185 Question.

A company deploys a chatbot that is embedded in a Power Pages website.

The company has the following requirements for the chatbot:

- Microsoft Entra ID users only must be able to use the chatbot when accessing sensitive data.
- The chatbot must be accessible only from the Power Pages website.

You need to recommend a solution that meets the requirements.

Which two options should you recommend? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Enable Only for Teams authentication.
- B. Configure a data loss prevention policy.
- C. Set up a new channel for the chatbot.
- D. Enable Manual authentication.
- E. Enable web channel security.

Answer

Correct Answer: D,E

Explanation:

D. Enable Manual authentication

- The requirement states that **only Microsoft Entra ID users** can use the chatbot when accessing sensitive data.
- Manual authentication allows the bot to authenticate users through **Microsoft Entra ID (Azure AD)** and identify authenticated users before granting access.

E. Enable web channel security

- The chatbot must be accessible **only from the Power Pages website**.
- Web channel security restricts where the bot can be embedded and accessed, helping prevent unauthorized use of the web channel from other sites.

Why the other options are incorrect

- **A. Enable Only for Teams authentication**
 - The chatbot is embedded in a **Power Pages website**, not limited to Microsoft Teams.
- **B. Configure a data loss prevention policy**
 - DLP policies control connector usage and data movement, not chatbot authentication or website access restrictions.
- **C. Set up a new channel for the chatbot**
 - Creating a channel does not enforce Entra ID authentication or restrict access to a specific website.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/132073-exam-pl-200-topic-4-question-31-discussion/>

186 Question

Exam PL-200 topic 5 question 1 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 1

Topic #: 5

You are a Dynamics Sales administrator for a car dealership. The dealership uses only out-of-the-box functionality. When a new car is sold, the salesperson uses a Word template to generate a letter from the quote to thank the customer.

You need to determine if you can revise the template.

Which Word template change can you make?

- A. Add the Discount field conditionally.
- B. Format the table to have alternating color rows.
- C. Format the Created On field to a long date format.
- D. Add the address of the customer.

Answer

Correct Answer: B

Explanation:

For **Dynamics 365 Sales Word templates (out-of-the-box functionality):**

- **B. Format the table to have alternating color rows**

Word formatting changes such as table styles, fonts, colors, headers, and alternating row shading can be applied directly in the Word template.

Wrong Answers:

- **A. Add the Discount field conditionally**

Conditional logic (IF statements based on Dynamics data) is not supported through Dynamics 365 Word templates in the way required here.

- **C. Format the Created On field to a long date format**

Date formatting is controlled by the data returned from Dynamics. Word templates do not support changing Dynamics date fields to custom formats such as "Friday, July 17, 2026".

- **D. Add the address of the customer**

The template can only use fields included in the entity relationships selected when the template was created. Revising an existing template cannot add new related data sources such as a customer's address if it was not included originally.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/43014-exam-pl-200-topic-5-question-1-discussion/>

187 Question

Exam PL-200 topic 5 question 2 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 2

Topic #: 5

You manage the Dynamics 365 Customer Service environment for an organization.

Microsoft SharePoint will not be deployed in the environment for a year.

You need to integrate Microsoft Office 365 solutions with the Dynamics 365 instance to help the sales team with internal collaboration efforts.

Which three solutions can you currently implement? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Microsoft Skype for Business
- B. Microsoft Exchange Online
- C. Microsoft OneNote
- D. Microsoft Yammer
- E. Microsoft OneDrive for Business

Answer

Correct Answer: B,C,D

Explanation:

B. Microsoft Exchange Online

- Dynamics 365 integrates with Exchange Online for email, appointments, contacts, and tasks synchronization.
- SharePoint is not required.

C. Microsoft OneNote

- Dynamics 365 can integrate with OneNote to allow users to create and manage notes associated with records.
- The integration does not require SharePoint deployment.

D. Microsoft Yammer

- Yammer can be embedded within Dynamics 365 records to support collaboration and discussions around customer records.
- SharePoint is not required.

Why the others are incorrect

A. Microsoft Skype for Business

- Skype for Business integration existed historically but was not considered a standard Dynamics 365 collaboration solution in this context and is not one of the supported answers.

E. Microsoft OneDrive for Business

- Document management and storage integration scenarios traditionally rely on SharePoint configuration. Since SharePoint will not be deployed for a year, this is not a current solution for the requirement.

Discussion: <https://www.examtactics.com/discussions/microsoft/view/42420-exam-pl-200-topic-5-question-2-discussion/>

188 Question

Exam PL-200 topic 5 question 3 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 3

Topic #: 5

HOTSPOT -

A company plans to implement AI Builder to add intelligence to several business processes.

Each business process uses different sources and produces different outputs.

You need to determine which AI Builder model types to use.

Which model types should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Recognition requirement

Model type

Identify a person's age in a paragraph when written using the pattern **twenty years old**.

Entity extraction

Text recognition

Key phrase

Identify items and prices from an invoice.

Form processing

Text recognition

Object detection

Answer

Correct Answer:

Answer Area

Recognition requirement

Model type

Identify a person's age in a paragraph when written using the pattern **twenty years old**.

Entity extraction

Text recognition

Key phrase

Identify items and prices from an invoice.

Form processing

Text recognition

Object detection

Explanation:

1. Entity extraction

- Used to identify and extract specific pieces of information (entities) from text.
- An age expressed as "twenty years old" is an entity that can be extracted from a paragraph.

2. Form processing

- Designed to extract structured data from documents such as invoices, receipts, tax forms, and purchase orders.
- It can identify fields such as item names, quantities, and prices from invoices.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/42219-exam-pl-200-topic-5-question-3-discussion/>

189 Question

Exam PL-200 topic 5 question 4 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 4

Topic #: 5

You create and publish a Power BI report that contains an embedded canvas app. The report will be used by multiple people.

The canvas app has an issue that must be corrected.

You update the canvas app.

You need to ensure that the updated canvas app is available in the published Power BI report.

What should you do?

- A. Manually refresh the data source on the published Power BI report
- B. Publish the canvas app
- C. Publish the Power BI report from Power BI Desktop and reshare to any users
- D. Publish the Power BI report from Power BI Desktop

Answer

Correct Answer: B

Explanation:

When a **canvas app is embedded in a Power BI report**, the Power BI report references the app by its App ID. If you make changes to the canvas app, those changes are **not available to users until the app is republished**.

Once you **publish the updated canvas app**, the embedded version in the Power BI report automatically uses the latest published version. There is **no need to republish the Power BI report** or refresh its data source.

Why the other options are incorrect

- **A. Manually refresh the data source on the published Power BI report**
 - Refreshing data does not update the embedded canvas app.
- **C. Publish the Power BI report from Power BI Desktop and reshare to any users**
 - Unnecessary. The report itself has not changed.
- **D. Publish the Power BI report from Power BI Desktop**
 - Also unnecessary because only the canvas app was modified.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/54428-exam-pl-200-topic-5-question-4-discussion/>

190 Question

Exam PL-200 topic 5 question 5 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 5

Topic #: 5

DRAG DROP -

You create a report by using Power BI Desktop and publish the report to the Power BI service. You enable Power BI visualization embedding in a model-driven app.

You need to configure the model-driven app to display a Power BI tile.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions

Pin the Power BI report to a new dashboard in the Power BI service

Create a personal dashboard in the model-driven app

Share the dashboard with the appropriate user in the app

Add a Power BI tile to the dashboard and select the Power BI dashboard in the app

Ensure the dashboard is available to the appropriate security roles

Answer Area



Answer

Correct Answer:

Actions

Share the dashboard with the appropriate user in the app

Ensure the dashboard is available to the appropriate security roles

Answer Area

Pin the Power BI report to a new dashboard in the Power BI service

Create a personal dashboard in the model-driven app

Add a Power BI tile to the dashboard and select the Power BI dashboard in the app



Explanation:

To display a **Power BI tile** in a model-driven app:

- A Power BI **report visualization must first be pinned to a Power BI dashboard** in the Power BI service.
- In the model-driven app (Dynamics 365), create a **personal dashboard**.
- Add a **Power BI tile** component and select the Power BI dashboard that contains the pinned tile.

The options "**Share the dashboard with the appropriate user in the app**" and "**Ensure the dashboard is available to the appropriate security roles**" are not part of the required configuration sequence for embedding the Power BI tile.

Discussion: <https://www.examtactics.com/discussions/microsoft/view/54951-exam-pl-200-topic-5-question-5-discussion/>

191 Question

Exam PL-200 topic 5 question 6 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 6

Topic #: 5

You use Power BI Desktop to configure Power BI reports.

You need to create a canvas app that displays user account information and include the app in a Power BI report.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. From the Power Apps Insert menu, add a Power BI tile
- B. From the Power BI Desktop menu, insert a Power Apps visual and include the required fields in the Power Apps data
- C. Publish the report to the Power BI service
- D. Connect to Common Data Service from Power BI Desktop

Answer

Correct Answer: B,C,D

Explanation:

To embed a **canvas app** in a **Power BI report**, the process is:

1. **D: Connect to Common Data Service (Dataverse) from Power BI Desktop** to access the user account data.
2. **B: Insert a Power Apps visual in Power BI Desktop** and add the fields that will be passed to the app.

3. **C : Publish the report to the Power BI service** so the embedded Power Apps visual can be used and shared.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/54206-exam-pl-200-topic-5-question-6-discussion/>

192 Question

Exam PL-200 topic 5 question 7 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 7

Topic #: 5

DRAG DROP -

A company uses Microsoft Dataverse to store sales data.

For the past few quarters, the company has experienced a decrease in sales revenue. The company wants to improve sales forecasting.

The company plans to use AI Builder to implement the solution. You select fields that will be used for prediction.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions

Export data from Dataverse into Microsoft Excel

Train the category classification AI model by using Dataverse data

Train the AI model by using data exported to Microsoft Excel

Publish the AI model

Use the model with Power Apps

Import the AI model analysis into Dataverse


Train the prediction AI model by using Dataverse data

Answer Area



Answer

Correct Answer:



Explanation:

The requirement is to **improve sales forecasting**, which is a **Prediction** scenario in AI Builder.

After selecting the prediction fields:

- Train the **Prediction** model using the data stored in Dataverse.
- Publish the model so it is available for use.
- Consume the published model in Power Apps (or Power Automate) to generate predictions.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/83456-exam-pl-200-topic-5-question-7-discussion/>

193 Question

Exam PL-200 topic 5 question 9 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 9

Topic #: 5

You have a business process flow (BPF) that interacts with the Account entity.

You modify the BPF and add a new stage at the beginning.

You need to identify the impact of the new version on the existing account records.

What is the outcome in each scenario? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Scenario	Action
What happens to existing accounts?	Existing accounts show the old BPF. Existing accounts show the new BPF. Existing accounts only show the new stage.
What happens to new accounts?	No BPF is linked to a new account. The new BPF shows only the new stage for a new account. The new BPF is showing in a new account.

Answer

Correct Answer:

Answer Area

Scenario	Action
What happens to existing accounts?	Existing accounts show the old BPF. Existing accounts show the new BPF. Existing accounts only show the new stage.
What happens to new accounts?	No BPF is linked to a new account. The new BPF shows only the new stage for a new account. The new BPF is showing in a new account.

Explanation:

When you modify and activate a new version of a **Business Process Flow (BPF)**:

- **Existing records** that are already associated with an active BPF instance continue to use the **version they started with**. They do not automatically switch to the new version.
- **New records** created after the new BPF version is activated use the **new version** of the BPF, including the newly added stage.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/60165-exam-pl-200-topic-5-question-9-discussion/>

194 Question

Exam PL-200 topic 5 question 10 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 10

Topic #: 5

You are examining several processes to determine if you can automate the processes by using Power Automate.

The processes must run without human intervention when possible.

You need to determine which flow type should be used for each process.

Which flow type should you use? To answer, drag the appropriate processes to the correct flow types. Each process may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Flow types	Answer Area	Process	Flow type
Scheduled cloud flow		Employees enter leave requests into a web page. Use web automation to collect data from the web browser and send the information to a supervisor so that the supervisor can approve or reject the leave request.	
Attended desktop flow			
Unattended desktop flow		Read data from a text file and populate the data into a third-party desktop application by using saved credentials.	

Answer

Correct Answer:

Flow types	Answer Area	Process	Flow type
Scheduled cloud flow		Employees enter leave requests into a web page. Use web automation to collect data from the web browser and send the information to a supervisor so that the supervisor can approve or reject the leave request.	Attended desktop flow
		Read data from a text file and populate the data into a third-party desktop application by using saved credentials.	Unattended desktop flow

Explanation:

- **Attended desktop flow** is used when a user is present and interacting with the process. In the leave request scenario, the automation interacts with a web page used by employees and involves a supervisor's approval process.

- **Unattended desktop flow** is used when the process can run entirely without human intervention, using saved credentials to access applications and execute tasks automatically.

Scheduled cloud flow is not the best choice for either scenario because both require desktop/web UI automation, which is handled by desktop flows rather than cloud flows.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/60846-exam-pl-200-topic-5-question-10-discussion/>

195 Question

Exam PL-200 topic 5 question 11 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 11

Topic #: 5

A company uses Microsoft Teams. You plan to create a Power Apps app for Microsoft Teams. You need to determine the environment that will be used by the app. Which environment will the app use?

- A. An existing Dataverse environment that you select.
- B. An existing Dataverse for Teams environment that you select.
- C. A Dataverse environment that is automatically created for the team.
- D. A Dataverse for Teams environment that is automatically created for the team.

Answer

Correct Answer: D

Explanation:

When you create a **Power Apps app directly within Microsoft Teams**, Power Platform uses **Dataverse for Teams** as the data platform.

- If the team does not already have a Dataverse for Teams environment, one is **automatically created** for that specific team.
- The app is then stored and managed within that **Dataverse for Teams environment**.

Why the other options are incorrect

- **A. An existing Dataverse environment that you select**
Apps created in Teams do not use a standard Dataverse environment selected manually.
- **B. An existing Dataverse for Teams environment that you select**
The environment is associated with the Team and is not manually selected.

- **C. A Dataverse environment that is automatically created for the team**
The automatically created environment is **Dataverse for Teams**, not a full Dataverse environment.

Discussion: <https://www.examtactics.com/discussions/microsoft/view/61546-exam-pl-200-topic-5-question-11-discussion/>

196 Question

Exam PL-200 topic 5 question 12 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 12

Topic #: 5

You create a canvas app for a sales team. The app has an embedded Power BI tile that shows year-to-date sales. Sales users do not have access to the data source that the tile uses.

Sales team users must be able to see data in the Power BI tile. You must minimize the level of permissions that you grant and minimize administrative overhead.

You need to share another Power BI component to make the data visible.

What should you share?

- A. The Power BI dataset the tile uses as a data source.
- B. The Power BI workspace that includes the tile.
- C. The Power BI dashboard that includes the tile.

Answer

Correct Answer: C

Explanation:

When a **Power BI tile** is embedded in a canvas app, users must have access to the Power BI content that contains the tile.

To provide access with the **least privilege** and **minimal administrative overhead**, share the **dashboard** containing the tile:

- Users can view the tile.
- No need to grant broader access to the entire workspace.
- Simpler than managing dataset permissions directly.

Why the other options are incorrect

- **A. The Power BI dataset the tile uses as a data source**
 - Grants access to the underlying data, which is more permission than necessary.
- **B. The Power BI workspace that includes the tile**

- Workspace access provides broader permissions and creates unnecessary administrative overhead.

Discussion: <https://www.examtactics.com/discussions/microsoft/view/62989-exam-pl-200-topic-5-question-12-discussion/>

197 Question

Exam PL-200 topic 5 question 13 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 13

Topic #: 5

You have a model-driven app. You create five Microsoft Excel templates for analyzing customer data.

Four of the templates must be available to all users. The remaining template must be available only to you. You configure the appropriate security roles for users.

You need to determine how to upload the Excel templates.

Which method should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Availability	Method
Available to everyone	In the Settings menu, select Document Templates. In the view for the email records, select Excel Templates. In the Settings menu, select Email Templates.
Available only to yourself	In the Settings menu, select Document Templates. In the view for the email records, select Excel Templates. In the Settings menu, select Email Templates.

Answer

Correct Answer:

Answer Area

Availability	Method
Available to everyone	In the Settings menu, select Document Templates. In the view for the email records, select Excel Templates. In the Settings menu, select Email Templates.
Available only to yourself	In the Settings menu, select Document Templates. In the view for the email records, select Excel Templates. In the Settings menu, select Email Templates.

Explanation:

Organization-wide Excel templates

- Uploaded through **Settings** → **Templates** → **Document Templates**.
- Available to all users who have the appropriate security permissions.

Personal Excel templates

- Created or uploaded from an entity view using **Excel Templates**.
- Available only to the user who creates them.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/63960-exam-pl-200-topic-5-question-13-discussion/>

198 Question

Exam PL-200 topic 5 question 14 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 14

Topic #: 5

You configure an alert in Power BI.

You need to alert users when the value of a tile exceeds a threshold. To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Where should you configure the Power BI alert so that it triggers the process?

Power BI
Common Data Service
Power Automate
Power BI admin portal

Who can see alerts configured for Power BI?

The person who created the alert.
The dashboard owner and the person who created the alert.
Everyone who has access to the dashboard.
Everyone who has access to the Power BI instance.

Answer

Correct Answer:

Answer Area

Where should you configure the Power BI alert so that it triggers the process?

Power BI
Common Data Service
Power Automate
Power BI admin portal

Who can see alerts configured for Power BI?

The person who created the alert.
The dashboard owner and the person who created the alert.
Everyone who has access to the dashboard.
Everyone who has access to the Power BI instance.

Explanation:

- **Power BI data alerts** can be used as triggers for flows in **Power Automate**. When a dashboard tile exceeds a configured threshold, Power Automate can start a process automatically.
- Data alerts are **personal**. An alert is visible only to the user who creates it, even if other users have access to the same dashboard.

Discussion: <https://www.examtactics.com/discussions/microsoft/view/43126-exam-pl-200-topic-5-question-14-discussion/>

199 Question

Exam PL-200 topic 5 question 15 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 15

Topic #: 5

You are using Power BI to build a dashboard for a company.

You must make the dashboard available to a specific set of users, including employees and five external users. The number of employees that require access to the dashboard varies, but is usually less than 100.

Employees and external users must not be permitted to share the dashboard with other users.

You need to share the dashboard with the employees and external users.

Which three actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Create a dynamic distribution list. Add all users to the distribution list and use the list to share the dashboard.
- B. Sign into the Power BI service. Open the dashboard and select Share.
- C. Enter the individual email address of internal and external users.
- D. Sign into Power BI Desktop. Open the dashboard and select Share.
- E. Clear the Allow recipients to share your dashboard (or report) option.
- F. Create a distribution list. Add all users to the distribution list and use the list to share the dashboard.

Answer

Correct Answer: B,C,E

Explanation:

To share a Power BI dashboard with a specific set of internal and external users while preventing further sharing:

B. Sign into the Power BI service. Open the dashboard and select Share.

- Dashboards are shared from the **Power BI Service**, not from Power BI Desktop.

C. Enter the individual email address of internal and external users.

- Since the audience is relatively small (usually fewer than 100 users plus 5 external users), directly specifying users is appropriate.

E. Clear the Allow recipients to share your dashboard (or report) option.

- This prevents recipients from sharing the dashboard with other users.

Why the other options are incorrect

- **A. Create a dynamic distribution list**
 - Not required and may not properly handle external users.
- **D. Sign into Power BI Desktop. Open the dashboard and select Share**
 - Dashboards are shared from the **Power BI Service**, not Power BI Desktop.
- **F. Create a distribution list**
 - Adds administration overhead and is unnecessary for a relatively small audience, especially when external users are involved.

Discussion: <https://www.examtactics.com/discussions/microsoft/view/41809-exam-pl-200-topic-5-question-15-discussion/>

200 Question

Exam PL-200 topic 5 question 16 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 16

Topic #: 5

You create a report by using Power BI Desktop and a Power BI dataset that is connected to Azure SQL Database.

Multiple groups of employees will use the report.

You need to ensure that each group of employees can see only data that pertains to their group.

What should you do?

- A. Create and assign field security profiles.
- B. Create and assign Common Data Service security roles.
- C. Create and assign roles by using row-level security.

Answer

Correct Answer: C

Explanation:

Row-Level Security (RLS) in Power BI restricts data access for specific users. You can create roles that filter the data returned from the Azure SQL Database dataset so that each employee group sees only its own data.

For example:

- Sales East sees only East region data.
- Sales West sees only West region data.
- Management can see all data.

Why the other options are incorrect

- **A. Create and assign field security profiles**
 - Field Security Profiles are a Dataverse feature used to secure specific columns, not Power BI report data.
- **B. Create and assign Common Data Service security roles**
 - Dataverse (formerly Common Data Service) security roles control access to Dataverse data, not data displayed in a Power BI report sourced from Azure SQL Database

Discussion: <https://www.examtactics.com/discussions/microsoft/view/43129-exam-pl-200-topic-5-question-16-discussion/>

201 Question

Exam PL-200 topic 5 question 17 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 17

Topic #: 5

A company uses Microsoft Dataverse manage account and contact information. The company plans to use the AI Builder model to make key business decisions. You need to integrate prebuilt AI Builder models with Power Automate flows. Which models should you use? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Scenario	Model
Extract key phrases from a PDF document.	Text recognition model Key phrase extraction model Text recognition model and key phrase extraction model
Determine the likelihood that customers will purchase additional products.	Sentiment analysis model Category classification model Entity extraction model Prediction model

Answer

Correct Answer:

Answer Area

Scenario	Model
Extract key phrases from a PDF document.	Text recognition model Key phrase extraction model Text recognition model and key phrase extraction model
Determine the likelihood that customers will purchase additional products.	Sentiment analysis model Category classification model Entity extraction model Prediction model

Explanation:

- **Extract key phrases from a PDF document → Text recognition model and key phrase extraction model**
 - A PDF must first be converted into text using **Text Recognition** (OCR). After the text is extracted, the **Key Phrase Extraction** model identifies important phrases and concepts.
- **Determine the likelihood that customers will purchase additional products → Prediction model**
 - This is a forecasting/probability scenario where AI Builder predicts a future outcome based on historical data.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/42138-exam-pl-200-topic-5-question-17-discussion/>

202 Question

Exam PL-200 topic 5 question 18 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 18

Topic #: 5

The sales manager receives a list of leads from a partner company monthly. The field names that are provided do not match the fields in Microsoft Dataverse tables. A data map does not exist.

You need to import the leads without changing the data from the partner company.

What should you do?

- A. Create a data map on the first import by using the Import Data wizard.
- B. Add a template for Import Data.
- C. Use Import Field Translations.
- D. Create a data map in Data Management.

Answer

Correct Answer: A

Explanation:

The partner company provides the lead file every month, but the **field names do not match the Dataverse fields**.

A **data map** allows you to map the source file columns to the corresponding Dataverse fields. When you create the data map during the first import using the **Import Data Wizard**, the mapping can be saved and reused for future imports, eliminating the need to modify the partner's file.

Why the other options are incorrect

- **B. Add a template for Import Data**
Import templates help users prepare data but do not solve the field name mismatch problem.
- **C. Use Import Field Translations**
Field translations are for multilingual labels, not data import mapping.
- **D. Create a data map in Data Management**
Data maps are typically created and saved during the import process using the Import Data Wizard. The scenario specifically starts without an existing data map.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/60497-exam-pl-200-topic-5-question-18-discussion/>

203 Question

Exam PL-200 topic 5 question 22 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 22

Topic #: 5

You are creating Power BI reports for a company.

A company that has a model-driven app wants to use Power BI reports within the app. You create the reports.

You need to ensure that these reports are available within the app.

Which two actions should you perform? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Share the Power BI report to all users.
- B. Add the Power BI report to the Site Map dashboards.
- C. Create a PCF file.
- D. Use the native reports in model-driven apps.

E. Add the Power BI report to a dashboard in the model-driven app.

Answer

Correct Answer: B,E

Explanation:

There are two supported ways to make Power BI reports available within a model-driven app:

- **B: Add the Power BI report to the Site Map dashboards**
 - This enables users to access the Power BI report directly from the model-driven app navigation.
- **E: Add the Power BI report to a dashboard in the model-driven app**
 - Power BI reports can be embedded in model-driven app dashboards.

Why the other options are incorrect

A. Share the Power BI report to all users

- Users need permission to view the report, but sharing alone does not make it appear within the model-driven app.

C. Create a PCF file

- PCF controls are not required to embed standard Power BI reports in model-driven apps.

D. Use the native reports in model-driven apps

- Native Dynamics reports are different from Power BI reports.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/83457-exam-pl-200-topic-5-question-22-discussion/>

204 Question

Exam PL-200 topic 5 question 23 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 23

Topic #: 5

A company is training an AI model using a custom table to determine the amount of time it takes to deliver a package based on several key fields.

The testing data used to train the model is used for all training and regression testing scenarios and is considered complete data.

The trained model predicts a 2 percent variance between the estimated delivery time and the actual delivery time of packages.

The executive sponsors reject the model because the actual variance is at 15 percent.

You need to address the sponsors' concern.
What should you do?

- A. Replace the training data with real-world data.
- B. Reduce the size of the data used within the model.
- C. Increase the size of the data used with the model.
- D. Use sample training data from Microsoft.

Answer

Correct Answer: A

Explanation:

The key issue is that the model was trained and tested using the **same complete testing dataset**, resulting in a predicted variance of only **2%**, while the actual real-world variance is **15%**.

This indicates that the model is **not generalizing well to real-world conditions** and may be overfitting to the training/testing data.

To address the executives' concern, you should train and validate the model using **real-world historical data** that accurately reflects actual delivery conditions and variability.

Why the other options are incorrect

- **B. Reduce the size of the data used within the model**
 - Less data generally reduces model accuracy.
- **C. Increase the size of the data used with the model**
 - More data can help, but the main problem is that the data is not representative of real-world outcomes.
- **D. Use sample training data from Microsoft**
 - Sample data is generic and would not reflect the company's delivery processes.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/80222-exam-pl-200-topic-5-question-23-discussion/>

205 Question

Exam PL-200 topic 5 question 24 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 24

Topic #: 5

A bank uses Power BI visualizations to help determine whether they should loan money to a customer. The bank has three different visuals that are part of a

Power BI report. The bank uses a set of four risk variables that indicate whether the customer is creditworthy.

You must create a mechanism so that bank employees can change the values of the four risk variables. Changes to the value of any variable must cause the three visualizations to update.

You need to create the solution.

Which action should you perform? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Requirement

Action

Update the visualizations when users change the values of the risk variables.

	▼
Embed a canvas app in a Power BI report.	
Embed a Power BI report in a model-driven app.	
Embed a model-driven app in a Power BI report.	

Ensure that users can adjust the values of the four risk variables that contribute to a customer's credit risk.

	▼
Use Power BI tiles.	
Use Power Apps visuals.	
Use the Power BI service.	

Answer

Correct Answer:

Answer Area

Requirement

Action

Update the visualizations when users change the values of the risk variables.

	▼
Embed a canvas app in a Power BI report.	
Embed a Power BI report in a model-driven app.	
Embed a model-driven app in a Power BI report.	

Ensure that users can adjust the values of the four risk variables that contribute to a customer's credit risk.

	▼
Use Power BI tiles.	
Use Power Apps visuals.	
Use the Power BI service.	

Explanation:

To allow users to **change input values directly from a Power BI report** and have the related visuals update, you use the **Power Apps visual** in Power BI. A canvas app can be embedded in the Power BI report and used to write/update values in the underlying data source; the Power BI visuals can then refresh based on those changes.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/84805-exam-pl-200-topic-5-question-24-discussion/>

206 Question

Exam PL-200 topic 5 question 25 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 25

Topic #: 5

You create a JavaScript web resource named MyBusinessLogic. The code it contains uses functionality from a third-party JavaScript library.

You notice that an independent software vendor (ISV) solution uses the same third-party library in their managed solution.

You plan to deploy your solution to other environments by using a managed solution. The ISV solution might not be installed in the other environments.

You need to package the solution for deployment

What are two ways to achieve this goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Create a new JavaScript web resource by using the code from the third-party library. Add the new JavaScript web resource along with MyBusinessLogic to the solution.
- B. Add a copy of the JavaScript library from the ISV to the solution along with MyBusinessLogic.
- C. Add the code from the third-party JavaScript library to MyBusinessLogic. Add MyBusinessLogic to the solution.
- D. Add only the third-party JavaScript web resource to the solution.

Answer

Correct Answer: A,C

Explanation:

Your managed solution must be **self-contained** because the ISV solution (which contains the third-party library) may not exist in the target environments.

- **A. Create a new JavaScript web resource by using the code from the third-party library. Add the new JavaScript web resource along with MyBusinessLogic to the solution.**
 - This ensures the third-party library is deployed with your solution.
 - MyBusinessLogic can reference the library web resource.
 - This is a best practice because it keeps the library separate and reusable.
- **C. Add the code from the third-party JavaScript library to MyBusinessLogic. Add MyBusinessLogic to the solution.**
 - This also makes the solution self-contained.

- The library code is packaged directly within the custom JavaScript file.

Why the others are incorrect

- **B. Add a copy of the JavaScript library from the ISV to the solution along with MyBusinessLogic.**
 - You cannot reliably package components owned by another managed solution.
 - The ISV solution may not be present in the target environment.
- **D. Add only the third-party JavaScript web resource to the solution.**
 - MyBusinessLogic is also required because it contains the custom business logic.
 - Deploying only the library would not provide the required functionality.

Discussion: <https://www.examtactics.com/discussions/microsoft/view/84806-exam-pl-200-topic-5-question-25-discussion/>

207 Question

Exam PL-200 topic 5 question 26 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 26

Topic #: 5

A company creates a canvas app.

The app requires near real-time data from an accounting system that resides in a customer's data center.

You need to implement a solution for the app.

What should you create?

- A. On-premises data gateway
- B. Azure DevOps pipeline
- C. Data integration project
- D. Power Pages

Answer

Correct Answer: A

Explanation:

The canvas app requires **near real-time access to data that resides in a customer's on-premises data center.**

An **On-premises Data Gateway** enables Power Apps, Power Automate, and Power BI to securely connect to on-premises data sources without moving the data to the cloud.

Why the other options are incorrect

- **B. Azure DevOps pipeline**
 - Used for application lifecycle management (ALM) and deployments, not data connectivity.
- **C. Data integration project**
 - Used for data migration and synchronization scenarios, not direct near real-time access from a canvas app.
- **D. Power Pages**
 - Used to build external-facing websites, not to connect Power Apps to on-premises data.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/96979-exam-pl-200-topic-5-question-26-discussion/>

208 Question

Exam PL-200 topic 5 question 27 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 27

Topic #: 5

You create a canvas app that uses data from a Microsoft SQL Server database.

You use a dataflow to move some of the data from the database to Microsoft Dataverse. Users will filter the data by using the app.

You need to filter data in the dataflow and in the canvas app.

Which tools should you use? To answer, drag the appropriate tools to the correct requirements. Each tool may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Tools	Requirement	Tool
Power Fx	Filter data in the dataflow.	Tool
Power Query	Filter data in the canvas app.	Tool
T-SQL		
Kusto		

Answer

Correct Answer:

Tools	Requirement	Tool
	Filter data in the dataflow.	Power Query
	Filter data in the canvas app.	Power Fx
T-SQL		
Kusto		

Explanation:

- **Power Query** is used in **dataflows** to transform, shape, and filter data before loading it into Dataverse.
- **Power Fx** is the formula language used in **canvas apps** to filter, sort, and manipulate data displayed to users.

Why the others are incorrect

- **T-SQL**: Used for querying SQL Server directly, not for filtering data within a Power Platform dataflow or canvas app.
- **Kusto**: Used with Azure Data Explorer, Log Analytics, and Microsoft Fabric/Kusto databases, not canvas apps or Dataverse dataflows.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/96144-exam-pl-200-topic-5-question-27-discussion/>

209 Question

Exam PL-200 topic 5 question 28 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 28

Topic #: 5

You have a canvas app with an embedded Power BI tile.

You share the canvas app. Users report that they are unable to access the Power BI content.

You need to determine why users are unable to access the content.

What is the cause of the user's problems?

- A. The Power BI dashboard is not shared.
- B. The Power BI connection is not shared.
- C. The Power BI Display mode property on the Power BI tiles is set to Disabled.
- D. The Power BI interactions property on the Power BI tiles is set to Off.

Answer

Correct Answer: A

Explanation:

When a **Power BI tile is embedded in a canvas app**, sharing the canvas app alone does **not** grant access to the underlying Power BI content.

Users must also have permission to the Power BI content (dashboard/report) that contains the tile. If the Power BI dashboard has not been shared, users will be unable to view the embedded Power BI data.

Why the other options are incorrect

- **B. The Power BI connection is not shared**
 - Power BI connections are not typically the cause of users being unable to see embedded Power BI tiles.
- **C. The Power BI Display mode property on the Power BI tiles is set to Disabled**
 - This affects interaction with the control, not user authorization to view the content.
- **D. The Power BI interactions property on the Power BI tiles is set to Off**
 - This disables interaction with the tile but does not prevent users from accessing the Power BI content.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/96036-exam-pl-200-topic-5-question-28-discussion/>

210 Question

Exam PL-200 topic 5 question 29 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 29

Topic #: 5

You plan to create a Power BI dataflow.

The Power BI dataflow has the following requirements:

- Be able to create a copy of the dataflow to separate Power BI workspaces.
- Schedule the dataflow to update every day at 11:00 AM.

You need to configure the dataflow.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Requirement

Copy Power BI dataflow.

Action

Export the JSON file.
Change the settings.
Change the properties.
Add Streaming dataset.

Schedule updates.

Refresh the history.
Configure the Power BI service.
Share the dashboards with other users.
Refresh automatically.

Answer

Correct Answer:

Answer Area

Requirement

Copy Power BI dataflow.

Action

Export the JSON file.
Change the settings.
Change the properties.
Add Streaming dataset.

Schedule updates.

Refresh the history.
Configure the Power BI service.
Share the dashboards with other users.
Refresh automatically.

Explanation:

- **Export the JSON file** enables you to copy and reuse a Power BI dataflow in another workspace by importing the dataflow definition.
- To run the dataflow every day at **11:00 AM**, configure **automatic refresh** (scheduled refresh) in the dataflow settings.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/96037-exam-pl-200-topic-5-question-29-discussion/>

211 Question

Exam PL-200 topic 5 question 30 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 30

Topic #: 5

You plan to create a dataflow to import data into Microsoft Dataverse by using Power Query.

The dataflow has the following requirements:

- A table of aggregated data must be created in dataflow storage.
- A unique identifier must be created for the table.

You need to configure the dataflow.

Which solutions should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Requirement

Table of aggregated data

Unique identifier

Solution

	▼
Fact table	
Merge query	
Linked entity	
Computed entity	

	▼
Key column	
Pivot column	
Alternate key	

Answer

Correct Answer:

Answer Area

Requirement

Table of aggregated data

Unique identifier

Solution

	▼
Fact table	
Merge query	
Linked entity	
Computed entity	

	▼
Key column	
Pivot column	
Alternate key	

Explanation:

- **Computed entity:** Used in Power BI/Dataflows to create derived or aggregated data based on other entities stored in the dataflow. It performs transformations and aggregations in dataflow storage.
- **Alternate key:** Provides a unique identifier for records in Dataverse besides the primary GUID. It can be used to uniquely identify rows during imports and integrations.

Why the other options are incorrect

- **Fact table**
 - A data warehousing concept, not a specific dataflow feature for creating aggregated data.
- **Merge query**
 - Combines data from multiple queries but does not specifically create an aggregated table in dataflow storage.
- **Linked entity**
 - References another entity and does not create a new aggregated dataset.
- **Key column**
 - Not the Dataverse mechanism used to define a unique identifier for integration scenarios.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/114076-exam-pl-200-topic-5-question-30-discussion/>

212 Question

Exam PL-200 topic 5 question 31 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 31

Topic #: 5

You plan to create a dataflow by using Power Query to transform the data.

You observe that some cells display an error instead of the expected data.

You need to obtain more details about the errors.

What should you do?

- A. Use the App Checker.
- B. Select the cell with the error.
- C. Use the Flow Checker.
- D. Select the row that includes the cell with the error.
- E. Use the Advanced Editor.

Answer

Correct Answer: B

Explanation:

In **Power Query**, when a cell contains an error value, you can click/select that specific **error cell** to view detailed information about the error, including:

- Error type
- Error message
- Details about the failed transformation step

Why the other options are incorrect

- **A. Use the App Checker**
 - App Checker is used in Power Apps, not Power Query.
- **C. Use the Flow Checker**
 - Flow Checker is used in Power Automate.
- **D. Select the row that includes the cell with the error**
 - Error details are associated with the specific cell, not the entire row.
- **E. Use the Advanced Editor**
 - Advanced Editor shows the M code but is not the primary tool for viewing details of a specific cell error.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/118068-exam-pl-200-topic-5-question-31-discussion/>

213 Question

Exam PL-200 topic 5 question 32 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 32

Topic #: 5

A company creates a model-driven app.

Users require access to a Power BI report that is embedded in the app.

You need to configure the app.

Where should you add the report?

- A. XML report
- B. Dashboard
- C. Business rule
- D. Power Automate cloud flow

Answer

Correct Answer: B

Explanation:

In a **model-driven app**, Power BI reports are typically surfaced by embedding them in a **dashboard**.

- You can add a Power BI report or Power BI tile to a model-driven app dashboard.
- Users can then view the report directly within the app.

Why the other options are incorrect

- **A. XML report**
Used for legacy SQL Server Reporting Services (SSRS) reports, not Power BI reports.
- **C. Business rule**
Business rules enforce logic and validation, not report display.
- **D. Power Automate cloud flow**
Flows automate processes and do not host Power BI reports.

Discussion: <https://www.examtopycs.com/discussions/microsoft/view/120590-exam-pl-200-topic-5-question-32-discussion/>

214 Question

Exam PL-200 topic 5 question 33 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 33

Topic #: 5

A company is implementing Microsoft Power Platform solutions.

The company requests information on the features that are supported by Power Fx.

You need to identify the features of Power Fx.

What should you identify?

- A. It uses imperative and declarative logic.
- B. It uses an undefined value for uninitialized variables.
- C. It uses a plug-in.
- D. It uses the model-driven app formula language.

Answer

Correct Answer: A

Explanation:

Power Fx is the low-code formula language used across Microsoft Power Platform, especially in canvas apps. It supports:

- **Declarative logic** for defining what a control should display (similar to Excel formulas).
- **Imperative logic** for actions and behavior, such as button selections and data updates.

Why the other options are incorrect

- **B. It uses an undefined value for uninitialized variables.**
Power Fx uses **Blank()**, not an undefined value concept like some programming languages.
- **C. It uses a plug-in.**
Plug-ins are Dataverse server-side extensions written in .NET and are unrelated to Power Fx.
- **D. It uses the model-driven app formula language.**
Power Fx originated in canvas apps and is now expanding across Power Platform, but it is not specifically "the model-driven app formula language."

Discussion: <https://www.examttopics.com/discussions/microsoft/view/123772-exam-pl-200-topic-5-question-33-discussion/>

215 Question

Exam PL-200 topic 5 question 34 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 34

Topic #: 5

You use a dataflow to import data into Microsoft Dataverse.

The data uses the following schema:

Column name	Data type
accountid	Unique Identifier
accountnumber	Text
createdon	Date and Time
modifiedon	Date and Time
versionnumber	Big Integer

The data must load in the least amount of time.

You need to configure the incremental refresh settings for the dataflow.

Which columns should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Incremental refresh setting

Filter field

Column name

▼

createdon
accountid
accountnumber
versionnumber

Detect data changes

▼

createdon
modifiedon
accountnumber
versionnumber

Answer

Correct Answer:

Answer Area

Incremental refresh setting

Filter field

Column name

▼

createdon
accountid
accountnumber
versionnumber

Detect data changes

▼

createdon
modifiedon
accountnumber
versionnumber

Explanation:

For the fastest incremental refresh:

- **Filter field = createdon**
 - Incremental refresh partitions data based on a date/time column.
 - createdon is the appropriate Date and Time field for identifying new records.
- **Detect data changes = versionnumber**
 - versionnumber is a Big Integer that changes whenever a record is updated.
 - Using it is more efficient than scanning date columns and provides optimal change detection performance.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/128082-exam-pl-200-topic-5-question-34-discussion/>

216 Question

Exam PL-200 topic 5 question 35 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 35

Topic #: 5

A company uses Dataverse to store the names of contacts. The company uses a shared Microsoft Excel file to collect the data.

The company requires that the contacts be added to Dataverse automatically every day.

You need to identify which tools are required to create and perform the import.

What should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Requirement

Create the import.

Tool

▼

- Data map
- Dataflow
- Import from Excel
- Import Wizard

Perform the import.

▼

- Connections
- Custom connectors
- Power Apps
- Power Query

Answer

Correct Answer:

Answer Area

Requirement

Create the import.

Tool

▼

- Data man
- Dataflow**
- Import from Excel
- Import Wizard

Perform the import.

▼

- Connections
- Custom connectors
- Power Apps
- Power Query**

Explanation:

- **Dataflows** are used to create repeatable, scheduled imports into Dataverse from sources such as Excel files stored in OneDrive or SharePoint.
- **Power Query** is used within the dataflow to connect to the shared Excel file, transform the data, and load it into Dataverse.
- Because the import must run **automatically every day**, a Dataflow is the appropriate mechanism rather than a one-time Import Wizard or Import from Excel.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/123812-exam-pl-200-topic-5-question-35-discussion/>

217 Question

Exam PL-200 topic 5 question 36 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 36

Topic #: 5

A company is implementing Microsoft Power Platform solutions.

The company requests information on the features that are supported by Power Fx.

You need to identify the features of Power Fx.

What should you identify?

- A. It is available for purchase through a Microsoft reseller.
- B. It uses an undefined value for uninitialized variables.
- C. It uses formulas that are similar to Microsoft Excel formulas.
- D. It uses synchronous data operations.

Answer

Correct Answer: C

Explanation:

Power Fx is the low-code formula language used in Microsoft Power Platform, especially in Canvas Apps. Its syntax and behavior are intentionally designed to be familiar to users of **Microsoft Excel**.

Examples:

- Sum()
- Filter()
- If()
- LookUp()

These formulas closely resemble Excel functions and make app development easier for business users.

Why the other options are incorrect

- **A. It is available for purchase through a Microsoft reseller.**
Power Fx is a language, not a licensable product.
- **B. It uses an undefined value for uninitialized variables.**
Power Fx uses **Blank()** to represent no value.
- **D. It uses synchronous data operations.**
Power Fx supports asynchronous behavior and does not rely exclusively on synchronous operations.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/148698-exam-pl-200-topic-5-question-36-discussion/>

218 Question

Exam PL-200 topic 5 question 37 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 37

Topic #: 5

A company is implementing Microsoft Power Platform solutions.

The company requests information on the features that are supported by Power Fx.

You need to identify the features of Power Fx.

What should you identify?

- A. It uses imperative and declarative logic.
- B. It is available for purchase through a Microsoft reseller.
- C. It uses an undefined value for uninitialized variables.
- D. It provides a manual compiler.

Answer

Correct Answer: A

Explanation:

Power Fx supports both:

- **Declarative logic:** Similar to Excel formulas, where you describe *what* a value should be.
- **Imperative logic:** Used in behavior formulas such as button actions (OnSelect), where you specify a sequence of actions to perform.

Why the other options are incorrect

- **B. It is available for purchase through a Microsoft reseller.**
Power Fx is a programming language within Power Platform, not a product that is purchased separately.
- **C. It uses an undefined value for uninitialized variables.**
Power Fx uses **Blank()** to represent a missing or uninitialized value rather than an undefined value.
- **D. It provides a manual compiler.**
Power Fx does not provide a manual compiler feature.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/150235-exam-pl-200-topic-5-question-37-discussion/>

219 Question

Exam PL-200 topic 6 question 1 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 1

Topic #: 6

HOTSPOT -

You create a Power Platform help Desk solution.

You need to create a dashboard that displays information on help desk cases that are handled each week.

Which dashboard components should you use? To answer, select the appropriate options in the

answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Requirement	Component type
Add a tag chart by using opened cases.	System chart Personal dashboard Area chart
Add a stacked column chart shared with your team.	System chart Personal dashboard Area chart
Add a Microsoft Power BI visualization.	System chart Personal dashboard Area chart
Add a chart from a view that a user creates.	System chart Personal dashboard Area chart
Add a doughnut chart that shows cases by owner.	System chart Personal dashboard Area chart

Answer

Correct Answer:

Answer Area

Requirement	Component type
Add a tag chart by using opened cases.	System chart Personal dashboard Area chart
Add a stacked column chart shared with your team.	System chart Personal dashboard Area chart
Add a Microsoft Power BI visualization.	System chart Personal dashboard Area chart
Add a chart from a view that a user creates.	System chart Personal dashboard Area chart
Add a doughnut chart that shows cases by owner.	System chart Personal dashboard Area chart

Explanation:

- **System charts** are organization-wide and can be shared with all users. They support chart types such as **tag charts, stacked column charts, and doughnut charts**.
- **Personal dashboards** can include **Power BI visualizations** and can display charts based on **personal views** created by users.
- A chart based on a user-created (personal) view cannot be a system chart because system charts require system views.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/60492-exam-pl-200-topic-6-question-1-discussion/>

220 Question

Exam PL-200 topic 6 question 2 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 2

Topic #: 6

You create a Power Automate flow as part of a managed solution. The flow alerts users when files are uploaded to a SharePoint location.

Files are uploaded to SharePoint at a much higher rate than expected. Users report that they receive too many notifications about uploaded files.

You need to stop the flow and correct the issue.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Requirement	Action
Disable the flow in the managed solution	▼ Disable the flow from the Power Automate portal Disable the flow from the Azure portal Disable the flow from the Power Automate solution
Verify changes to the flow	▼ Run the Flow checker and then turn on the updated flow Use the Test feature on the updated flow and then turn on the flow Turn on the flow and then use the Test feature for the updated flow Run the Flow checker and then use the Test feature on the updated flow

Answer

Correct Answer:

Answer Area

Requirement	Action
Disable the flow in the managed solution	▼ Disable the flow from the Power Automate portal Disable the flow from the Azure portal Disable the flow from the Power Automate solution
Verify changes to the flow	▼ Run the Flow checker and then turn on the updated flow Use the Test feature on the updated flow and then turn on the flow Turn on the flow and then use the Test feature for the updated flow Run the Flow checker and then use the Test feature on the updated flow

Explanation:

Disable the flow from the Power Automate solution

- Because the flow is part of a **managed solution**, it should be managed from the **Solutions** area in Power Automate rather than from Azure.
- Azure portal is not used to enable/disable Power Automate cloud flows.

Run the Flow checker and then use the Test feature on the updated flow

- **Flow checker** validates the flow for errors and warnings.

- **Test** verifies that the updated flow behaves correctly before it is turned back on.
- The flow should remain disabled while testing and validation are performed.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/85754-exam-pl-200-topic-6-question-2-discussion/>

221 Question

Exam PL-200 topic 6 question 3 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 3

Topic #: 6

You create a new independent software vendor (ISV) solution for a Power Apps app. The Power Apps solution will be imported into multiple customer environments. The environments will have a large variety of solutions and publishers. You need to avoid naming conflicts during solution import. Which element should you configure?

- A. Package type
- B. Configuration page
- C. Marketplace
- D. Prefix
- E. Version

Answer

Correct Answer: D

Explanation:

In Power Apps and Dataverse solutions, the **publisher prefix** is used as part of the schema name for components such as:

- Tables (entities)
- Columns (attributes)
- Choices
- Forms
- Views
- Other solution components

Using a unique **prefix** (for example, contoso_ or isv_) helps prevent naming conflicts when the solution is imported into customer environments that may already contain solutions from other publishers.

For an ISV solution deployed to many customers, defining a unique publisher prefix is a best practice.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/80526-exam-pl-200-topic-6-question-3-discussion/>

222 Question

Exam PL-200 topic 6 question 4 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 4

Topic #: 6

A company has employees in France, Mexico, and the United States. You are creating a Power Apps app to allow users to add client records to Microsoft Dataverse. The default language for the company is English. The company wants the app to display each local language. You need to add the Spanish and French languages.

Which four actions should you perform in sequence for each language? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions

Import the solution.

Export translations.

Replace the language code column and translated wording in the CrmTranslations.xml file.

Select an unmanaged solution.

Select a managed solution.

Add a language code column and translated wording in the CrmTranslations.xml file.

Import translations.

Export the solution.

Answer Area

Answer

Correct Answer:

Actions	Answer Area
Import the solution.	Select an unmanaged solution.
	Export translations.
Replace the language code column and translated wording in the CrmTranslations.xml file.	Add a language code column and translated wording in the CrmTranslations.xml file.
	Import translations.
Select a managed solution.	
Export the solution.	

Explanation:

To localize a Power Apps/Dataverse solution:

- Translation export/import is performed on an **unmanaged solution**.
- **Export translations** generates the translation file.
- Add the new language (Spanish or French) by **adding a language code column and the translated text** to the CrmTranslations.xml file.
- **Import translations** back into the solution to apply the localized labels.

Discussion: <https://www.examtopycs.com/discussions/microsoft/view/80527-exam-pl-200-topic-6-question-4-discussion/>

223 Question

Exam PL-200 topic 6 question 5 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 5

Topic #: 6

A company uses a model-driven Power Apps app in a new environment. The base language is English.

You need to configure French and Spanish.

Which configuration component should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Requirement

Allow a language to be used within an organization.

Configuration component

▼
Default language
Language collation
Language packs
LCID

Enable the languages.

▼
Browser
Environment
Power Apps app
Tenant

Answer

Correct Answer:

Answer Area

Requirement

Allow a language to be used within an organization.

Configuration component

▼
Default language
Language collation
Language packs
LCID

Enable the languages.

▼
Browser
Environment
Power Apps app
Tenant

Explanation:

Language packs

- Language packs must be installed to make additional languages (such as French and Spanish) available in Dataverse and model-driven apps.

Environment

- After the language packs are available, the languages are enabled at the **environment** level through Power Platform environment settings.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/83030-exam-pl-200-topic-6-question-5-discussion/>

224 Question

Exam PL-200 topic 6 question 6 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 6

Topic #: 6

A company creates a Microsoft Power Apps app through the Power Apps designer portal for use in Microsoft Teams.

This app needs to be promoted to the user acceptance testing environment.

You need to complete the Microsoft recommended actions before you export the solution.

Which two actions should you complete? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Run the solution checker.
- B. Set the Optimized embedding appearance field to true.
- C. Clone a solution.
- D. Write validation tests.
- E. Publish all changes.

Answer

Correct Answer: A,E

Explanation:

A. Run the solution checker

- Microsoft recommends running **Solution Checker** before exporting a solution.
- It analyzes the solution for performance, reliability, security, and supportability issues.

E. Publish all changes

- Before exporting, all customizations must be **published** to ensure the latest changes are included in the exported solution.

Why not the others?

- **B. Set the Optimized embedding appearance field to true** – Not related to solution export or deployment.
- **C. Clone a solution** – Used in certain ALM scenarios but is not a recommended prerequisite for every export.

- **D. Write validation tests** – A good practice, but not a specific Microsoft-recommended action required before exporting a solution.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/79352-exam-pl-200-topic-6-question-6-discussion/>

225 Question

Exam PL-200 topic 6 question 7 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 7

Topic #: 6

You create functionality for a company. The functionality includes a Microsoft Dataverse table with a form for data entry. The functionality will be distributed to other lines of business in the company, each with its own Dataverse environment.

New forms must not be created in order for updates to the functionality to work correctly.

You need to package the new functionality for distribution.

What should you do?

- A. Use a patch solution and disable the ability to create new forms for the table.
- B. Use a managed solution and include only the needed form.
- C. Use an unmanaged solution and include only the needed form.
- D. Use a managed solution and disable the ability to create new forms for the table.

Answer

Correct Answer: B

Explanation:

The functionality will be distributed to multiple business units and environments, so it should be packaged as a **managed solution**. Managed solutions are the Microsoft-recommended approach for distributing applications and customizations to production environments.

Including **only the required form** helps ensure that updates to the solution can be applied consistently and avoids conflicts with additional forms.

Why the other options are incorrect:

- **A. Patch solution** – Patches are used to update an existing solution, not as the initial distribution package.
- **C. Unmanaged solution** – Unmanaged solutions are intended for development and can be modified directly in the target environment, which can complicate future updates.
- **D. Managed solution and disable the ability to create new forms** – There is no requirement or standard approach to disable form creation to support solution updates.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/79350-exam-pl-200-topic-6-question-7-discussion/>

226 Question

Exam PL-200 topic 6 question 8 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 8

Topic #: 6

You are using a development environment to add a new column to a system table. You plan to move the changes to a test environment when they are complete.

The changes must meet the following requirements:

- Must be clearly identified so that they are not confused with system components and components from other solutions.
- Must not affect any existing components in the test environment.

You need to prepare a solution for deployment to the test environment.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

Actions	Answer area
Select a managed solution and add the correct publisher.	
Choose an existing publisher.	
Create a new publisher.	
Add the table to the solution and add the new column.	
Add the table with all components to the solution.	
Run the solution checker on the solution.	
Create a new unmanaged solution and select the correct publisher.	

Answer

Correct Answer:

Actions	Answer area
Select a managed solution and add the correct publisher.	Create a new publisher.
Choose an existing publisher.	Create a new unmanaged solution and select the correct publisher.
	Add the table to the solution and add the new column.
	Run the solution checker on the solution.
Add the table with all components to the solution.	

Explanation:

- **Create a new publisher:** Ensures a unique prefix so the custom column is clearly identified and not confused with system components or other solutions.

- **Create a new unmanaged solution and select the correct publisher:** Development is performed in an unmanaged solution.
- **Add the table to the solution and add the new column:** Include only the required components to minimize impact on the target environment.
- **Run the solution checker on the solution:** Validate the solution before deployment.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/79353-exam-pl-200-topic-6-question-8-discussion/>

227 Question

Exam PL-200 topic 6 question 9 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 9

Topic #: 6

A company uses Power BI dashboards.

A manager wants to understand the raw data in one of the charts.

You need to present the data.

What should you do?

- A. Export the dashboard to Microsoft PowerPoint.
- B. Export the dashboard to Microsoft Excel.
- C. Change to focus mode.
- D. Drill down in the dashboard controls.

Answer

Correct Answer: B

Explanation:

If a manager wants to view the **raw data behind a chart** in a Power BI dashboard, the appropriate action is to **export the data to Excel**.

- **Export to Excel** provides access to the underlying or summarized data used by the visualization.
- **Export to PowerPoint** only exports the visual representation, not the raw data.
- **Focus mode** enlarges the visualization but does not expose the raw data.
- **Drill down** shows data at a lower level of aggregation but not the complete raw dataset.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/96042-exam-pl-200-topic-6-question-9-discussion/>

228 Question

Exam PL-200 topic 6 question 10 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 10

Topic #: 6

You are a consultant. A client asks you to remove several solutions in one of their Microsoft Dataverse environments.

The client wants to know what effect removing the solutions will have on the rest of the system.

You need to explain the results of removing the solutions.

Which components will be affected? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer area	Solution description	Component or components removed
	An unmanaged solution contains a custom table. The table is in a parent-child relationship with another table.	The solution only. The solution and the lookup column. The solution, the table, and any data in the table.
	A managed solution patch contains an update to a column label. The column is used in several forms and views.	The solution and the updated column label. The solution, the column, and any data in the column. The solution, the table, and the updated column label.
	A managed solution that was created by an independent solution provider (ISV) contains a custom table and changes to the site map.	The solution only. The solution and the site map. The solution, the table, and any data in the table.

Answer

Correct Answer:

Answer area	Solution description	Component or components removed
	An unmanaged solution contains a custom table. The table is in a parent-child relationship with another table.	The solution only. The solution and the lookup column. The solution, the table, and any data in the table.
	A managed solution patch contains an update to a column label. The column is used in several forms and views.	The solution and the updated column label. The solution, the column, and any data in the column. The solution, the table, and the updated column label.
	A managed solution that was created by an independent solution provider (ISV) contains a custom table and changes to the site map.	The solution only. The solution and the site map. The solution, the table, and any data in the table.

Explanation:

- **Unmanaged solution → The solution only**
 - Deleting an unmanaged solution removes only the solution container.
 - Components remain in the environment.
- **Managed solution patch → The solution and the updated column label**
 - Removing a managed patch rolls back the changes made by the patch.
 - The updated label is removed/restored to its previous value.
- **Managed ISV solution → The solution, the table, and any data in the table**
 - Uninstalling a managed solution removes the components introduced by that solution, including custom tables and their data.
 - Site map customizations are also removed as part of the uninstall.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/95993-exam-pl-200-topic-6-question-10-discussion/>

229 Question

Exam PL-200 topic 6 question 11 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 11

Topic #: 6

You are creating tables for use with Microsoft Power Platform components.

The display names of the tables must not be changed when the solution is promoted to the user acceptance testing environment.

You need to apply this restriction to the solution.

Where should you make the changes?

- A. Segmented solution
- B. Default solution
- C. Power Apps
- D. Unmanaged solution
- E. Managed solution

Answer

Correct Answer: E

Explanation:

A **managed solution** is used when distributing a solution to downstream environments such as UAT or Production and you want to **prevent users from modifying components**, including table display names.

Managed solutions allow solution authors to control customizations and protect components from being changed in the target environment.

Why not the others?

- **A. Segmented solution** – Controls which components are included, not whether they can be modified.
- **B. Default solution** – Contains all components in an environment and does not enforce restrictions.
- **C. Power Apps** – The platform itself, not a deployment mechanism.
- **D. Unmanaged solution** – Allows customization in the target environment, so display names could be changed.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/96044-exam-pl-200-topic-6-question-11-discussion/>

230 Question

Exam PL-200 topic 6 question 12 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 12

Topic #: 6

A company uses a model-driven app with Microsoft Dataverse in a single environment.

The company requires a canvas app that includes the same data as the model-driven app.

You need to create the canvas app.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions		Answer area
Select the data source and tables to include in the canvas app and then save the app.		
Sign into the Power Apps Maker portal.	➤	⬆
Select the Dataverse option.	⬅	⬇
Select the Excel option.		
Sign into the Microsoft Power Platform admin portal.		

Answer

Correct Answer:

Actions		Answer area
		Sign into the Power Apps Maker portal.
		Select the Dataverse option.
	➤	
	⬅	Select the data source and tables to include in the canvas app and then save the app.
Select the Excel option.		
Sign into the Microsoft Power Platform admin portal.		

Explanation:

Since the model-driven app already uses **Microsoft Dataverse**, the quickest way to create a canvas app with the same data is:

- Open the **Power Apps Maker portal**.
- Choose **Dataverse** as the data source.
- Select the required tables and generate/save the canvas app.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/96132-exam-pl-200-topic-6-question-12-discussion/>

231 Question

Exam PL-200 topic 6 question 13 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 13

Topic #: 6

A company that manufactures medical devices uses Power Apps to manage their sales and device maintenance.

A table named Devices in Microsoft Dataverse has a column named Status. The Status column must have a new status value of Review added to the existing Choice values of Active and Inactive.

The table must be added to a solution to be promoted once the change is made.

Only this change must be promoted to the test environment. The changes must not be able to be changed once promoted.

You need to add the change to a solution for promotion.

Options	Answer Area	
Add column	Action	Option
Add existing	Add the Devices table to the solution.	Option
Add required components	Add the status column changes only to the solution.	Option
Add subcomponent		

Answer

Correct Answer:

Options	Answer Area	
Add column	Action	Option
	Add the Devices table to the solution.	Add existing
Add required components	Add the status column changes only to the solution.	Add subcomponent

Explanation:

- **Add existing** is used to add the existing **Devices** table to the solution.
- To promote **only the Status column change** (the new Choice value *Review*) and not the entire table with all its components, use **Add subcomponent** and select the specific column.
- The requirement that changes **must not be changed once promoted** indicates the solution should ultimately be deployed as a **managed solution**, but for the selections shown in the image, the correct options are those above.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/95994-exam-pl-200-topic-6-question-13-discussion/>

232 Question

Exam PL-200 topic 6 question 14 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 14

Topic #: 6

A company is updating a Power Apps solution that contains two tables named Services and Equipment.

The company is creating a new solution to update the current solution for the following requirements:

- The Services table must be updated to include change tracking.
- The Equipment table must be updated to include four new columns.
- The solution must update only the components that need to be added or changed.

You need to create the solution.

Which table option should you use? To answer, drag the appropriate options to the correct tables. Each option may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Options	Answer Area						
Include all components Include entity metadata Select components	<table><thead><tr><th>Table</th><th>Option</th></tr></thead><tbody><tr><td>Services</td><td> Option </td></tr><tr><td>Equipment</td><td> Option </td></tr></tbody></table>	Table	Option	Services	Option	Equipment	Option
Table	Option						
Services	Option						
Equipment	Option						

Answer

Correct Answer:

Options	Answer Area						
Include all components 	<table border="1"> <thead> <tr> <th>Table</th> <th>Option</th> </tr> </thead> <tbody> <tr> <td>Services</td> <td> Include entity metadata </td> </tr> <tr> <td>Equipment</td> <td> Select components </td> </tr> </tbody> </table>	Table	Option	Services	Include entity metadata	Equipment	Select components
Table	Option						
Services	Include entity metadata						
Equipment	Select components						

The requirement says:

- **Services** table: enable **Change Tracking** → this is a table-level setting (metadata change).
- **Equipment** table: add **4 new columns** → only specific components need to be included.
- **Only the components that need to be added or changed** should be updated.

Explanation:

- **Include entity metadata** is used when changing table properties such as **Change Tracking**, auditing, ownership, etc.
- **Select components** allows you to include only the four new columns instead of the entire table and all its components.
- **Include all components** would bring unnecessary components and does not meet the requirement to update only what changed.

Discussion: <https://www.examtopycs.com/discussions/microsoft/view/96133-exam-pl-200-topic-6-question-14-discussion/>

233 Question

Exam PL-200 topic 6 question 15 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 15

Topic #: 6

A company uses a model-driven app. The app uses a Power Virtual Agents chatbot.

The company has two locations in different countries/regions with separate environments for each location. Each location has a development environment, a testing environment, and a production environment. The company uses the Application Lifecycle Management (ALM) process for the environments.

You need to create the different Power Virtual Agents bot environments.

How many Power Virtual Agents bot environments are required?

- A. 1
- B. 2
- C. 3
- D. 6

Answer

Correct Answer: D

Explanation:

Power Virtual Agents bots are created within a **Power Platform environment** and are managed through the ALM process.

The company has:

- **2 locations**
- Each location has:
 - **1 Development environment**
 - **1 Testing environment**
 - **1 Production environment**

Therefore:

- Location 1: Dev + Test + Prod = **3 bot environments**
- Location 2: Dev + Test + Prod = **3 bot environments**

Total: $2 \times 3 = 6$

Discussion: <https://www.examttopics.com/discussions/microsoft/view/96285-exam-pl-200-topic-6-question-15-discussion/>

234 Question

Exam PL-200 topic 6 question 16 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 16

Topic #: 6

A company plans to create an app by using Power Apps.

The company has the following requirements:

- The app must be able to enter data into Microsoft SharePoint.
- Users must be able to add the app into Microsoft Teams.

You need to recommend which app to create.

Which type of app should you recommend?

- A. model-driven app as a personal app
- B. model-driven app as a tab app
- C. canvas app as a personal app
- D. Canvas app as a tab app

Answer

Correct Answer: D

Explanation:

The requirements are:

1. Enter data into Microsoft SharePoint

- Canvas apps can connect directly to SharePoint lists and libraries through built-in connectors.
- Model-driven apps are primarily built on Dataverse and are not the recommended option for SharePoint-based data entry.

2. Users must be able to add the app into Microsoft Teams

- Canvas apps can be embedded in Teams as a **tab app**.

• **Therefore: D. Canvas app as a tab app**

- Supports SharePoint as a data source and can be added directly as a Teams tab.

Why not the others?

• **A. Model-driven app as a personal app**

- Not ideal for SharePoint data sources.

• **B. Model-driven app as a tab app**

- Model-driven apps require Dataverse and are not the best fit for SharePoint-based data entry.

• **C. Canvas app as a personal app**

- A personal app appears in the Teams app rail, but the requirement is to add the app into Teams, typically as a tab within a team or channel.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/112236-exam-pl-200-topic-6-question-16-discussion/>

235 Question

Exam PL-200 topic 6 question 17 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 17

Topic #: 6

A company records data in Microsoft SharePoint Online. The company is creating a mobile app by using Microsoft Power Platform only.

The company requires the app to connect directly to SharePoint Online to collect data.

You need to recommend which Microsoft Power Platform product or feature to implement.

What should you recommend?

- A. Power Automate
- B. Power Pages
- C. Canvas app
- D. Model-driven app

Answer

Correct Answer: C

Explanation:

The requirements are:

- Create a **mobile app**.
- Connect **directly to SharePoint Online**.
- Use **Microsoft Power Platform only**.
- Collect and enter data into SharePoint.

A **Canvas app** is the recommended Power Platform app type for direct connections to SharePoint lists and libraries. It is optimized for mobile experiences and allows users to create, edit, and view SharePoint data.

Why not the others?

- **A. Power Automate**
Automates processes and workflows but is not used to build mobile data-entry applications.

- **B. Power Pages**
Used for external-facing websites and portals, not primarily for mobile apps connected directly to SharePoint.
- **D. Model-driven app**
Requires Dataverse as the primary data source and does not directly use SharePoint as its data platform.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/112391-exam-pl-200-topic-6-question-17-discussion/>

236 Question

Exam PL-200 topic 6 question 20 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 20

Topic #: 6

A company has implemented server-side synchronization in Dataverse.

Users have the following synchronization requirements:

- As emails are moved to specific locations within an inbox, the emails must relate back to a specific record in Dataverse.
- Information about key individuals must sync automatically to Outlook.
- Tagged appointments in Outlook must sync automatically to Dataverse.

You need to recommend a solution for each requirement.

What should you recommend? To answer, move the appropriate features to the correct requirements. You may use each feature once, more than once, or not at all. You may need to move the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Features	Server-side synchronization features	
	Requirement	Feature
Folder-level tracking	Synchronize moved items	
Outlook category tracking	Individuals appear in Outlook	
Email synchronization	Synchronize tagged appointments	
Appointments, contacts, and tasks synchronization		

Answer

Correct Answer:

Features	Server-side synchronization features	
	Requirement	Feature
	Synchronize moved items	Folder-level tracking
Email synchronization	Individuals appear in Outlook	Appointments, contacts, and tasks synchronization
	Synchronize tagged appointments	Outlook category tracking

Explanation:

- **Folder-level tracking:** Tracks emails automatically when they are moved to specific Outlook folders and links them to Dataverse records.
- **Appointments, contacts, and tasks synchronization:** Synchronizes contacts (key individuals) between Dataverse and Outlook.
- **Outlook category tracking:** Tracks Outlook items, including appointments, when users assign the configured Dataverse category.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/143772-exam-pl-200-topic-6-question-20-discussion/>

237 Question

Exam PL-200 topic 6 question 21 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 21

Topic #: 6

You are creating a model-driven app that has an embedded Power BI report. Another functional consultant set up an environment variable for the report.

You add the dashboard to a solution in the development environment and then import the changes to a production environment as a managed solution.

When you test the report, the data appears the same as it did in the development environment. You delete the solution in production.

You need to resolve the development environment issue before redeploying the solution.

What should you do?

- A. Update the environment variable current value
- B. Remove the environment variable current value.
- C. Update the environment variable default value.
- D. Create a new environment variable.

Answer

Correct Answer: B

Explanation:

Environment variables have:

- **Default Value** – stored in the solution and moved between environments.
- **Current Value** – environment-specific and should be configured separately in each environment.

In this scenario, after importing the managed solution into Production, the report still points to the Development data. This commonly occurs because the environment variable's **Current Value** was included in the solution.

To ensure the Production environment prompts for or uses its own value during deployment, you should **remove the Current Value** from the environment variable in Development before exporting the solution again.

Why not the others?

- **A. Update the environment variable current value**
The issue is that the current value should not be carried from Development.
- **C. Update the environment variable default value**
Default values are intended as a fallback and are packaged in the solution.
- **D. Create a new environment variable**
Unnecessary; the existing environment variable can be used correctly.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/145182-exam-pl-200-topic-6-question-21-discussion/>

238 Question

Exam PL-200 topic 6 question 22 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 22

Topic #: 6

You are creating tables for use with Microsoft Power Platform components.

The display names of the tables must not be changed when the solution is promoted to the user acceptance testing environment.

You need to apply this restriction to the solution.

Where should you make the changes?

- A. Segmented solution
- B. Default solution
- C. Unmanaged solution
- D. Managed solution

Answer

Correct Answer: D

Explanation:

A **managed solution** is used when moving customizations from Development to UAT/Production and you want to **prevent users from modifying solution components**.

Since the requirement states:

"The display names of the tables must not be changed when the solution is promoted to the user acceptance testing environment."

you should deploy the solution as a **managed solution**. Managed solutions enforce restrictions on customizations in the target environment.

Why not the others?

- **A. Segmented solution**
Controls which components are included in a solution, not whether they can be modified.
- **B. Default solution**
Contains all environment customizations and does not provide protection against changes.
- **C. Unmanaged solution**
Allows direct modification of components in the target environment.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/145204-exam-pl-200-topic-6-question-22-discussion/>

239 Question

Exam PL-200 topic 6 question 23 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 23
Topic #: 6

A company is using Dataverse with a custom table named Prospects. The Prospects table has a lookup to the Account table.

SharePoint document management is configured in the environment but is not configured for the Prospects table. All documents saved as part of the integration must be accessed by using an Account row linked to the Prospects table.

Based on new requirements from end users, the Prospects table must be reconfigured for use with the document management feature.

You need to configure the integration.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Answer Area

Actions

Edit the table.

Navigate to Document Management settings.

Enable server-based SharePoint integration.

Select the Based on Entity Account checkbox.

Select the Prospects table.

Clear the Based on Entity checkbox.

Add a column of type File.

SharePoint document management configuration steps

⏪

⏩

⏪

⏩

Answer

Correct Answer:

Answer Area

Actions

Edit the table.
Clear the Based on Entity checkbox.
Add a column of type File.

SharePoint document management configuration steps

Navigate to Document Management settings.
Select the Prospects table.
Select the Based on Entity Account checkbox.
Enable server-based SharePoint integration.

Explanation:

The requirement states:

- SharePoint document management is already configured in the environment.
- The **Prospects** table is not yet enabled.
- Documents for a Prospect must be accessed through the related **Account** record.

To achieve this, when enabling document management for the Prospects table, configure it to be **based on the Account entity** so documents are stored and accessed through the associated Account's SharePoint location.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/148699-exam-pl-200-topic-6-question-23-discussion/>

240 Question

Exam PL-200 topic 6 question 24 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 24

Topic #: 6

A company is using a model-driven app in a production environment.

You must set up server-side synchronization for all users to connect with the company's Exchange Online instance.

You need to determine the locations to use to complete the configuration.

Where should you navigate to? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Answer Area

Server-side synchronization interfaces

Configuration step

Set up the server profile.

Interface

	▼
Maker portal solution	
Microsoft Power Platform admin center	
Exchange admin center	

Set default processing.

	▼
System settings	
Personalization settings	

Approve email.

	▼
User mailbox in Dataverse	
Exchange admin center	

Test and enable mailboxes.

	▼
User mailbox in Dataverse	
Exchange admin center	

Answer

Correct Answer:

Answer Area

Server-side synchronization interfaces

Configuration step

Interface

Set up the server profile.

▼

Maker portal solution

Microsoft Power Platform admin center

Exchange admin center

Set default processing.

▼

System settings

Personalization settings

Approve email.

▼

User mailbox in Dataverse

Exchange admin center

Test and enable mailboxes.

▼

User mailbox in Dataverse

Exchange admin center

Explanation:

- **Server Profile** (Exchange Online profile) is configured in the **Microsoft Power Platform admin center**.
- **Default processing** (server-side synchronization settings for email, appointments, contacts, and tasks) is configured in **System Settings**.
- **Approve Email** is performed on the **Mailbox record** for the user in Dataverse.
- **Test & Enable Mailbox** is also performed from the **Mailbox record** in Dataverse.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/145200-exam-pl-200-topic-6-question-24-discussion/>

241 Question

Exam PL-200 topic 6 question 26 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 26

Topic #: 6

A company is using Dataverse.

Users require a mechanism to manually track emails against specific row types in the system from within Outlook.

You need to recommend a solution.

Which solution should you recommend?

- A. Custom page
- B. Cloud flow
- C. Canvas app
- D. Dynamics 365 App for Outlook

Answer

Correct Answer: D

Explanation:

The requirement is:

Users require a mechanism to manually track emails against specific row types in the system from within Outlook.

The **Dynamics 365 App for Outlook** allows users to:

- Track emails directly from Outlook to Dataverse/Dynamics 365.
- Set **Regarding** records (specific rows such as Contacts, Accounts, Opportunities, custom tables, etc.).
- Create and link records without leaving Outlook.
- Manually track emails, appointments, and contacts.

Therefore: D. Dynamics 365 App for Outlook Specifically designed for tracking Outlook items to Dataverse/Dynamics 365 records.

Why not the others?

- **A. Custom page:** Not used for Outlook email tracking.
- **B. Cloud flow:** Automates processes but does not provide manual tracking from Outlook.
- **C. Canvas app:** Can interact with Dataverse but cannot directly provide Outlook email tracking functionality.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/316426-exam-pl-200-topic-6-question-26-discussion/>

242 Question

Exam PL-200 topic 6 question 27 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 27

Topic #: 6

You are implementing server-side synchronization for a company. The company uses Exchange Online with no permissions delegated. All users are assigned the Approve Email Addresses for Users or Queues privilege.

You set up the server profile and configure the mailboxes. You encounter an issue when you attempt to approve mailboxes for other users.

You need to identify who can approve the mailbox.

Who should you identify?

- A. All users
- B. Microsoft Power Platform Administrator
- C. Any system administrator
- D. User who owns the mailbox

Answer

Correct Answer: C

Explanation:

For **server-side synchronization** in Dataverse/Dynamics 365, approving a mailbox is a privileged action.

Even if users are assigned the **Approve Email Addresses for Users or Queues** privilege, **users cannot approve their own email addresses/mailboxes**. Approval must be performed by another user with sufficient administrative privileges.

A **System Administrator** security role has the required permissions to approve email addresses and mailboxes for other users.

Why not the others?

- **A. All users**
Regular users cannot approve mailboxes.
- **B. Microsoft Power Platform Administrator**
This role manages environments but mailbox approval is typically performed by a Dataverse/Dynamics 365 **System Administrator**.
- **D. User who owns the mailbox**
Users cannot approve their own mailbox.

Discussion: <https://www.examtopycs.com/discussions/microsoft/view/394315-exam-pl-200-topic-6-question-27-discussion/>

243 Question

Exam PL-200 topic 6 question 28 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 28

Topic #: 6

You develop a model-driven app that has an embedded Power BI report in the development environment.

Another environment has a Power BI workspace that corresponds to the development environment.

All deployments must take place by using the maker portal.

When you manually deploy changes to the other environment, you observe that the report from the development workspace is displayed.

You need to resolve the issue.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Use a solution settings file.
- B. Replace the Report component with a Power BI Dashboard component.
- C. Add an environment variable.
- D. Include the current value in the solution.
- E. Remove the current value in the solution.

Answer

Correct Answer: C,E

Explanation:

The issue occurs because the embedded Power BI report is still using the values from the Development environment.

To support deployment through the **Maker portal**, Microsoft recommends using **environment variables** for items that differ between environments, such as Power BI workspace IDs and report IDs.

- **C. Add an environment variable**

Use an environment variable to store the Power BI report/workspace reference. This allows each environment to have its own value.

- **E. Remove the current value in the solution**

When exporting the solution, remove the **Current Value** so that the target environment can provide its own environment-specific value during import. Otherwise, the Development value is carried over and the report continues to point to the Development workspace.

Why not the others?

- **A. Use a solution settings file**
Used with ALM pipelines and deployment automation, not manual deployment through the Maker portal.
- **B. Replace the Report component with a Power BI Dashboard component**
Does not address environment-specific workspace references.
- **D. Include the current value in the solution**
This is what causes the Development workspace value to be deployed to other environments.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/394316-exam-pl-200-topic-6-question-28-discussion/>

244 Question

Exam PL-200 topic 6 question 29 discussion

Actual exam question from Microsoft's [PL-200](#)

Question #: 29

Topic #: 6

You are exporting a solution from a development environment that contains a form and a view for a custom table.

When you attempt to import the solution into another environment, the import fails due to missing dependencies.

You need to ensure that the solution can be imported successfully.

What should you do to resolve the dependency errors?

- A. Select Export as Unmanaged when exporting the solution.
- B. Publish all customizations in the environment before exporting the solution.
- C. Select Include all objects when adding the table to the solution.
- D. Select Export as Managed when exporting the solution.

Answer

Correct Answer: C

Explanation:

The import is failing because the **form and view have dependencies on other table components** (columns, relationships, charts, etc.) that were not included in the solution.

When adding a table to a solution, selecting **Include all objects** ensures that all dependent components required by the form and view are included in the export package, preventing missing dependency errors during import.

Why not the others?

- **A. Export as Unmanaged**
Managed vs. unmanaged does not resolve missing dependencies.
- **B. Publish all customizations**
This is a good practice before export but does not automatically include missing dependent components.
- **D. Export as Managed**
Managed solutions can still fail due to missing dependencies.

Discussion: <https://www.examttopics.com/discussions/microsoft/view/394317-exam-pl-200-topic-6-question-29-discussion/>