

MULTI 01

You administer the Microsoft 365 and Power Platform environments for Contoso, Ltd. The company has a model-driven app that is used to track customer interactions with employees. The app uses standard table types for customers. A user named Elisabeth Rice signs in to the app by using the following sign in name: Elisabeth.Rice@contoso.com.

After marriage, Elisabeth changes her legal name to Elisabeth Mueller.

You need to update the sign in name for the user without losing any application history.

Option 1:

Solution: Change Elizabeth's username in the user record for the app.

Does this meet the goal?

A. Yes

B. No

Dynamics 365 and Dataverse, a user's sign-in name is synchronized from **Microsoft Entra ID (Azure AD)**. You do **not** change the sign-in name directly in the app's user record.

To preserve all ownership, history, activities, and audit records:

1. Change the user's name and User Principal Name (UPN) in **Microsoft Entra ID / Microsoft 365**.
2. Synchronization updates the corresponding Dynamics 365 user record.
3. The same user account is retained, so application history remains intact.

Changing the username in the Dynamics 365 app user record itself is not the correct method for changing the sign-in identity.

Option 2:

Solution: Ask the Microsoft 365 administrator to sign in to the admin portal and change the username.

Does this meet the goal?

A. Yes

B. No

Dynamics 365 and Dataverse, user accounts are linked to **Microsoft Entra ID (Azure AD) / Microsoft 365** identities. To change a user's sign-in name (UPN) while preserving ownership, activities, audit history, and record associations:

1. A Microsoft 365 administrator changes the user's username (UPN) in the **Microsoft 365 Admin Center**.
2. The change synchronizes to Dynamics 365.
3. The user continues to use the same underlying account, so all application history is retained.

For example:

- Before: Elisabeth.Rice@contoso.com
- After: Elisabeth.Mueller@contoso.com

The Dynamics 365 user record remains associated with the same identity, preserving all historical data.

Option 3:

Solution: Delete the user account in the Power Platform admin portal and recreate the account by using the new name.

Does this meet the goal?

A. Yes

B. No

The goal is to:

- Update the user's sign-in name from **Elisabeth.Rice@contoso.com** to **Elisabeth.Mueller@contoso.com**.
- **Preserve all application history**, including:
 - Record ownership
 - Activities
 - Audit history
 - Assignments
 - Relationships

Deleting the user account and recreating it would create a **new identity** in Microsoft Entra ID (Azure AD) and Dataverse. The new account would not be associated with the original user's history and ownership records.

The correct approach is to **change the username (UPN) in Microsoft 365 / Microsoft Entra ID**, which keeps the same user identity and preserves all history.

Option 4:

Solution: From Dynamics 365 Settings, select Email Configuration. In the active mailbox for the user, update the name.

Does this meet the goal?

C. Yes

D. No

The proposed solution does **not** meet the goal.

Changing information in **Dynamics 365 Settings → Email Configuration → Mailbox** only affects the mailbox configuration used for email synchronization. It does **not** change the user's sign-in name (User Principal Name/UPN) in Microsoft Entra ID (Azure AD) or Dynamics 365.

MULTI 02

On a Contact record, a user creates a Note record that contains the word running.

One week later, the user reports that they cannot find the Contact record associated with the Note record.

You need to find the Note record.

Option 1:

Solution: Use Categorized Search to search for the word run.

Does this meet the goal?

A. Yes

B. No

Categorized Search does not perform stemming or linguistic matching in a way that guarantees that searching for "**run**" will return records containing "**running**".

To find the Note record reliably, the user should search for the actual indexed term "**running**" (or use Relevance Search/Dataverse Search configured for Notes).

Because the note contains the word "**running**", searching for "**run**" with Categorized Search is not guaranteed to return the Note record.

Therefore, the proposed solution **does not meet the goal**.

Option 2:

Solution: Use Relevance Search to search for the word run.

Does this meet the goal?

A. Yes

B. No

Relevance Search (now Dataverse Search) uses Azure Cognitive Search technology and supports linguistic analysis, including:

- Word stemming
- Inflectional forms
- Relevance ranking

Because the Note contains the word: **running**
a search for: **run**

can return results containing related word forms such as *running*, *runs*, and *ran*.

Therefore, using **Relevance Search** to search for "**run**" can locate the Note record and, consequently, the associated Contact record.

Option 3:

Solution: Use Quick Find search on the Notes list to search for the word run.

Does this meet the goal?

A. Yes

B. No

Quick Find performs keyword matching but does **not** support the linguistic analysis and stemming capabilities of **Relevance Search (Dataverse Search)**.

The Note contains the word: **running**

The proposed search term is: **run**

Quick Find does not automatically treat **run** and **running** as equivalent terms. Therefore, searching for **run** is not guaranteed to find a Note that contains **running**.

To reliably find the Note, you would need to:

- Search for **running** using Quick Find, or
- Use **Relevance Search**, which supports word stemming and related word forms.

Therefore, the solution does **not** meet the goal.

Option 4:

Solution: Use Dataverse Search to search for the word run.

Does this meet the goal?

A. Yes

B. No

Dataverse Search (formerly Relevance Search) supports **linguistic search and word stemming**.

Stemming allows the search engine to match variations of a word based on its root.

For example:

- Stored word: **running**
- Search term: **run**

Dataverse Search can return records containing **running**, **runs**, or **ran** when searching for **run**.

Since Notes (annotations) are searchable by Dataverse Search, searching for **run** can locate the Note containing **running**, which in turn helps identify the associated Contact record.

MULTI 03

A company uses Dataverse. The company plans to store and manage documents and data in the environment.

The company requires a solution that minimizes Dataverse storage consumption.

You need to recommend a solution.

Option 1:

Solution: Configure SharePoint on-premises integration..

Does this meet the goal?

A. Yes

B. No

Configuring **SharePoint integration** with Dataverse is the correct approach to minimize Dataverse storage consumption because documents are stored in **SharePoint** while only metadata and links are stored in Dataverse.

However, the solution specifies **SharePoint on-premises integration**. Dataverse supports document management integration with **SharePoint Online**, and the recommended approach for minimizing storage in Power Platform environments is to store documents in SharePoint Online rather than in Dataverse file storage.

Therefore, the proposed solution does **not** meet the goal.

Option 2:

Solution: Enable attachments for a table..

Does this meet the goal?

A. Yes

B. No

Enabling **attachments** for a Dataverse table stores the attached files in **Dataverse file storage**, which **increases** Dataverse storage consumption rather than minimizing it.

The requirement is:

"Store and manage documents and data while minimizing Dataverse storage consumption."

The recommended approach would be to integrate Dataverse with **SharePoint document management**, where documents are stored in SharePoint and only references are maintained in Dataverse.

Therefore:

- Documents can be stored as attachments.
- Storage consumption is **not minimized**.
- The solution does **not** meet the goal.

Option 3:

Solution: Configure SharePoint Online integration.

Does this meet the goal?

A. Yes

B. No

Configuring **SharePoint Online integration** is the recommended approach when a company needs to store and manage documents while **minimizing Dataverse storage consumption**.

With SharePoint integration:

- Documents are stored in **SharePoint Online** instead of Dataverse file storage.
- Dataverse stores only references/links to the documents.
- Users can manage documents directly from model-driven apps.
- SharePoint storage is typically more cost-effective for document management.

Therefore, configuring SharePoint Online integration **meets the goal** of minimizing Dataverse storage usage

Option 4:

Solution: Add a File column to a table.

Does this meet the goal?

C. Yes

D. No

A **File** column stores files directly in **Dataverse file storage**. While it provides a convenient way to associate documents with records, it **increases Dataverse storage consumption**.

The requirement is to:

Minimize Dataverse storage consumption.

The recommended approach is **SharePoint Online integration**, where documents are stored in SharePoint and only linked to Dataverse records.

MULTI 04

A company uses a Dataverse environment. The environment is accessed from canvas and model-driven apps.

The Dataverse environment contains a table that has the following columns:

- Name
- Company
- Contacted On

The company requires that the table not contain any duplicate rows when users create data in the environment.

You need to implement a solution that meets the requirement.

Option 1:

Solution: Create an alternate key for the columns.

Does this meet the goal?

A. Yes

B. No

An **alternate key** in Dataverse enforces uniqueness across one or more columns. By creating an alternate key using the columns:

- Name
- Company
- Contacted On

Dataverse will prevent users from creating another row with the same combination of values in those columns.

Since the requirement is that the table must not contain duplicate rows, an alternate key is an appropriate solution because it enforces uniqueness at the database level for all apps accessing Dataverse (both canvas apps and model-driven apps).

Option 2:

Solution: Create an alternate key for the columns.

Does this meet the goal?

A. Yes

B. No

A **Power Fx formula** can be used to validate data or provide logic within an app, but it **does not enforce uniqueness at the Dataverse table level** across all ways data can be created or updated.

The requirement is:

"The table must not contain any duplicate rows when users create data in the environment."

To guarantee uniqueness in Dataverse, you should use an **alternate key** or duplicate detection rules. A Power Fx formula only works within the specific app where it is implemented and does not prevent duplicates coming from other apps, imports, workflows, or APIs.

Therefore, creating a Power Fx formula **does not fully meet the requirement**.

Option 3:

Solution: Create a duplicate detection rule for the columns.

Does this meet the goal?

A. Yes

B. No

A **duplicate detection rule** can identify potential duplicates and warn users, but it does not guarantee that duplicates will never be created.

The requirement states:

"The table must not contain any duplicate rows."

To enforce uniqueness at the database level, you should use an alternate key. Alternate keys prevent duplicate records from being created with the same key values, regardless of whether the data is entered through a canvas app, model-driven app, import, or API.

Duplicate detection rules:

- Detect duplicate records.
- Can warn users during create/update/import operations.
- Do not enforce uniqueness in all scenarios.
- Do not guarantee that duplicates cannot exist.

Therefore, the solution **does not meet the goal**.

Option 4:

Solution: Create a business rule for the columns.

Does this meet the goal?

A. Yes

B. No

A **business rule** can validate data, show error messages, set field values, or enforce field requirements within Dataverse forms and apps. However, it does not enforce uniqueness across records in a table.

The requirement is:

"The table must not contain any duplicate rows when users create data in the environment."

A business rule cannot reliably prevent duplicate records from being created, especially through different entry methods (canvas apps, model-driven apps, imports, APIs, flows, etc.).

To guarantee no duplicates, you should use an **alternate key**, which enforces uniqueness at the Dataverse database level..

Therefore, the solution **does not meet the goal**.

MULTI 05

You are building a Power Pages site for a supermarket chain.

The company plans to have the managers of individual stores use the site. Managers will authenticate on the site each week by using their corporate identity to update stock information for their store. Managers must be able to add and update stock information for their store only.

You need to configure the site security.

Option 1:

Solution: Configure table permissions.

Does this meet the goal?

- ☒ C. Yes
- ☐ D. No

Table permissions are the correct security mechanism in **Power Pages** for controlling access to Dataverse data.

In this scenario, managers must:

- Authenticate using their corporate identity.
- Add stock information.
- Update stock information.
- Access only the records for their own store.

By configuring **table permissions** (with the appropriate access type such as **Contact**, **Account**, or a relationship-based permission), you can grant **Create** and **Write** privileges while restricting each manager to only the records associated with their store.

Therefore, the solution meets the goal.

Option 2:

Solution: Use local authentication.

Does this meet the goal?

- ☐ A. Yes
- ☒ B. No

The scenario states that managers must authenticate using their **corporate identity**. In Power Pages, this requires an **external identity provider** such as Microsoft Entra ID (Azure AD), not local authentication.

Local authentication:

- Uses username/password accounts stored for the website.
- Does not authenticate users with their corporate identity.
- Does not provide record-level access control by itself.

To meet the requirements, you would need:

1. Corporate authentication (for example, Microsoft Entra ID).
2. **Table permissions** to restrict managers so they can add and update stock information only for their own store.

Option 3:

Solution: Use Microsoft Entra ID authentication.

Does this meet the goal?

- A. Yes
- B. No**

Using **Microsoft Entra ID authentication** satisfies only one requirement:

- Managers authenticate using their **corporate identity**.

However, it does **not** by itself ensure that managers can:

- Add and update stock information.
- Access **only their own store's** records.

To enforce record-level access in Power Pages, you must configure **table permissions** (and appropriate web roles/relationships).

Since Microsoft Entra ID authentication alone does not provide the required authorization and data access restrictions, the solution **does not fully meet the goal**.

Option 4:

Solution: Configure page permissions.

Does this meet the goal?

- A. Yes
- B. No**

Page permissions control access to **web pages** in a Power Pages site, but they do **not** control access to Dataverse records.

The requirement is that managers must:

- Sign in with their corporate identity.
- Add and update stock information.
- Access only the stock information for their own store.

To achieve record-level security, you must use **table permissions** (often together with web roles and Entra ID authentication).

Therefore, configuring **page permissions alone** does **not** meet the goal.

MULTI 06

Support agents use a model-driven app while working on customer cases.

Agents currently switch between multiple systems to locate help content. The need to switch systems makes it difficult to find relevant information.

You need to provide an efficient way to display contextual knowledge directly within the case form without requiring the agent to refresh the record.

Option 1:

Solution: Call an instant flow to update article information on the Dataverse record..

Does this meet the goal?

A. Yes

B. No

The requirement is to:

- Display **contextual knowledge directly within the case form**.
- Avoid requiring the agent to **refresh the record**.
- Help agents find relevant information without switching systems.

Calling an **instant flow** to update article information on a Dataverse record does not satisfy the requirement because:

- The flow updates data in the background, but the form would typically need to be refreshed to display the updated information.
- It does not provide an embedded, contextual knowledge experience within the form.

A better approach would be to use capabilities such as:

- **Knowledge articles integrated into Customer Service**
- **Knowledge search control**
- A **custom page or embedded component** that displays knowledge content dynamically within the form

Therefore, the proposed solution **does not meet the goal**

Option2:

Solution: Add a custom page that has a knowledge article lookup and link it by using a navigation button in the app..

Does this meet the goal?

C. Yes

D. No

The requirement is to:

- Display **contextual knowledge directly within the case form**.
- Avoid requiring the agent to **refresh the record**.
- Reduce switching between systems.

A **custom page linked from a navigation button** does provide access to knowledge articles, but it does **not display the knowledge directly within the case form**. The agent must navigate away from the form (or open another page), which does not fully satisfy the requirement for contextual information embedded in the case experience.

A better solution would be to embed the knowledge experience directly in the form (for example, using a side pane or embedded component that displays contextual knowledge based on the current case).

Therefore, the proposed solution **does not meet the goal**

Option3:

Solution: In the case form, embed a canvas app that dynamically displays knowledge articles based on the case category.

Does this meet the goal?

A. Yes

B. No

The requirement is to:

- Display **contextual knowledge directly within the case form**.
- Avoid switching to other systems.
- Avoid requiring the agent to refresh the record.

By embedding a **canvas app** in the case form, you can:

- Pass the current case information (such as **case category**) to the canvas app.
- Dynamically retrieve and display relevant knowledge articles.
- Show the information directly within the form.
- Update the displayed content without requiring the user to refresh the case record.

This provides an integrated and contextual user experience that meets the stated requirements

Option4:

Solution: In the case form, add a subgrid that points to a custom table storing external article links.

Does this meet the goal?

C. Yes

D. No

The requirement is to provide:

- **Contextual knowledge directly within the case form**
- An **efficient** experience for agents
- No need to **refresh** the record
- Reduced switching between systems

A **subgrid** that displays records from a custom table containing external article links can show related links, but it does **not dynamically display contextual knowledge articles** based on the current case. Agents would still need to open the links and navigate elsewhere to read the content.

Therefore, this solution does not fully meet the goal of displaying contextual knowledge directly within the case form.

The better solution remains:

Embed a canvas app that dynamically displays knowledge articles based on the case category.

MULTI 07

A company uses a model-driven app.

The company needs to automatically update the Status column in real time.

You need to configure this feature.

Option 1:

Solution: Create a flow that has an Update item action.

Does this meet the goal?

A. Yes

B. No

The requirement is to update the **Status** column **in real time**.

A **Power Automate cloud flow** with an **Update item** action runs **asynchronously** after the triggering event occurs. It cannot guarantee real-time processing before the record is saved or immediately during the transaction.

To achieve real-time updates in a model-driven app, you would typically use:

- A **real-time classic workflow**
- A **business rule** (if the logic is simple enough)
- A plug-in (if custom code is allowed)

Therefore, creating a cloud flow with an **Update item** action does **not** meet the requirement for real-time updates.

Option 2:

Solution: Create a workflow that has an Update Record step.

Does this meet the goal?

A. Yes

B. No

A **workflow with an Update Record step** can be configured as a **real-time (synchronous) classic workflow** in a model-driven app.

Because the requirement is to **automatically update the Status column in real time**, a real-time workflow can:

- Run immediately when the triggering event occurs.
- Update the record using the **Update Record** step.
- Apply the change as part of the transaction.

Therefore, the proposed solution **does meet the goal**

Option 3:

Solution: Create a flow that has an Update a row action.

Does this meet the goal?

A. Yes

B. No

The requirement is to **automatically update the Status column in real time**.

A **flow with an "Update a row" action** refers to a **Power Automate cloud flow** using the Dataverse connector. Cloud flows run **asynchronously** and do not execute in real time as part of the Dataverse transaction.

Therefore, although the flow can update the Status column, it does **not** satisfy the requirement for a **real-time** update.

To achieve real-time behavior, you would typically use:

- A **real-time classic workflow**
- A **business rule** (for simple logic)
- A **plug-in** (for more complex logic).

Option 4:

Solution: Create a workflow that has a Change Status step.

Does this meet the goal?

A. Yes

B. No

The requirement is to **automatically update the Status column in real time**.

A **real-time workflow** can include a **Change Status** step, which is specifically designed to change the status of a record immediately as part of the workflow execution.

Because the workflow can be configured to run synchronously (real time), the status update occurs immediately when the triggering event happens.

MULTI 08

You are creating Power Virtual Agents chatbot that captures demographic information about customers. The chatbot must determine the group a customer belongs to based on their age. The age groups are:

- 0 - 17
- 18 - 25
- 26 - 35
- 36 - 55
- 55 - 100

You need to configure the chatbot to ask a question that can be used to determine the correct age group.

Option 1:

Solution: Use age for Identify in the question and then add branches for each group that use conditional logic.

Does this meet the goal?

- A. Yes
- B. No

In Power Virtual Agents, you can:

1. Ask the user for their **age** and store it in a variable (for example, Age).
2. Use **conditional branches** to evaluate the age ranges:
 - 0–17
 - 18–25
 - 26–35
 - 36–55
 - 55–100
3. Route the conversation based on the matching condition.

Using **Age** as the identified value in the question and then adding **conditional logic branches** for each age range is a valid approach and meets the requirement.

Option 2:

Solution: Use Date and time for Identify in the question and then add branches that use conditional logic to determine the age group.

Does this meet the goal?

- A. Yes
- B. No

The requirement is to determine a customer's **age group** based on their age:

- 0–17
- 18–25
- 26–35
- 36–55
- 55–100

The proposed solution uses **Date and time** for **Identify** and then conditional logic.

This does **not** meet the goal because the chatbot needs to capture either:

- The customer's **age** directly (Number), or
- The customer's **birth date** and then calculate the age.

Using **Date and time** alone does not inherently provide the customer's age and is not the appropriate entity type for determining age groups in this scenario.

A correct approach would be to:

1. Ask for the customer's **age** (Number).
2. Use **conditional branches** to place the customer into the appropriate age group.

Therefore, the proposed solution **does not meet the goal**

Option 3:

Solution: Use multiple choice options for Identify in the question and create options that represent each of the age groups.

Does this meet the goal?

- A. Yes
- B. No

The requirement is for the chatbot to determine which age group a customer belongs to.

Using a question with **Multiple choice options** such as:

- 0–17
- 18–25
- 26–35
- 36–55
- 55–100

allows the user to directly select their age group. The chatbot can then use the selected option without needing additional calculations or conditional logic.

Therefore, the solution **does meet the goal**.

Option 4:

Solution: Create a custom Age group entity and synonyms for each individual age in the corresponding item. Use Age group for Identify in the question.

Does this meet the goal?

- A. Yes
- B. No

A **custom entity** named **Age Group** can be created with values such as:

- 0–17
- 18–25
- 26–35
- 36–55

- 55–100

By adding **synonyms** for each entity value (for example, mapping ages 18 through 25 to the "18–25" group), Power Virtual Agents can recognize an age entered by the user and match it to the correct age group.

Then, using **Age Group** for **Identify** in the question allows the chatbot to determine the appropriate group.

Therefore, the solution **meets the goal**.

MULTI 09

The sales team at a software company wants to attach a large number of supporting documents to customer records, but management does not want to incur the cost of additional storage.

The company does not have any Office 365 application integrations enabled.

You need to recommend a storage solution that keeps storage costs low..

Option 1:

Solution: Enable Outlook integration.

Does this meet the goal?

A. Yes

B. No

In Enabling **Outlook integration** does not provide a low-cost document storage solution for attaching large numbers of supporting documents to customer records. Outlook integration is used primarily for email tracking, synchronization, and accessing Dynamics 365 data from Outlook.

To store a large volume of documents while minimizing Dataverse storage consumption and cost, the recommended solution is typically to **integrate with SharePoint**. Documents are stored in SharePoint rather than in Dataverse, which significantly reduces Dataverse storage requirements.

Since the proposed solution only enables Outlook integration and does not address document storage costs:

Option 2:

Solution: Enable server-based SharePoint integration..

Does this meet the goal?

A. Yes

B. No

Server-based SharePoint integration is the recommended solution when users need to store a large number of documents related to Dataverse/Dynamics 365 records while minimizing storage costs.

Benefits include:

- Documents are stored in **SharePoint** rather than consuming expensive Dataverse database/file storage.
- Documents remain linked to customer records (Accounts, Contacts, Opportunities, etc.).
- Users can access and manage documents directly from within Dynamics 365/Dataverse.
- It provides a scalable and cost-effective document management solution.

Since the goal is to **attach many supporting documents while keeping storage costs low**, enabling **server-based SharePoint integration** meets the requirement.

Option 3:

Solution: Enable OneNote integration.

Does this meet the goal?

A. Yes

B. No

OneNote integration is designed for capturing and organizing notes related to records in Dynamics 365/Dataverse. It is **not intended as a document management solution for storing large numbers of supporting documents**.

The requirement is to:

- Attach a large number of documents to customer records.
- Keep storage costs low.

The recommended solution for this scenario is **server-based SharePoint integration**, because documents are stored in SharePoint rather than consuming Dataverse storage.

Therefore, **enabling OneNote integration does not meet the goal**

.

Option 4:

Solution: Enable OneDrive for Business.

Does this meet the goal?

A. Yes

B. No

OneDrive for Business is intended for personal or team file storage and collaboration, but it is **not the recommended document management integration for Dynamics 365/Dataverse customer records**.

The requirement is to:

- Attach a large number of supporting documents to customer records.
- Keep storage costs low.

- Provide an integrated document management solution linked to records.

The correct solution is **server-based SharePoint integration**, which stores documents in SharePoint while maintaining links to Dataverse/Dynamics 365 records.

Therefore, enabling **OneDrive for Business** does **not** meet the goal.