

Checkly User Acceptance Testing Results

Checkly

July 2026

1 User Acceptance Testing Results

1.1 Participants and method

User acceptance testing was conducted with ten participants between 30 June and 10 July 2026. Eight participants were students and two reported a professional software or office-work background. Six participants tested on a mobile device, three on a desktop computer, and one on a tablet. Chrome was the most common browser (six participants). Seven participants had previously used checklist software occasionally or frequently, while three had never used such software.

Participants rated nine aspects of Checkly on a five-point scale, where higher scores represented a more favourable evaluation. A rating of 4 or 5 was treated as positive. Means, medians, sample standard deviations, and response distributions were examined. Optional open-text responses were coded into non-exclusive themes. Because the sample was small and convenience-based, the results are descriptive and should not be generalised to the wider population.

1.2 Quantitative results

The quantitative results were generally favourable. Across all nine rating items, the mean score was 4.12 out of 5 and 73.3% of the 90 individual ratings were positive. Overall satisfaction received the highest average score ($M = 4.4$), followed by app stability and speed (both $M = 4.3$). Ease of checklist creation received the lowest average score ($M = 3.8$) and the lowest positive-response rate (60%).

Table 1: Summary of Checkly UAT ratings ($N = 10$)

Metric	Mean	Median	SD	Positive (%)
First impression	4.1	5.0	1.4	70
Ease of use	4.0	4.5	1.3	70
App stability and reliability	4.3	5.0	1.3	80
Speed and responsiveness	4.3	5.0	1.3	80
Ease of checklist creation	3.8	4.5	1.5	60
Usefulness of AI features	4.0	5.0	1.5	70
AI understanding of requests	4.1	5.0	1.4	70
Trust in AI suggested changes	4.1	4.0	1.0	80
Overall satisfaction	4.4	5.0	1.1	80

Figure 1 compares the mean score for each metric. The orange bar highlights checklist creation, the only metric with a mean below 4.0.




Figure 1: Mean rating for each UAT metric on the five-point scale.

Figure 2 shows the complete rating distribution. This is important for the small sample because one participant gave consistently low scores across most items. The response was retained, and the medians and full distributions are reported so that its influence on the means remains visible.

All ten participants answered “Yes” when asked whether there was any chance that they would use Checkly in the future. This indicates universal future-use interest within the test sample, although the wording measures possibility rather than definite adoption intent.

1.3 Qualitative feedback

The AI capabilities were the most frequently praised theme, mentioned by four participants. Participants particularly valued the assistant’s ability to understand natural-language requests and modify checklists directly. UI and visual design were praised by three participants, while simplicity and checklist organisation received additional positive mentions.

The most repeated improvement themes were the PDF/download workflow and layout simplification, each mentioned by three participants. Two participants raised sign-up or onboarding concerns. Individual suggestions included direct access to checklists, clearer navigation, item check-off controls, legal information, social proof, and profile customisation. Figure 3 summarises the coded improvement themes. Since comments were optional and themes were non-exclusive, the counts should not be interpreted as population percentages.

1.4 Acceptance assessment and recommendations

No predefined acceptance threshold or critical-defect log was supplied. Consequently, the survey evidence alone cannot establish a formal pass or fail. The results support a *conditionally favourable* assessment: overall satisfaction, performance, reliability, and future-use interest were strong, but the checklist-creation and PDF workflow requires further attention. For illustration, if acceptance required a mean of at least 4.0 and at least 70% positive responses, every metric




Figure 2: Distribution of the 1–5 ratings for each UAT metric.




Figure 3: Improvement themes identified in the optional open-text feedback.

except checklist creation would meet the rule.

The recommended actions are:

1. Correct and simplify the PDF upload, creation, and download workflow, then repeat the associated task on mobile devices.
2. Simplify the responsive layout, reduce visual density, and ensure the primary checklist view fits comfortably within the viewport.
3. Allow users to create a checklist before requiring registration, or make the sign-up point and its purpose clearer.
4. Review checklist navigation and controls, including direct checklist access, item check-off behaviour, and back navigation.
5. Follow up with the consistently low-scoring participant, if possible, because no open-text explanation was provided for those scores.

A final acceptance decision should combine these survey findings with the severity and resolution status of observed defects and the outcome of regression testing after the priority changes are implemented.