



User Acceptance Testing Report

Checkly
Team 10

July 17, 2026

1 Introduction

Checkly is an AI-powered checklist web-platform that enables users to easily create, modify, manage and complete checklists. The platform's main value proposition is the integration of AI assistance throughout every stage of the checklist workflow.

To validate our project, we conducted user acceptance testing (UAT), with the main objectives of validating the underlying idea and ensuring that it addresses a genuine pain point, as well as testing the functionality and quality of our implementation.

2 Who should use the app? Who should test the app?

Before conducting user testing, we first needed to clearly define our target audience and determine our preferred tester profile.

Initially, the project was conceived by **RÖSBERG Engineering** as a GenAI-powered voice and vision copilot, designed to support its technicians during industrial equipment inspections. Even though the collaboration with them ended at a very early stage, we decided to continue developing the idea as a proof of concept for an advanced checklist solution while maintaining its original focus on the same target audience. Building on this idea, we created Checkly, an application designed to make repetitive and recurring checklist tasks more efficient.

We believe Checkly will provide the greatest value in B2B contexts, particularly for safety inspections, quality audits, equipment maintenance, event organization, and other similar procedures. Accordingly, its primary target group includes project teams, event organizers, production teams, quality assurance teams, and other industrial professionals.

Naturally, the most suitable tester profile was our target customer group. Accordingly, we contacted Rosenberg Engineering, as they had provided the original idea and initial requirements, making their feedback particularly valuable. However, there were also other groups capable of providing valuable feedback on our application. These included individuals capable of evaluating our implementation from a technical perspective, particularly its UI, software, and AI functionality, as well as those with sufficient general technical experience and users familiar with checklist applications. We therefore also reached out to various professors and doctoral researchers within our university community, as well as students, professional contacts, and friends.

3 Testing Challenges

Before establishing the framework and starting the testing process, we firstly had to identify, analyze and consider several potential challenges.

One potential issue resulted from the application being only a proof of concept developed for a university course rather than a commercial product intended for long-term development. This provided testers with one less incentive to thoroughly test the application effectively and invest sufficient time and effort in the testing process. Another potential challenge was that our preferred testers were generally busy professionals who presumably valued their time highly. This, combined with our inability to offer any monetary compensation, further reduced their incentive to invest their limited time and effort in testing our application. Given these challenges, even testers who agreed to evaluate the application would be unlikely to test it extensively or provide honest, reliable, meaningful feedback.

To mitigate these issues, we made the feedback process as simple as possible and minimized the effort required from participants. We improved the accessibility of the feedback process by allowing participants to choose between a PDF form and a Google Form. To keep the form concise, we minimized the amount of text and required information, and omitted sensitive data such as email addresses, allowing participants to remain anonymous. Furthermore, despite only five testers were required for the class, we requested feedback from a considerably larger group of people to increase our chances of receiving high-quality responses. This measures increased our chances of receiving meaningful feedback from testers who had genuinely used the relevant features and carefully reviewed the survey questions.

4 Participants and method

User acceptance testing was conducted with ten participants in the months of June and July 2026.

To assess the relevance of the participants’ evaluations, we collected tester information regarding their professional backgrounds, technical environments, and experience with checklist software.

In the first part of the evaluation participants rated nine aspects of Checkly on a five-point scale, where higher scores represented a more favorable evaluation. In addition, we collected open-text feedback, which were then coded into non-exclusive themes

Given the small sample size, the reported statistical findings cannot be considered representative of the entire population. Nevertheless, they provided valuable preliminary insights.

5 Quantitative results

Overall, the results were very positive and supported our main assumptions: the application functions as intended, provides value, and generates interest among potential users. In short, the application works and people like it.

Table 1: Summary of Checkly UAT ratings ($N = 10$), ranked by positive feedback

Metric	Mean	Median	SD	Positive (%)
Overall satisfaction	4.4	5.0	1.1	80
App stability and reliability	4.3	5.0	1.3	80
Speed and responsiveness	4.3	5.0	1.3	80
Trust in AI suggested changes	4.1	4.0	1.0	80
First impression	4.1	5.0	1.4	70
AI understanding of requests	4.1	5.0	1.4	70
Ease of use	4.0	4.5	1.3	70
Usefulness of AI features	4.0	5.0	1.5	70
Ease of checklist creation	3.8	4.5	1.5	60




Figure 1: Mean rating for each UAT metric on the five-point scale.

6 User Case Study

6.1 Target Audience

Our primary target audience is the B2B sector, particularly professionals who rely on structured checklists as part of their daily workflows. This includes technicians, field workers, inspectors, quality assurance teams, project teams, event organizers, and small businesses. These examples are representative rather than exhaustive, as the product is designed for anyone who regularly performs repetitive, process-driven tasks that require structured documentation.

The common characteristic of our target users is that they spend a significant amount of time manually creating, maintaining, and updating checklists. Checkly addresses this problem by enabling users to generate, modify, and manage checklists in a smarter, faster, and more efficient way through AI-assisted functionality, significantly reducing the time and effort required for these repetitive tasks.

6.2 Why This User Group?

Explain why this user group represents your intended audience.

Placeholder:

Lorem ipsum dolor sit amet...

6.3 User Needs

Describe the main problems the application is intended to solve.

- Need 1
- Need 2
- Need 3

7 User Survey Design

The following evaluation process was designed to assess the usability and usefulness of the application.

7.1 Testing Procedure

Each participant was asked to complete the following tasks:

1. Create an account / log in.
2. Perform Task 1.
3. Perform Task 2.
4. Use the GenAI functionality.
5. Complete the feedback questionnaire.

7.2 Evaluation Criteria

Participants evaluated the application according to:

- Ease of use
- Interface clarity
- Performance
- Feature usefulness
- Overall satisfaction

7.3 Survey Questions

Example questions:

1. How easy was the application to use?
2. Did the application solve your problem?
3. Which feature was the most useful?
4. Which feature needs improvement?
5. Would you use this application again?

8 User Survey Results

A total of [5] participants completed the survey.

Participant	Summary
User 1	Placeholder
User 2	Placeholder
User 3	Placeholder
User 4	Placeholder
User 5	Placeholder

Table 2: Summary of participant feedback

9 Results Analysis

9.1 Positive Feedback

- Placeholder
- Placeholder
- Placeholder

9.2 Issues Identified

- Placeholder
- Placeholder
- Placeholder

9.3 Planned Improvements

Describe which suggestions will be implemented and which cannot currently be implemented.

Feedback	Action	Status
Placeholder	Improve UI	Planned
Placeholder	Not feasible	Deferred
Placeholder	Implement feature	Completed

10 Conclusion

Overall, the User Acceptance Testing demonstrated that the application [**met** / **partially met** / **did not meet**] the expectations of the target users. The collected feedback provides valuable guidance for improving usability and prioritizing future development.

Appendix (Optional)

- Full questionnaire
- Additional screenshots
- Raw survey responses