Open a Google Colab, or you can use Kaggle Notebook. You can also use Jupyter lab/notebook on your local machine.

```
#this is just a comment ctrl+enter
print('hello')
```

```
Drive already mounted at /content/drive; to attempt to forcibly remount, call drive.mount("/content/drive", force_remount=True).
hello
```

	longitude	latitude	housing_median_age	total_rooms	total_bedrooms	population	households	median_income	median_house_value	ocean_proximity
0	-122.23	37.88	41.0	880.0	129.0	322.0	126.0	8.3252	452600.0	NEAR BAY
1	-122.22	37.86	21.0	7099.0	1106.0	2401.0	1138.0	8.3014	358500.0	NEAR BAY
2	-122.24	37.85	52.0	1467.0	190.0	496.0	177.0	7.2574	352100.0	NEAR BAY
3	-122.25	37.85	52.0	1274.0	235.0	558.0	219.0	5.6431	341300.0	NEAR BAY
4	-122.25	37.85	52.0	1627.0	280.0	565.0	259.0	3.8462	342200.0	NEAR BAY

Next steps: Generate code with df | View recommended plots | New interactive sheet

Variables-can be of numbers(floats, integers), strings

```
# A variable which stores an integer value
x = 13  #15.3014
x
print(f'helloooo {x}')
print(type(x)) # get the datatype
#print(x)


#Operations
y = 12
z = x%y  #can do lots of operation , +,-,/, %, **
print(f'z is :{z}')
```

```
helloooo 13
<class 'int'>
z is :1
```

```
# A variable which stores a string
x  = 'abcde'
print(type(x)) # get the datatype
print(x)

x = 'my name is shah'
print(f'the char {x[2]}') #indexing in python starts zero
print(f'The length of the string x is :{len(x)}') #prints the length of the string

y = ' and i am your teacher'

z = x+y
print(z)
```

```
<class 'str'>
abcde
the char
The length of the string x is :15
my name is shah and i am your teacher
```

```
#Conditionals
x = 5

if (x==3):
  print('Yaayy this is true!!!!')
else:
  print('Nooooo it is false')


if (x==3):
  print('yay')
elif (x==5):
  print('waaaa')
else:
  print('heeeeeee')
```

```
Nooooo it is false
waaaa
```

```
#For loops
'''
for i in range(10):
  print(i)

#list
x=[]#empty list
x=[1,2,3] # a list of numbers
x=[1,'apples',100000]


print(f'------')
x = ['apples','oranges','durian','bananas'] #x is a list of numbers ..it can also be  x=['shah',1,3,'apples']
print(f'The list of x : {x}')
print(f'The length of list x: {(len(x))}')


print(f'------')
for fruit in x:
  print(fruit)


x=['mangga','watermelon', 'musang-king','cempedak']
print(f'------')
for idx,fruit_name in enumerate(x):
  print(f'{idx} :{fruit_name}')


'''
x=['mangga','watermelon', 'musang-king','cempedak']
print(f'------')
for i in range(len(x)):
  print(i)


student_list = ['nabil', 'hani','ahmad','shahir','Aman','Adam']
print(f'length of student list: {len(student_list)}')
for w in range((len(student_list))):
  print(w)

count_a = 0
x = 'my name is shah'
for char in x:
  if char=='a':
    count_a+=1
print(f'The number of char a in string x is :{count_a}')
```

```
------
0
1
2
3
length of student list: 6
0
1
2
3
4
5
The number of char a in string x is :2
```

```
#Functions (in java is called methods

x=1
y=2

def addition(x,y):
  return z

z = addition(x,y)
print(z)
```

```
my name is shah and i am your teacher
```

```
#Multiplication table for 7 up to 17
for i in range(1,18,1):
  print(f'{i}x7 = {i*7}')
```

```
1x7 = 7
2x7 = 14
3x7 = 21
4x7 = 28
5x7 = 35
```

```
6x7 = 42
7x7 = 49
8x7 = 56
9x7 = 63
10x7 = 70
11x7 = 77
12x7 = 84
13x7 = 91
14x7 = 98
15x7 = 105
16x7 = 112
17x7 = 119
```

```
import pandas as pd

df = pd.read_csv('housing.csv')

df.head()
```

```
---------------------------------------------------------------------------
FileNotFoundError                         Traceback (most recent call last)
<ipython-input-1-a0f4a25743bb> in <cell line: 3>()
      1 import pandas as pd
      2
----> 3 df = pd.read_csv('housing.csv')
      4
      5 df.head()

                                 4 frames
/usr/local/lib/python3.10/dist-packages/pandas/io/common.py in get_handle(path_or_buf, mode, encoding, compression, memory_map, is_text, errors, storage_options)
    871         if ioargs.encoding and "b" not in ioargs.mode:
    872             # Encoding
--> 873             handle = open(
    874                 handle,
    875                 ioargs.mode,

FileNotFoundError: [Errno 2] No such file or directory: 'housing.csv'
```

Next steps: Explain error