

POODLE CIRCLE

FREE

The Toy Poodle First 30 Days Kit

Printable checklists and the full 30-day guide in one PDF. Owner routines, not veterinary advice.

- ✓ 30-day guide
- ✓ First-week checklist
- ✓ Shopping checklist
- ✓ Night routine
- ✓ Grooming starter routine
- ✓ Vet-visit checklist

poodlecircle.com/30daysguide - Updated October 2026

First-week checklist

Days 1 to 7: safety and rhythm before tricks or a busy social calendar.

- ☐ Day 1: toilet trip as soon as you arrive home
- ☐ Day 1: one quiet room only (no house tour yet)
- ☐ Day 1: show bed, water, food, toilet spot, crate or playpen
- ☐ Day 1: no welcome-party visitors
- ☐ Day 1: let the puppy sleep when they need to
- ☐ Days 2 to 3: same daily rhythm (toilet, meals, short play, naps)
- ☐ House training: out after waking, eating, drinking, play, before bed
- ☐ Praise the moment they finish outside (tiny treat is fine)
- ☐ Accidents: enzyme cleaner, no punishment, keep the routine
- ☐ Days 4 to 7: 30 to 90 second training sessions only
- ☐ Practise name, come, sit, and leave it with treats
- ☐ Daily handling: paws, ears, face, mouth, belly (seconds each)
- ☐ Start alone time in seconds, then minutes (calm leave and return)
- ☐ Crate stays a safe bed, never a penalty box

Shopping checklist

Before day 1, if you can. Your breeder or vet may adjust food and prevention.

- ☐ Puppy food (breeder or vet recommended)
- ☐ Food and water bowls
- ☐ Comfortable bed
- ☐ Puppy-safe crate or playpen
- ☐ Harness and lightweight leash
- ☐ ID tag
- ☐ Puppy pads (if you plan to use them)
- ☐ Poop bags and small training treats
- ☐ Age-appropriate chew toys and soft toys
- ☐ Puppy brush, comb, shampoo, nail clippers or grinder
- ☐ Enzyme cleaner for accidents
- ☐ Baby gates or barriers
- ☐ Safe carrier or secured car harness
- ☐ Puppy-proofing: cables hidden, small objects away, bins secured
- ☐ Medications and cleaners out of reach; toxic plants checked

Night routine

Repeat nightly in the first weeks. Overtired puppies often get wild, not sleepy.

- ☐ Last toilet trip outside (or pad) right before bed
- ☐ Quiet room where the puppy can hear you nearby
- ☐ Dim, calm evening: no rough play or new visitors
- ☐ Water available; follow your vet or breeder feeding plan for late meals
- ☐ Bed or crate set up as a safe place (door open at first if needed)
- ☐ Short, boring goodbye if you step out of the room
- ☐ If whining: toilet first, then calm reassurance, avoid a party at 2 a.m.
- ☐ Track sleep: sudden bitey chaos may mean nap time, not more play

Grooming starter routine

First month: teach that touch is normal. You are not doing a full groom yet.

- ☐ Once daily (or most days): 2 to 5 calm minutes total
- ☐ Touch each paw and hold briefly; treat calm stillness
- ☐ Lift ears gently; glance inside; treat
- ☐ Touch muzzle and lips; treat
- ☐ Run brush or comb through one small section; treat
- ☐ Practice standing on a stable surface (table or mat)
- ☐ Stop while the puppy is still relaxed (end on success)
- ☐ Never force through fear; shorten and try again tomorrow

Vet-visit checklist

Bring paperwork. Ask questions. Call sooner if your puppy is weak or will not eat.

- ☐ Breeder health and vaccination records
- ☐ Microchip paperwork (if already placed)
- ☐ List of food, treats, and any supplements you use
- ☐ Questions about vaccination schedule and local disease risk
- ☐ Parasite prevention plan (fleas, worms, etc.)
- ☐ Weight check and feeding guidance for toy size
- ☐ Dental care, grooming, and nail trimming advice
- ☐ Neuter or spay timing (when appropriate)
- ☐ Emergency clinic number saved in your phone
- ☐ Discuss: repeated vomiting, diarrhoea, blood, breathing trouble, collapse, seizures, swollen painful belly, refusal to eat with weakness

30-day guide

The full month-by-month guide follows on the next pages (same content as poodlecircle.com/30daysguide).

Home / The first 30 days

GUIDE 1 OF 10

The first 30 days with your toy poodle

Safety, routine, house training, socialisation, and trust. Open to read.

Poodle Circle – Updated 6 October 2026 – Owner routines, not veterinary advice

Short answer. On the first night, keep your puppy in one quiet room where they can hear you. Take them out to toilet, then let them sleep. Across the first 30 days, focus on safety, a simple routine, house training, calm socialisation, and trust. Tricks and a full social calendar can wait. If your puppy is weak, trembling, collapsing, or refusing food, call a veterinarian.



Congratulations. Your toy poodle is home.

The first month is about much more than buying the right food or teaching a few commands. Your puppy is learning that your home is safe, that you are trustworthy, and that the world is an interesting place.

You do **not** need to train everything at once.

During these first 30 days, focus on five things:

1 Safety

2 Routine

3 House training

4 Positive socialisation

5 Building trust

Everything else can come gradually.

Questions owners ask first

What should the first night with a toy poodle puppy look like?

Keep the puppy in one quiet room where they can hear you. Take them out to toilet, then let them sleep. Skip visitors, tricks, and a tour of the whole house. The fuller version is in [day 1](#).

How do I house train a toy poodle puppy?

Take them out after waking, eating, drinking, playing, and before bed. Praise the moment they finish. Do not punish accidents. Clean with an enzyme cleaner and keep the routine. Details are in [house training](#).

When should I call a vet in a toy poodle's first month?

Call promptly for repeated vomiting, severe diarrhoea, blood, trouble breathing, collapse, seizures, a swollen abdomen, or weakness with refusal to eat. A very small

puppy who seems unusually weak or will not eat should not wait. The list is in [when to call the vet](#).

Before day 1: prepare your home

Ideally, have these things ready before your puppy arrives.

Essential supplies

- Puppy food recommended by the breeder or veterinarian
- Food and water bowls
- Comfortable bed
- Puppy safe crate or playpen
- Harness and lightweight leash
- ID tag
- Puppy pads, if you plan to use them
- Poop bags
- Small training treats
- Age appropriate chew toys
- Soft toys
- Puppy brush and comb
- Dog shampoo
- Nail clippers or grinder
- Enzyme based cleaner for accidents
- Baby gates or other barriers
- Safe transport carrier or secured car harness

Puppy proof the home

Toy poodles are small, curious, and surprisingly capable of getting into trouble.

Before bringing your puppy home:

- Hide electrical cables.
- Remove small objects that could be swallowed.
- Keep medications and cleaning products out of reach.

- Secure rubbish bins.
- Keep human food away from the puppy.
- Check houseplants for toxicity.
- Block unsafe stairs or balconies.
- Remove accessible strings, cords, and loose fabrics.
- Check gaps where a tiny puppy could become trapped.

Remember: something that is harmless for a large dog can be dangerous for a toy poodle puppy.

Day 1: coming home

The first day should be intentionally boring.

Your puppy has just left familiar people, smells, sounds, and possibly littermates. Even a confident puppy may be overwhelmed.



Day 1 is a toilet trip, one quiet room, and sleep.

Your first priorities

1. Go straight outside for a toilet break.

Take your puppy to the place where you want them to toilet. When they do it, calmly praise them.

2. Introduce the home slowly.

You do not need to give the puppy access to the entire house immediately. Start with one safe area.

3. Show them their essentials.

Introduce the bed, water, food, toilet area, toys, and the crate or playpen.

4. Keep visitors away.

The puppy does not need a welcome party on day one. Give them time to settle.

5. Let the puppy sleep.

Young puppies need a lot of sleep. A puppy who suddenly becomes wild, bitey, or unable to settle may simply be overtired.

Your goal for day 1

Not obedience. Not tricks. Not perfect toilet training.

This place is safe. These people are safe.

Days 2 to 3: build a simple routine

Dogs feel secure when they can predict what happens next. Start creating a simple daily rhythm.

Example routine

MORNING

Wake up, toilet, breakfast, short play, toilet, nap.

MIDDAY

Toilet, short training session, play, a meal if it is due, nap.

AFTERNOON

Toilet, gentle exploration, handling and grooming practice, nap.

EVENING

Dinner, calm play, toilet, quiet time, a final toilet trip, sleep.

The exact times are less important than **consistency**.

House training

House training should begin immediately. Take your puppy to the toilet:

- Immediately after waking
- After eating

- After drinking a lot
- After playing
- After exciting activity
- Before going into the crate
- Before bedtime
- Whenever you notice signs they need to go

Watch for signals

Your puppy may sniff the floor, walk in circles, suddenly stop playing, move toward a corner, whine, or search for a suitable spot. When you see these signs, take them outside immediately.

When they get it right

Praise them **immediately after they finish**. You can use a happy voice and a tiny treat.

When they have an accident

Do not punish them. Do not rub their nose in it. Do not shout. Your puppy does not understand that the accident was "bad" in the way a human does.

Clean the area thoroughly with an enzyme based cleaner and continue the routine.

Accidents are part of puppyhood.

Days 4 to 7: start gentle training

Toy poodles are intelligent and often learn very quickly. That does not mean training sessions should be long.

Start with **30 to 90 second sessions**.



Keep the session shorter than a minute and a half.

Their name

Say the puppy's name. When they look at you: **"Yes!" and a treat.** Repeat several times.

When I hear my name, something good happens.

Come

Move a short distance away. Use a cheerful voice: **"Come!"** When your puppy comes to you, praise and reward.

Never call your puppy to you for something unpleasant and then punish them for arriving.

Sit

Hold a small treat above the puppy's nose and slowly move it backwards. As the puppy naturally sits: **"Yes!" and a reward.**

Leave it

Do not try to take everything away from the puppy by force. Instead, teach that giving something up can result in something even better. This becomes extremely useful later.

The first week: start handling practice

Toy poodles require regular grooming. Your puppy should learn early that being touched is normal.

Every day, briefly and gently touch paws, toes, ears, tail, face, mouth, legs, and belly.

Also practise looking inside the ears, touching the teeth, holding each paw, running a brush through the coat, and standing on a stable surface. Reward calm behaviour.



A few calm seconds with a brush is the whole lesson.

Keep it short

You are not trying to complete a grooming session. You are teaching:

People touching me is normal and safe.

This can make future grooming appointments much easier.

Week 2: socialisation begins

Socialisation does **not** mean meeting as many dogs and people as possible. It means teaching your puppy that different experiences are safe.

Depending on your veterinarian's vaccination advice and local disease risk, begin appropriate exposure.

People

Gradually introduce men, women, calm children, people wearing hats, people wearing glasses, people with different voices, and people carrying bags or umbrellas. Your puppy does not need to interact with everyone. Simply observing people calmly is valuable.

Sounds

Expose your puppy gradually to the vacuum cleaner, hair dryer, doorbell, traffic, kitchen noises, television, washing machine, and outdoor sounds. Start quietly and increase the intensity gradually. If your puppy becomes frightened, reduce the intensity.

Surfaces

When it is appropriate and safe, let your puppy experience carpet, wood, grass, pavement, sand, and different floor textures. Always supervise.

Socialisation rule

New experience, calm exposure, positive reward.

Do not force your puppy toward something frightening. If your puppy backs away from a strange object, give them distance. Let them observe. Reward curiosity.

I can investigate the world at my own pace.

Week 2: start alone time practice

One of the most important skills you can teach a puppy is that being alone is normal. Do not wait until you need to leave for several hours. Start with tiny periods: 30 seconds, 1 minute, 2 minutes, 5 minutes, 10 minutes. Return calmly.

My person leaves, and my person comes back.

Avoid making departures dramatic

You do not need a long goodbye ritual. Simply leave calmly and return calmly. If your puppy shows significant distress, shorten the duration and progress more gradually. How to stretch those minutes toward two hours, and when the distress is more than practice, is in [toy poodle alone time](#).

Crate practice

A crate should be a safe place, never a punishment. Make it attractive with comfortable bedding, a safe chew, treats, and calm surroundings.

Start with the door open. Allow your puppy to enter voluntarily. Later, briefly close the door while they are relaxed. Gradually increase the time.

Never use the crate as a place to send the puppy because they were "bad."



The crate is a bed, not a penalty.

Week 3: establish good habits

By now, your puppy should be starting to understand your daily rhythm. This is a good time to reinforce:

1. Calm behaviour

Reward your puppy when they are lying quietly. You do not always need to entertain them.

2. Four paws on the floor

Reward calm greetings rather than jumping.

3. Appropriate chewing

Puppies need to chew. Provide appropriate chew toys and redirect them when they choose furniture, cables, or clothing.

4. Waiting

Before putting down food, opening a door, or attaching the leash, ask for a moment of calm. You are beginning to build impulse control.

The bitey puppy

Puppy biting is normal. Puppies explore with their mouths and have developing teeth.

When your puppy bites your hands:

1. Stop moving your hands.
2. Calmly redirect to a toy.
3. Praise them for chewing the toy.
4. If the puppy becomes excessively wild, consider whether they need sleep.

Avoid rough hand games if they consistently encourage biting.

A tired puppy is not always a sleepy puppy. Sometimes an overtired puppy becomes a tiny, chaotic land shark.

Week 3: veterinary care

Your puppy should have a veterinary care plan appropriate to their age, vaccination history, and health status. Discuss vaccinations, parasite prevention, a microchip, identification, nutrition, dental care, grooming, weight, future neutering or spaying, breed specific health concerns, and emergency contacts.

Bring the breeder's health and vaccination documentation to the appointment.

Keep a puppy health folder

Store vaccination records, microchip information, veterinary records, insurance documents, breeder information, medication information, and important phone numbers.

Toy poodle feeding

Toy poodle puppies have small bodies and small stomachs. Follow the feeding plan recommended by your breeder and veterinarian, particularly during the first days.

Avoid suddenly changing food unless it is medically necessary. If you change food, a gradual transition is generally easier on the digestive system.

Important. Very small puppies can be vulnerable to low blood sugar, especially if they are not eating normally.

If your puppy is unusually weak, very sleepy, trembling, uncoordinated, collapses, or refuses food, contact a veterinarian promptly. Do not try to diagnose a serious problem yourself.

Week 4: build confidence

Your puppy should now be experiencing a wider variety of safe, positive situations. Continue exposing them gradually to new rooms, different people, different sounds, grooming, car journeys, calm environments, appropriate dogs, new objects, and short periods alone.

The goal is not to overwhelm your puppy. The goal is to create many small experiences of:

I tried something new, and everything was okay.

Start leash and harness practice

Before going on longer walks, let your puppy become comfortable wearing a properly fitted harness. Start indoors. Put it on. Reward. Let the puppy walk around. Then attach the leash. Reward calm movement.

Do not expect perfect walking immediately. At this stage, you are building positive associations. Fit, and keeping the harness from sliding off, is in a harness that stays on a toy poodle.

Car travel

Start with very short trips. Drive around the block, then return home. Later try 5 minutes, 10 minutes, 20 minutes. Use an appropriate carrier or secure restraint. Never allow a puppy to travel loose in the car.

Grooming: start now, not later

Toy poodles have a coat that requires ongoing maintenance. Introduce grooming gradually. During the first month, practise brushing, combing, paw handling, face handling, ear handling, tooth brushing, nail handling, and standing calmly.

Keep sessions short and positive. Your goal is not to make your puppy look perfect.

Grooming is normal.

What you keep at home, and what you still book, is in grooming at home versus the salon. The comb that reaches the skin is line brushing.

Teeth

Start dental care early. Introduce a puppy safe toothbrush and appropriate toothpaste gradually. First touch the lips, then reward. Then touch the teeth, then reward. Then brush a few teeth, then reward. Gradually build duration.

Regular dental care is particularly important for small breeds. The longer version is toy.poodle teeth.

Sleep

Puppies sleep a lot. Do not feel guilty about allowing your puppy to nap. A predictable cycle of toilet, play or training, food, calm time, and sleep can make life considerably easier.

If your puppy suddenly becomes hyperactive, bitey, or unable to listen, try a quiet rest period rather than adding more stimulation. If the nights fall apart after the first month, read why a toy.poodle won't sleep.

Stairs, cold, and hawks

A toy poodle is light enough to tumble down a flight, small enough to chill on a walk that feels mild to you, and small enough that a hawk is a real risk in open country. Carry them on steep stairs while they are unsteady, and keep them close outside. The routine is in stairs, cold, and hawks.

What not to do in the first month

Avoid trying to accomplish everything immediately. Do not:

- Expect perfect toilet training
- Punish accidents
- Force social interactions
- Over exercise a young puppy
- Allow uncontrolled interactions with unfamiliar dogs
- Leave a tiny puppy alone for long periods immediately
- Use the crate as punishment
- Constantly entertain the puppy
- Change food repeatedly
- Ignore grooming until the first professional appointment
- Allow children to handle the puppy without supervision
- Assume every behaviour is "just stubbornness"

Your puppy is learning. So are you.

A simple daily checklist

- ☐ Fresh water
- ☐ Appropriate meals
- ☐ Toilet opportunities

- ☐ Short training
- ☐ Safe play
- ☐ Chew opportunities
- ☐ Grooming and handling practice
- ☐ Calm and nap time
- ☐ Positive socialisation
- ☐ Mental stimulation
- ☐ Plenty of sleep
- ☐ One on one bonding time

Your 30 day roadmap

DAYS 1 TO 3

Safety and settling

A safe area, food and water, a toilet routine, sleep, few visitors, and bonding.

DAYS 4 TO 7

Communication

Name, come, sit, gentle handling, short training sessions, and a crate introduction.

WEEK 2

Socialisation

New sounds, new people, new environments, safe experiences, short alone time, and toilet training.

WEEK 3

Good habits

Chewing, calm behaviour, leash and harness, car travel, grooming, and veterinary care.

WEEK 4

Confidence

Broader socialisation, longer calm periods, more environments, consistent routines, and the next stage.

The 5 most important things to remember

1. You do not need a perfect puppy.

You need a puppy who feels safe with you.

2. Consistency beats intensity.

Five minutes every day is more useful than one exhausting training session.

3. Reward what you want to see again.

When your puppy is calm, reward calmness. When they come to you, reward them. When they choose a toy instead of your furniture, reward them.

4. Socialisation is about confidence, not quantity.

One positive experience is better than ten overwhelming ones.

5. Your relationship comes first.

Your toy poodle will learn many commands during their lifetime. The most important lesson during the first month is:

| My human keeps me safe.

When to call the vet

Contact your veterinarian promptly if your puppy has concerning symptoms such as:

- Repeated vomiting
- Persistent or severe diarrhoea
- Blood in vomit or stool
- Difficulty breathing
- Collapse
- Severe weakness
- Seizures
- Significant injury
- A swollen or painful abdomen
- Refusal to eat, with weakness or unusual behaviour
- Signs of dehydration
- Sudden major changes in behaviour

For a very young or very small puppy, do not wait for symptoms to become severe if you are concerned. When in doubt, **call your veterinarian.**

Your first month is a foundation

You will probably remember your puppy's first month for years. There will be adorable moments. There will also be accidents, chewed objects, interrupted sleep, barking, biting, and days when you wonder whether you are doing everything correctly.

You probably are.

You do not need to raise a perfect dog in 30 days. You are building the foundation for the next 10 to 15 years together.

Give your toy poodle safety, structure, patience, and positive experiences.

Enjoy your tiny new family member.

Welcome to Poodle Circle.

Owner routines, not a veterinary diagnosis. Illness and emergencies belong with a veterinarian.