## Cpr E 489 Spring 2024 Homework #1

Due Date: 2/6/2024 (Tue) by 11:59 PM

## Type or scan your answers and submit on Canvas

- 1. (15 points) A baseband channel with a bandwidth of 20 KHz is used by a digital transmission system. Suppose the ideal pulses are sent at the Nyquist rate, and the pulses can take 1024 different levels. There is no noise in the system. What is the bit rate of this system? Justify your answer.
- 2. (15 points) Suppose that multi-level square pulses are used in a digital transmission system, and the maximum pulse amplitude is ±1 Volts. Suppose that the amplitude of the additive noise is uniformly distributed between (–0.11, +0.16) Volts. What is the maximum number of levels of pulses this transmission system can use before the noise may start introducing errors? Justify your answer.
- 3. (15 points) Suppose we wish to transmit at a bit rate of 270 Kbps reliably over a noisy AWGN (Additive White Gaussian Noise) communication channel with a bandwidth of 30 KHz. What is the minimum SNR (Signal to Noise Ratio) (in dB) required to accomplish this? Justify your answer.
- 4. (25 points) For bit stream 10000001, <u>sketch the waveform</u> for each one of the following line coding schemes that we learned in the class. (Assume that the waveform in the bit interval prior to 10000001 ends at a <u>negative</u> voltage level.)
  - a. 1B2B.
  - b. 2B1Q (please use the version discussed in the 1/25 and 1/30 lectures).
  - c. NRZ-Inverted.
  - d. Differential Manchester.
  - e. B6ZS (Bipolar with 6 Zeros Substitution).
- 5. (30 points) Suppose that two check bits are added to five information bits (i<sub>4</sub>, i<sub>3</sub>, i<sub>2</sub>, i<sub>1</sub>, i<sub>0</sub>). The first check bit c<sub>1</sub> is the even parity check of the first two information bits (i<sub>4</sub>, i<sub>3</sub>), and the second check bit c<sub>0</sub> is the even parity check of the final three information bits (i<sub>2</sub>, i<sub>1</sub>, i<sub>0</sub>). The codeword is (i<sub>4</sub>, i<sub>3</sub>, i<sub>2</sub>, i<sub>1</sub>, i<sub>0</sub>, c<sub>1</sub>, c<sub>0</sub>).
  - a. (15 points) What fraction of errors is undetectable? Justify your answer.
  - b. (15 points) What fraction of 2-bit errors is undetectable? Justify your answer.