

Prompt-1

 ChatGPT 

 Share 



Write a beginner-friendly C++ console program for a Student Excuse Generator.

Requirements:

- Ask the user for their name
- Store at least 10 funny excuse templates in a vector
- Randomly select one excuse each time the program runs
- Replace the placeholder (name) with the user's input
- Use `srand(time(0))` for randomness
- Add comments to explain the code
- Keep the program simple and easy to understand for beginners

This one sounds super relatable already 😂

A random excuse generator honestly feels like something every student secretly needs before submission deadlines 🤖

Here's a simple beginner-friendly version you can start with:



```
C++
#include <iostream>
```

+ Ask anything

ChatGPT can make mistakes. Check important info. See [Cookie Preferences](#).

Prompt-2

 ChatGPT 

 Share 



Can you make the program a little more interactive... add a sarcastic welcome message... add some roasts for empty name..

Yesss that would make it feel way more fun instead of just printing one random excuse 😂

You can make the generator feel like a dramatic AI assistant judging the student the whole time 🤖

Here's the improved version:



```
C++
#include <iostream>
#include <vector>
#include <cstdlib>
#include <ctime>

using namespace std;

int main()
{
    // Seed random number generator
    srand(time(0));
```

+ Ask anything

ChatGPT can make mistakes. Check important info. See [Cookie Preferences](#).

Prompt-3

Fixing Bugs

The program works, but accepts only the first name of the user... use getline instead of cin

That happens because `cin` stops taking input when it encounters a space.
So if the user enters:

Rahul Sharma

only `Rahul` gets stored in the variable.

You can fix this by replacing:

```
C++
cin >> name;
```

with:

```
C++
getline(cin, name);
```

+ Ask anything

ChatGPT can make mistakes. Check important info. See [Cookie Preferences](#).

Bugs:

Visual Studio Code interface showing the file explorer, editor, and terminal.

EXPLORER: ASSIGNMENT-4 > output, AllRoastGenerator_Prompts.pdf, AllRoastGenerator.cpp, Prompt-1.docx, StudentExcuseGenerator.cpp

EDITOR: StudentExcuseGenerator.cpp

```
1 #include <iostream>
2
3 using namespace std;
4
5 int main()
6 {
7     srand(time(0));
8     string name;
9
10    cout << "==== Student Excuse Generator ==== << endl;
11    cout << "Enter your name: ";
12
13    cin >> name;
14
15    cout << "\nWelcome, " << name
16    << "! Preparing your academic excuse \n";
17 }
```

TERMINAL:

```
PS C:\Users\Chehak\FOCP-1\Github\FOCP-II\FOCP-II-Assignments\Assignment-4> cd 'c:\Users\Chehak\FOCP-1\Github\FOCP-II\FOCP-II-Assignments\Assignment-4\output'
PS C:\Users\Chehak\FOCP-1\Github\FOCP-II\FOCP-II-Assignments\Assignment-4\output> & .\StudentExcuseGenerator.exe
==== Student Excuse Generator ====
Enter your name: Chehak Arora


Welcome, Chehak! Preparing your academic excuse

Generated Excuse:
Chehak accidentally deleted the homework file.
PS C:\Users\Chehak\FOCP-1\Github\FOCP-II\FOCP-II-Assignments\Assignment-4\output>
```

Compilation successful.

Prompt-4

Bugs Fixed; Corrected Output



```
File Edit Selection View Go Run ... Assignment-4 Update
```

EXPLORER

- ASSIGNMENT-4
 - output
 - ~\$ompt-1.docx
 - AIRoastGenerator_Prompts.pdf
 - AIRoastGenerator.cpp
 - Prompt-1.docx
 - StudentExcuseGenerator.cpp

StudentExcuseGenerator.cpp


```
73     return 0;
74 }
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

```
PS C:\Users\Chehak\FOCP-1\Github\FOCP-II\FOCP-II-Assignments\Assignment-4> cd 'c:\Users\Chehak\FOCP-1\Github\FOCP-II\FOCP-II-Assignments\Assignment-4\output'
PS C:\Users\Chehak\FOCP-1\Github\FOCP-II\FOCP-II-Assignments\Assignment-4\output> & .\StudentExcuseGenerator.exe
===== Student Excuse Generator =====
Enter your name:

You entered nothing... just like your assignment file.
PS C:\Users\Chehak\FOCP-1\Github\FOCP-II\FOCP-II-Assignments\Assignment-4\output>
```

Compilation successful.



```
File Edit Selection View Go Run ... Assignment-4 Update
```

EXPLORER

- ASSIGNMENT-4
 - output
 - AIRoastGenerator_Prompts.pdf
 - AIRoastGenerator.cpp
 - Prompt-1.docx
 - StudentExcuseGenerator.cpp

StudentExcuseGenerator.cpp

```
61     // Replace {name} with actual user name
62     size_t pos = excuse.find("{name}");
63
64     if(pos != string::npos)
65     {
66         excuse.replace(pos, 6, name);
67     }
68
69     cout << excuse << endl;
70
71     return 0;
72 }
73 }
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

```
PS C:\Users\Chehak\FOCP-1\Github\FOCP-II\FOCP-II-Assignments\Assignment-4> cd 'c:\Users\Chehak\FOCP-1\Github\FOCP-II\FOCP-II-Assignments\Assignment-4\output'
PS C:\Users\Chehak\FOCP-1\Github\FOCP-II\FOCP-II-Assignments\Assignment-4\output> & .\StudentExcuseGenerator.exe
===== Student Excuse Generator =====
Enter your name: Chehak

Welcome, Chehak! Preparing your emergency academic excuse now
Chehak's dog accidentally sat on the delete key.
PS C:\Users\Chehak\FOCP-1\Github\FOCP-II\FOCP-II-Assignments\Assignment-4\output>
```