

Hands-on 1: Angular Project Setup and Component Creation

To create an Angular application, understand the project structure, create reusable components, and build a basic application layout.

```
ng serve (employee-app) x + v
Microsoft Windows [Version 10.0.26200.8655]
(c) Microsoft Corporation. All rights reserved.

C:\Users\CHELSIAH>node -v
v24.17.0

C:\Users\CHELSIAH>ng version

Angular CLI
...

Angular CLI: 17.3.17
Node: 24.17.0 (Unsupported)
Package Manager: npm 11.13.0
OS: win32 x64

Angular: undefined
...

Package                                Version
-----                                -
@angular-devkit/architect              0.1703.17 (cli-only)
@angular-devkit/core                   17.3.17 (cli-only)
@angular-devkit/schematics             17.3.17 (cli-only)
@schematics/angular                   17.3.17 (cli-only)
```

```
ng serve (employee-app) x + v
CREATE employee-app/src/main.ts (228 bytes)
CREATE employee-app/src/index.html (310 bytes)
CREATE employee-app/src/styles.css (81 bytes)
CREATE employee-app/src/app/app.spec.ts (702 bytes)
CREATE employee-app/src/app/app.ts (306 bytes)
CREATE employee-app/src/app/app.css (0 bytes)
CREATE employee-app/src/app/app.html (20488 bytes)
CREATE employee-app/src/app/app.config.ts (324 bytes)
CREATE employee-app/src/app/app.routes.ts (80 bytes)
CREATE employee-app/public/favicon.ico (15086 bytes)
✓ Packages installed successfully.
  Directory is already under version control. Skipping initialization of git.

C:\Users\CHELSIAH>cd employee-app

C:\Users\CHELSIAH\employee-app>ng serve
Initial chunk files | Names | Raw size
main.js            | main | 48.49 kB |
styles.css         | styles | 95 bytes |
| Initial total | 48.58 kB

Application bundle generation complete. [2.965 seconds] - 2026-06-20T04:59:49.712Z

Watch mode enabled. Watching for file changes...
NOTE: Raw file sizes do not reflect development server per-request transformations.
→ Local: http://localhost:4200/
→ press h + enter to show help
```


To run the application:

ng serve

ng serve starts the Angular development server and runs the application locally.

The application can be accessed using:

<http://localhost:4200/>



Important folders/files:

```
src/  
├── app/  
│   ├── components/  
│   ├── pages/  
│   ├── app.ts  
│   ├── app.html  
│   └── app.css
```

