133 Cecil Street # 12-03 Keck Seng Tower, Singapore 069535 Tel: +65-6227 6365 Fax: +65-6225 6286

www.chemtradeasia.com



Material Safety Data Sheet Zirconium Oxide

Section 1 - Product Identification

Chemical Formula : ZrO2+Y2O3

Company Identification : Tradeasia International Pte. Limited

Address : 133 Cecil Street # 12-03 Keck Seng Tower, Singapore

Tel: +65-6227 6365 Fax: +65-6225 6286

Email: contact@chemtradeasia.com

Section 2 – Hazards Identification

2.1. Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

2.2. Label elements

Signal Word

Warning

Hazard Statement

Causes serious eye irritation May cause respiratory irritation

Causes skin irritation

2.5. Precautionary Statements Storage

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Wear eye/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

Skin

IF ON SKIN: Wash with plenty of soap and water
If skin irritation occurs: Get medical advice/attention
Take off contaminated clothing and wash before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention Storage Store in a well-ventilated place. Keep container tightly closed

Store locked up

Disposal

133 Cecil Street # 12-03 Keck Seng Tower, Singapore 069535 Tel: +65-6227 6365 Fax: +65-6225 6286

www.chemtradeasia.com



Dispose of contents/container to an approved waste disposal plant

2.6. Other hazards

N.A.

Section 3 – Composition/Information on Ingredients

3.1 Composition comments

Common Name Zirconium Oxide CAS Number 1314-23-4

| Chemical Name | EC No/CAS No | Purity, % |
|-----------------|--------------|-----------|
| Zirconium Oxide | 1314-23-4 | max. 99.9 |

Section 4 – First-Aid Measures

4.1. Description of first aid measures

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Get medical attention immediately if symptoms occur.

Inhalation

Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention immediately if symptoms occur.

Ingestion

Do not induce vomiting. Obtain medical attention.

4.2. Most important symptoms and effects, both acute and delayed

N.A.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically

Section 5 – Fire Fighting Measures

5.1. Suitable Extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings water spray, foam, dry extinguishing powder, carbon dioxide (CO2)

5.2. Unsuitable Extinguishing media

Water jet

5.3. Specific hazards arising from the chemical

Non-combustible.

133 Cecil Street # 12-03 Keck Seng Tower, Singapore 069535

Tel: +65-6227 6365 Fax: +65-6225 6286

www.chemtradeasia.com



5.4. Special protective actions for fire-fighters

Use personal protective equipment including self-contained breathing apparatus when fighting fire in enclosed area.

Section 6 – Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3. Methods and material for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

Section 7 – Handling and Storage

7.1. Precautions for safe Handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Store in cool place.

Section 8 – Exposure Controls/Personal Protection

8.1. Appropriate engineering controls

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

8.2. Individual protection measures, such as personal protective equipment (PPE) Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Body Protection

133 Cecil Street # 12-03 Keck Seng Tower, Singapore 069535 Tel: +65-6227 6365 Fax: +65-6225 6286

161. 103-0227 0303 Tax. 103-0223 02

www.chemtradeasia.com



Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Do not let product enter drains.

Section 9 – Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Physical State Solid

Appearance White

Odor No information available

Odor Threshold No information available

Melting Point/Range > 2500 °C

Evaporation Rate No information available

Flammability (solid,gas) No information available

Flammability or explosive limits

Upper No data available

Lower No data available

Vapor Pressure No information available

Vapor Density No information available

Specific Gravity No information available

Solubility Insoluble in water

Partition coefficient; n-octanol/water No data available

Autoignition Temperature No information available

Decomposition Temperature No information available

Viscosity No information available

Molecular Formula ZrO2

Molecular Weight 123.2188

Section 10 – Stability and Reactivity

10.1. Reactivity

This material is not reactive under normal ambient conditions.

10.2. Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3. Possibility of hazardous reactions

N.A.

133 Cecil Street # 12-03 Keck Seng Tower, Singapore 069535

Tel: +65-6227 6365 Fax: +65-6225 6286

www.chemtradeasia.com



10.4. Conditions to avoid:

Keep containers dry and tightly closed to avoid moisture absorption and contamination.

10.5. Incompatible materials

N.A.

10.6. Hazardous decomposition products

N.A.

Section 11 – Toxicological Information

11.1 Health effects associated with ingredients

Routes of Entry: Inhalation. Ingestion.

Toxicity to Animals: LD50: Not available. LC50: Not available.

Chronic Effects on Humans

May cause damage to the following organs: upper respiratory tract.

Other Toxic Effects on Humans

Slightly hazardous in case of skin contact (irritant), of ingestion, of inhalation.

Special Remarks on Toxicity to Animals

Not available.

Special Remarks on Chronic Effects on Humans

Not available.

Special Remarks on other Toxic Effects on Humans

Acute Potential Health Effects:

Skin: Dust may cause mechanical irritation. Eyes: Dust may cause mechanical irritation. Inhalation: Dust irritating to the respiratory tract.

Ingestion: May cause gastrointestinal tract irritation with nausea, vomiting, and diarrhea.

Chronic Potential Health Effects:

Inhalation: Prolonged or repeated inhalation may cause chronic bronchitis or pulomonary fibrosis.

The toxicological properties of this substance have not been fully investigated.

Section 12 - Ecological Information

12.1.Ecotoxicity

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

12.2. Bioaccumulative potential

N.A.

12.3. Mobility in soil

N.A.

12.4. Persistence and Degradability

133 Cecil Street # 12-03 Keck Seng Tower, Singapore 069535

Tel: +65-6227 6365 Fax: +65-6225 6286

www.chemtradeasia.com



Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

12.4. Other adverse effects

N.A.

Section 13 – Disposal Considerations

13.1. Disposal methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

Section 14 – Transport Information

14.1 UN number

ADR/RID: - IMDG: - IATA: -

14.2 UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

14.4 Packaging group

ADR/RID: - IMDG: - IATA: -

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: yes IATA: no

14.6 Special precautions for user

No data available

Section 15 – Regulatory Information

15.1. Safety, health and environmental regulations

U.S. Department of Transportation Reportable Quantity (RQ): N

DOT Marine Pollutant N

DOT Severe Marine Pollutant N

Section 16 : Additional Information

133 Cecil Street # 12-03 Keck Seng Tower, Singapore 069535

Tel: +65-6227 6365 Fax: +65-6225 6286

www.chemtradeasia.com



16.1. List of abbreviation and acronyms used in this MSDS

SDS: Safety Data Sheets

Index N°: atomic number of the element most characteristic of the properties of the substance

CAS No: Chemical Abstracts Service number

EC No: EINECS Number: European Inventory of Existing Commercial Substances

Repr. Cat. 2: Substance presumed human reproductive toxicant

Acute Oral Cat. 5: Substance which is of relatively low acute oral toxicity.

GHS: Globally Harmonised System of Classification and Labelling

LD₅₀: Median Lethal Dose

LC₅₀: Lethal Concentration, 50%

N.A.: Not Applicable

OSHA: Occupational Safety & Health Administration

Cal OSHA: The State of California Division of Occupational Safety and Health (DOSH)

PEL: Permissible Exposure Limits

ACGIH: American Conference of Governmental Industrial Hygienists

TLV: Threshold Limit Value

Japanese MITI: Japanese Ministry of International Trade and Industry

EC₅₀: Half maximal effective concentration

UN: United Nations

U.S. EPA TSCA Inventory: Inventory of the chemical substances manufactured or processed in the United States according to Toxic Substances Control Act compiled and published under the autority of the Environmental Protection Agency

Canadian DSL: Canadian Domestic Substances List

16.2. List of relevant hazard statements and precautionary statements used in this MSDS

Hazard Statement

H361 d: Suspected of damaging the unborn child

H319: Causes serious eye irritation

H303: May be harmful if swallowed

Precautionary Statements

Prevention

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P281: Use personal protective equipment as required.

P264: Wash eyes thoroughly after handling.

P280: Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P308 + P313: If exposed or concerned: get medical advice/attention.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

Storage

P405: Store locked up.

<u>Disposal</u>

P501: Dispose of contents/container to in accordance with local regulations.

133 Cecil Street # 12-03 Keck Seng Tower, Singapore 069535 Tel: +65-6227 6365 Fax: +65-6225 6286

www.chemtradeasia.com



16.3. References

- 1. Litovitz T L, Norman S A, Veltri J C, Annual Report of the American Association of Poison Control Centers Data Collection System. Am. J. Emerg. Med. (1986), 4, 427-458
- 2. Denton SM (1996). Acute oral toxicity study in the rat: anhydrous boric acid. Final report. Report no.: 1341/7-1032.
- 3. National Toxicology Program (NTP) Technical Report Series No. TR324, NIH Publication No. 88 2580 (1987), PB88 213475/XAB
- 4. Fail et al., Fund. Appl. Toxicol. (1991) 17, 225-239
- 5. Heindel et al., Fund. Appl. Toxicol. (1992) 18, 266-277
- 6. Birge W J, Black J A, EPA-560/-76-008 (April 1977) PB 267 085
- 7. Scialli AR, Bonde JP, Brüske-Hohlfeld I, Culver D, Li Y, Sullivan FM; ELSEVIER 2009
- 8. Robbins WA, Xun L, Jia J, Kennedy N, Elashoff DA, Ping L. ;ELSEVIER 2009;(Reproductive Toxicology)
- 9. Hansveit and Oldersma, 2000; TNO Nutrition and Food Research Institute. Report No. V99.157.
- 10. Gersich, FM (1984a). Environ. Toxicol. Chem., 3 #1, 89-94 (1984).
- 11. Soucek et al., 2010. Illinois Natural History Survey, University of Illinois.

For general information on the toxicology of borates see ECETOC Technical Report No. 63 (1995); Patty's Industrial Hygiene and Toxicology, 4th Edition Vol. II, (1994) Chap. 42, 'Boron'.

16.4. Disclaimer of Liability

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its accuracy, reliability or completeness. The conditions or methods of handling, storage use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. It is the user's responsibility to satisfy himself as to the suitableness and completeness of such information for his own particular use.

This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.