133 Cecil Street # 12-03 Keck Seng Tower, Singapore 069535,

Republic Of Singapore

Telp. +65 6227 6365 - Fax. +65 6225 6286

www.chemtradeasia.com



# Material Safety Data Sheet OLEIC ACID

## **Section 1 - Product Identification**

Product Name : Oleic Acid

Company Identification: Tradeasia International Pte. Limited

Address : 133 Cecil Street # 12-03 Keck Seng Tower, Singapore

Tel: +65-6227 6365 Fax: +65-6225 6286

Email: contact@chemtradeasia.com

## Section 2 - Composition / Information of Ingredients

General Chemical Description	Oleic acid or Octadecenoic Acid
Chemical Formula	C18 H34 O2
Appearance	Clear colourless to pale yellow liquid
CAS Number	112-80-1
EINECS Number	204-007-1

## Section 3 - Hazardous Identification

Product is non-hazardous

# Section 4 – First Aid Measures

When Inhaled: Sore throat, Cough	Remove to fresh air. If suffocation is serious, take to a doctor
When in contact with skin: Redness, pain	Remove contaminated clothing, flush skin with water or shower, take to a doctor if necessary
When in contact with eyes: Redness, pain	Flush with water; take to a doctor if necessary
When in contact with eyes: Sore throat, abdominal pain	Rinse mouth, drink plenty of water, see physician

# Section 5 - Fire Fighting Measures

Suitable fire-fighting agents:	Use dry powder, foam, carbon dioxide
Extinguishing media which must not be used for safety reasons:	Water jet
Specific hazards in the event of fire:	Combustible, keep away from open flame, no smoking

133 Cecil Street # 12-03 Keck Seng Tower, Singapore 069535,

Republic Of Singapore

Telp. +65 6227 6365 - Fax. +65 6225 6286

www.chemtradeasia.com



Protection of fire-fighters (use of protective	Use self-contained breathing equipment if in confined place
equipment, etc.):	

## Section 6 - Accident Release Measures

Personal precautions, protective equipment and emergency procedures:	Use gloves, face shield
Environmental precautions:	Do not allow to flow into drainage system.
Methods and materials for containment and cleaning up:	Collect leakage in sealable containers, soak up with sand or other inert absorbent and remove to safe place. Wash site with sodium bicarbonate solution or soda ash.  Wipe clean. Rinse the area with hot water and detergent. Dispose off in accordance with local state and federal regulation.

# Section 7 - Handling and Storage

Precautions for safe handling:	Use gloves and wear goggles when handling.  Avoid contact with eyes and skin.
Conditions for safe storage, including any incompatibilities:	Keep in a cool and dry place, avoid extreme heat and cold.  Avoid direct fire. Keep separate from oxidants.  Store in clean, dry, preferably stainless steel vessels.  In bulk, store at about 10 deg C above melting point or ambient.  Temperature higher than necessary degrades quality at rate dependent on time and temperature of exposure.  Exposure to ultraviolet light and sunlight must be minimized to prevent quality loss

# Section 8 – Exposure Controls / Personal Protection

Control parameters:	None
Appropriate engineering controls:	No special measures required.
Individual protection measures, such as personal protective equipment (PPE):	Immediately remove soiled or soaked clothing. Hand protection: suitable protective gloves. Eye protection: protective goggles. Body protection: suitable protective clothing

## Section 9 - Physical and Chemical Properties

Appearance: Clear colourless to pale yellow liquid

Odour: Very faint fatty odour Odour threshold: Not available

pH: Not available

Melting point / freezing point: Approx 13 deg C

Initial boiling point and boiling range: 365  $^{\rm o}{\rm C}$  @ 760mm Hg

Flash point: 189 °C (Pensky-Martens closed cup)

Evaporation rate: Not applicable Flammability (solid, gas): Not flammable

133 Cecil Street # 12-03 Keck Seng Tower, Singapore 069535,

Republic Of Singapore

Telp. +65 6227 6365 - Fax. +65 6225 6286

www.chemtradeasia.com



Upper/lower flammability or Explosive limits: Not explosive

Vapour pressure: 0.99 mm Hg @ 165°C

Vapour density: Not available Relative density: Not available

Solubility: Soluble in ethanol, ether and most organic solvents

Partition coefficient: n-octanol/water Not available

Auto-ignition temperature: 363 °C

Decomposition temperature: Not available

Viscosity: Not Available
Density @ 75°C: 0.84 g/ml
Relative molecular mass: 282.5

## Section 10 - Stability and Reactivity

Reactivity: None known

Chemical stability: None known

Possibility of hazardous reactions: None known

Conditions to avoid: Avoid direct fire, strong oxidant /alkalis

Incompatible materials: Strong oxidants

Hazardous decomposition products: None known

## Section 11 – Toxicological Information

Acute toxicity: Oral (rat): LD50 > 10000 mg/kg

Skin corrosion/irritation:

Primary skin irritation: Mild irritating

Serious eye damage/irritation: Mild Irritation Respiratory or skin sensitization: Not available

**Germ cell mutagenicity:** Not available **Carcinogenicity:** Not available

Reproductive toxicity: Not Available STOST-single / repeated exposure: Not available

Aspiration hazard: Not available

## Section 12 - Ecological Information

#### **Aquatic Toxicity:**

Acute fish toxicity: LC 50 > 100 mg product/l.

Acute bacteria toxicity: EC 50 > 100 mg product/l.

Persistence and degradability: Readily biodegradable

Bioaccumulative potential: Log Pow =Not Available

Mobility in soil: Not available

Other adverse effect: Not available

## Section 13 - Ecological Information

Disposal Method	Waste incineration with the approval of the responsible local authority.
-----------------	--

## Section 14 - Transport Information

133 Cecil Street # 12-03 Keck Seng Tower, Singapore 069535,

Republic Of Singapore

Telp. +65 6227 6365 - Fax. +65 6225 6286

www.chemtradeasia.com



UN Number: None

UN Proper Shipping Name: None

Transport Hazard Class:

Not hazardous according to RID/ADR, GGVS/GGVE, ADNR, IMDG,

ICAO-TI/IATA-DGR.

Packing Group: None

Environmental Hazard:

Marine pollutant (Yes/No): No

MARPOL Annex II: Category Y

# Section 15 – Regulatory Information

Classification and labelling according to GHS: None Classification and labelling according to EC: None

## Section 16 – Other Information

Always work safely around open hatches on bulk tanks. The low density makes flotation difficult for immersed person