133 Cecil Street # 12-03 Keck Seng Tower, Singapore 069535, Republic Of Singapore

Tel. +65 6227 6365 - Fax. +65 6225 6286

www.tradeasia.com



# Material Safety Data Sheet Knitting Oil

# Section 1: Chemical Product and Company Identification

**Product Name** : Knitting Oil Chemical Formula :  $[-Si(CH_3)_2O-]_n$ 

**Company Identification** : Tradeasia International Pte Ltd **Email** : contact@chemtradeasia.com

# Section 2: Composition and Information on Ingredients

Composition:

Name	CAS#	% by Weight
Silicone Fluid 1000	63148-62-9	100

Toxicological Data on Ingredients: Silicone Fluid 1000: ORAL (LD50): Acute: >17000 mg/kg [Rat (RTECS #VX6390000)]. DERMAL (LD50): Acute: >2000 mg/kg [Rabbit (RTECS #VX6390000)].

#### Section 3: Hazards Identification

**Potential Acute Health Effects:** Hazardous in case of eye contact (irritant). Slightly hazardous in case of skin contact (irritant, permeator), of inquestion, of inhalation.

**Potential Chronic Health Effects:** CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. Repeated or prolonged exposure is not known to aggravate medical condition.

#### Section 4: First Aid Measures

**Eye Contact:** Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.

**Skin Contact:** Wash with soap and water. Cover the irritated skin with an emollient. Get medical attention if irritation develops

Serious Skin Contact: Not available.

**Inhalation:** If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention

Serious Inhalation: Not available

**Ingestion:** Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

**Serious Ingestion:** Not available.

133 Cecil Street # 12-03 Keck Seng Tower, Singapore 069535, Republic Of Singapore

Tel. +65 6227 6365 - Fax. +65 6225 6286

www.tradeasia.com



## Section 5: Fire and Explosion Data

Flammability of the Product: May be combustible at high temperature.

**Auto-Ignition Temperature**: Not available

Flash Points: CLOSED CUP: >204°C (399.2°F)

Flammable Limits: Not available

**Products of Combustion**: Not available

**Fire Hazards in Presence of Various Substances:** Slightly flammable to flammable in presence of heat. Non-flammable in presence of shocks

**Explosion Hazards in Presence of Various Substances:** Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.

**Fire Fighting Media and Instructions:** SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray, fog or foam. Do not use water jet

**Special Remarks on Fire Hazards:** Not available.

Special Remarks on Explosion Hazards: Not available.

#### Section 6: Accidental Release Measures

**Small Spill:** Absorb with an inert material and put the spilled material in an appropriate waste disposal.

**Large Spill:** Absorb with an inert material and put the spilled material in an appropriate waste disposal. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system.

# **Section 7: Handling and Storage**

**Precautions:** Keep away from heat. Keep away from sources of ignition. Ground all equipment containing material. Do not ingest. Do not breathe gas/fumes/ vapor/spray. Avoid contact with eyes. Wear suitable protective clothing. If ingested, seek medical advice immediately and show the container or the label.

**Storage:** Keep container tightly closed. Keep container in a cool, well-ventilated area.

133 Cecil Street # 12-03 Keck Seng Tower, Singapore 069535,

Republic Of Singapore

Tel. +65 6227 6365 - Fax. +65 6225 6286

www.tradeasia.com



## Section 8: Exposure Controls/Personal Protection

**Engineering Controls:** Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value. Ensure that eyewash stations and safety showers are proximal to the workstation location.

**Personal Protection:** Splash goggles. Lab coat.

**Personal Protection in Case of a Large Spill:** Splash goggles. Full suit. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

**Exposure Limits:** Not available.

## Section 9: Physical and Chemical Properties

Physical state and appearance : Liquid Odor : Mild.

Taste : Not available.

Molecular Weight : Not available.

Color : Clear Colorless.

pH (1% soln./water) : Not applicable.

Boiling Point : Not available.

Melting Point : Not available.

Critical Temperature : Not available.

Specific Gravity : 0.97 @ 25 deg. C(Water = 1)

Vapor Pressure: 0.1 kPa (@ 20°C)Vapor Density: Not available.Volatility: Not available.Odor Threshold: Not available.Water/Oil Dist. Coeff.: Not available.Ionicity (in Water): Not available.Dispersion Properties: Not available.

**Solubility** : Insoluble in hot water.

### Section 10: Stability and Reactivity Data

**Stability:** The product is stable.

**Instability Temperature**: Not available.

Conditions of Instability: Excess heat

**Incompatibility with various substances**: Not available

**Corrosivity**: Not available.

Special Remarks on Reactivity: Not available.

133 Cecil Street # 12-03 Keck Seng Tower, Singapore 069535, Republic Of Singapore

Tel. +65 6227 6365 - Fax. +65 6225 6286

www.tradeasia.com



**Special Remarks on Corrosivity**: Not available

**Polymerization**: Will not occur.

## Section 11: Toxicological Information

Routes of Entry: Absorbed through skin. Eye contact.

**Toxicity to Animals**: Acute oral toxicity (LD50): >17000 mg/kg [Rat (RTECS #VX6390000)]. Acute dermal toxicity (LD50): >2000 mg/kg [Rabbit (RTECS #VX6390000)].

Chronic Effects on Humans: Not available.

**Other Toxic Effects on Humans**: Slightly hazardous in case of skin contact (irritant, permeator), of ingestion, of inhalation.

**Special Remarks on Toxicity to Animals**: Not available.

Special Remarks on Chronic Effects on Humans: Not available.

**Special Remarks on other Toxic Effects on Humans**: Acute Potential Health Effects: Skin: May cause slight skin irritation. Eyes: May cause moderate eye irritation with conjunctivitis. Inhalation: Short-term harmful health effects are not expected from vapor or mist. Ingestion: It is expected to be a low ingestion hazard.

## Section 12: Ecological Information

**Ecotoxicity:** Not available.

**BOD5 and COD**: Not available.

**Products of Biodegradation:** Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

**Toxicity of the Products of Biodegradation**: The product itself and its products of degradation are not toxic

**Special Remarks on the Products of Biodegradation**: Not available.

# Section 13: Disposal Considerations

**Waste Disposal:** Waste must be disposed of in accordance with federal, state and local environmental control regulations.

#### Section 14: Transport Information

**DOT Classification:** Not a DOT controlled material (United States)

133 Cecil Street # 12-03 Keck Seng Tower, Singapore 069535, Republic Of Singapore Tel. +65 6227 6365 - Fax. +65 6225 6286 www.tradeasia.com



**Identification:** Not applicable

**Special Provisions for Transport**: Not applicable.

## Section 15: Other Regulatory Information

Federal and State Regulations: TSCA 8(b) inventory: Siloxanes & silicones, di-Me (CAS No. 63148-62-9) TSCA 8(a) PAIR: Siloxanes & silicones, di-Me(CAS No. 63148-62-9) TSCA 8(d) H and S data reporting: Siloxanes & silicones, di-Me(CAS No. 63148-62-9): Effective date: 10/12/93; Sunset

Date: 6/30/98

Other Regulations: Not available.

Other Classifications:

WHMIS (Canada): Not controlled under WHMIS (Canada).

**DSCL (EEC):** R36- Irritating to eyes. S2- Keep out of the reach of children. S46- If swallowed, seek medical advice immediately and show this container or label.

HMIS (U.S.A.): **Health Hazard: 2** Fire Hazard: 1 **Reactivity:** 0

Personal Protection: J

**National Fire Protection Association (U.S.A.):** 

Health: 2

Flammability: 1 **Reactivity:** 0

**Specific hazard:** 

**Protective Equipment:** Not applicable. Lab coat. Not applicable. Splash goggles.

#### Section 16: Other Information

References: Not available.

Other Special Considerations: Not available.

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no way shall Tradeasia International Pte. Ltd. Be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or

133 Cecil Street # 12-03 Keck Seng Tower, Singapore 069535, Republic Of Singapore

Tel. +65 6227 6365 - Fax. +65 6225 6286

www.tradeasia.com



exemplary damages, howsoever arising, even if Tradeasia International Pte. Ltd. has been advised of the possibility of such damages.