133 Cecil Street # 12-03 Keck Seng Tower, Singapore 069535, Republic Of Singapore

Tel. +65 6227 6365 - Fax. +65 6225 6286

www.chemtradeasia.com



Material Safety Data Sheet Propyl Paraben

Section 1: Chemical Product and Company Identification

Product Name : Propyl Paraben

Chemical Formula : C₁₀H₁₂O₃

Company Identification : Tradeasia International Pte Ltd

Email : contact@chemtradeasia.com

Section 2: Composition and Information on Ingredients

Composition:

Name	CAS#	% by Weight
Methyl Paraben	94-13-3	100

Toxicological Data on Ingredients: Propyl Paraben: ORAL (LD50): Acute: 7500 mg/kg [Rat].

Section 3: Hazards Identification

Potential Acute Health Effects:

Very hazardous in case of inhalation. Hazardous in case of eye contact (irritant), of ingestion. Slightly hazardous in case of skin contact (irritant).

Potential Chronic Health Effects:

Very hazardous in case of inhalation. Hazardous in case of eye contact (irritant). Slightly hazardous in case of skin contact (irritant), of ingestion. The substance is toxic to lungs. Repeated or prolonged exposure to the substance can produce target organs damage.

Section 4: First Aid Measures

Eye Contact:

Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Cold water may be used. Do not use an eye ointment. Seek medical

133 Cecil Street # 12-03 Keck Seng Tower, Singapore 069535, Republic Of Singapore

Tel. +65 6227 6365 - Fax. +65 6225 6286

www.chemtradeasia.com



attention.

Skin Contact:

After contact with skin, wash immediately with plenty of water. Gently and thoroughly wash the contaminated skin with running water and non-abrasive soap. Be particularly careful to clean folds, crevices, creases and groin. Cover the irritated skin with an emollient. If irritation persists, seek medical attention. Wash contaminated clothing before reusing.

Inhalation:

Allow the victim to rest in a well ventilated area. Seek immediate medical attention.

Ingestion:

Do not induce vomiting. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek immediate medical attention.

Section 5: Fire and Explosion Data

Flammability of the Product: May be combustible at high temperature.

Products of Combustion: These products are carbon oxides (CO, CO2).

Fire Fighting Media and Instructions:

SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray, fog or foam. Do not use water jet.

Fire Hazards in Presence of Various Substances: Extremely flammable in presence of open flames and sparks.

Explosion Hazards in Presence of Various Substances:

Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in the presence of static discharge.

Section 6: Accidental Release Measures

Small Spill:

Use appropriate tools to put the spilled solid in a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.

133 Cecil Street # 12-03 Keck Seng Tower, Singapore 069535, Republic Of Singapore Tel. +65 6227 6365 - Fax. +65 6225 6286

www.chemtradeasia.com



Large Spill:

Use a shovel to put the material into a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system.

Section 7: Handling and Storage

Precautions:

Keep away from heat. Keep away from sources of ignition. Empty containers pose a fire risk, evaporate the residue under a fume hood. Ground all equipment containing material. Do not ingest. Do not breathe dust. Avoid contact with eyes Wear suitable protective clothing In case of insufficient ventilation, wear suitable respiratory equipment If ingested, seek medical advice immediately and show the container or the label.

Storage:

Keep container dry. Keep in a cool place. Ground all equipment containing material. Keep container tightly closed. Keep in a cool, well-ventilated place. Combustible materials should be stored away from extreme heat and away from strong oxidizing agents.

Section 8: Exposure Controls/Personal Protection

Engineering Controls:

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Personal Protection:

Safety glasses. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Dust respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist before handling this product.

Section 9: Physical and Chemical Properties

133 Cecil Street # 12-03 Keck Seng Tower, Singapore 069535, Republic Of Singapore

Tel. +65 6227 6365 - Fax. +65 6225 6286

www.chemtradeasia.com



Physical state : Solid

Color : White

Molecular Weight : 180.20 g/mole

Melting Point : 96₀C

Boiling Point : Decomposes

Specific gravity : 1.063

Solubility: Soluble in methanol, diethyl ether, acetone. Very slightly soluble in cold water, hot water.

Section 10: Stability and Reactivity Data

Stability: The product is stable.

Corrosivity: Non-corrosive in presence of glass, of steel, of stainless steel(304), of stainless

steel(316).

Polymerization: will not occur

Section 11: Toxicological Information

Routes of Entry: Eye contact, Inhalation & Ingestion.

Toxicity to Animals: Acute oral toxicity (LD50): 7500 mg/kg [Mouse].

Other Toxic Effects on Humans: Very hazardous in case of inhalation. Hazardous in case of

ingestion. Slightly hazardous in case of skin contact (irritant).

Chronic effects on Humans: The substance is toxic to lungs.

Section 12: Ecological Information

Products of Biodegradation: Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of Biodegradation:

The products of degradation are more toxic.

Special Remarks on the Products of Biodegradation :

Decomposes and burns to form smoke, carbon monoxide and carbon dioxide. Fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source ia s potential dust explosion hazard

133 Cecil Street # 12-03 Keck Seng Tower, Singapore 069535, Republic Of Singapore

Tel. +65 6227 6365 - Fax. +65 6225 6286

www.chemtradeasia.com



Section 13: Disposal Considerations

Waste Disposal:

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

Section 14: Transport Information

The materials transportation by vehicles, the sender serves deliverers with instructions for safe handling. In transportation confirm leakless of the container, and load the materials not to upset, fall and damage. Secure preventing the load from falling.

Section 15: Other Regulatory Information

Federal and State Regulations: TSCA 8(b) inventory: Propyl paraben

Other Classifications:

WHMIS (Canada): Not controlled under WHMIS (Canada).

DSCL (EEC): R36- Irritating to eyes.

HMIS (U.S.A.):

Health Hazard: 2

Fire Hazard: 1

Reactivity: 0

Personal Protection: E

National Fire Protection Association (U.S.A.):

Health: 2

Flammability: 1

Reactivity: 0

Specific hazard:

Protective Equipment:

Gloves. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Splash goggles.

133 Cecil Street # 12-03 Keck Seng Tower, Singapore 069535, Republic Of Singapore

Tel. +65 6227 6365 - Fax. +65 6225 6286

www.chemtradeasia.com



Section 16: Other Information

References: Not available.

Other Special Considerations: Not available.

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no way shall Tradeasia International Pte. Ltd. Be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Tradeasia International Pte. Ltd. has been advised of the possibility of such damages.

