Virtual Memory A Project for CS854

Nick Chen Simon Pratt Krishna Vaidyanathan

University of Waterloo

February 25, 2016

Abstract

In short:

Abstract

In short:

• We propose to study virtual memory!

Our proposal has 3 parts:

1 Literature Review

- 1 Literature Review
- 2 Experimental Design

- 1 Literature Review
- 2 Experimental Design
- 3 Implementation

- 1 Literature Review
- 2 Experimental Design
- 3 Implementation

We wish to investigate the following operating systems:

We wish to investigate the following operating systems:

1 Linux

We wish to investigate the following operating systems:

- 1 Linux
- 2 NetBSD

We wish to investigate the following operating systems:

- 1 Linux
- 2 NetBSD
- OpenIndiana (Previously Solaris)

We wish to investigate the following operating systems:

- 1 Linux
- 2 NetBSD
- OpenIndiana (Previously Solaris)

We wish to investigate the following operating systems:

- 1 Linux
- 2 NetBSD
- OpenIndiana (Previously Solaris)

For each OS, we wish to answer the following questions:

How is physical memory managed?

We wish to investigate the following operating systems:

- 1 Linux
- 2 NetBSD
- OpenIndiana (Previously Solaris)

- How is physical memory managed?
- Are there data structures for physical pages, separate from the page tables?

We wish to investigate the following operating systems:

- 1 Linux
- 2 NetBSD
- OpenIndiana (Previously Solaris)

- How is physical memory managed?
- Are there data structures for physical pages, separate from the page tables?
- How are contiguous regions of memory managed?

We wish to investigate the following operating systems:

- 1 Linux
- 2 NetBSD
- OpenIndiana (Previously Solaris)

- How is physical memory managed?
- Are there data structures for physical pages, separate from the page tables?
- How are contiguous regions of memory managed?
- How is memory freed?

We wish to investigate the following operating systems:

- 1 Linux
- 2 NetBSD
- OpenIndiana (Previously Solaris)

- How is physical memory managed?
- Are there data structures for physical pages, separate from the page tables?
- How are contiguous regions of memory managed?
- How is memory freed?
 - What happens when the kernel runs out of memory?

We wish to investigate the following operating systems:

- 1 Linux
- 2 NetBSD
- OpenIndiana (Previously Solaris)

- How is physical memory managed?
- Are there data structures for physical pages, separate from the page tables?
- How are contiguous regions of memory managed?
- How is memory freed?
 - What happens when the kernel runs out of memory?
- Do they do anything special on Non-Uniform Memory Access (NUMA) architectures?

- 1 Literature Review
- 2 Experimental Design
- 3 Implementation

- 1 Literature Review
- 2 Experimental Design
- 3 Implementation

Make a testable hypothesis based on lit. review

- Make a testable hypothesis based on lit. review
- Design simple experiments to test this hypothesis

- Make a testable hypothesis based on lit. review
- Design simple experiments to test this hypothesis
- Example:

- Make a testable hypothesis based on lit. review
- Design simple experiments to test this hypothesis
- Example:
 - Implement data structures from different VMs

- Make a testable hypothesis based on lit. review
- Design simple experiments to test this hypothesis
- Example:
 - Implement data structures from different VMs
 - Test performance

- 1 Literature Review
- 2 Experimental Design
- 3 Implementation

- 1 Literature Review
- 2 Experimental Design
- 3 Implementation

Optional

- Optional
- Implement a memory management system for KOS

- Optional
- Implement a memory management system for KOS
- Use findings from:

- Optional
- Implement a memory management system for KOS
- Use findings from:
 - Lit review

- Optional
- Implement a memory management system for KOS
- Use findings from:
 - Lit review
 - Experiments

High-level design

We now understand the VM design at a high-level:

High-level design

We now understand the VM design at a high-level:

Linux

High-level design

We now understand the VM design at a high-level:

- Linux
- NetBSD

High-level design

We now understand the VM design at a high-level:

- Linux
- NetBSD
- OpenIndiana

High-level: Linux

vm area struct

```
44 struct vm area struct {
45
       struct mm struct * vm mm:
                                                                         task struct
46
       unsigned long vm start;
47
       unsigned long vm end:
                                                                                                mm struct
                                                                                                                        vm area struct
49
                                                                          mm
                                                                                                                           vm end
                                                                                               count
50
       /* linked list of VM areas per task, sorted by address */
                                                                                                                           vm_start
51
       struct vm area struct *vm next:
                                                                                               pgd
                                                                                                                                                     Data
52
                                                                                                                          ym flags
53
       pgprot t vm page prot;
                                                                                                                          vm inode
       unsigned long vm flags;
                                                                                                                          vm ons
55
                                                                                                                                                                      0×8059BB8
56
       rb node t vm rb;
                                                                                               mman
57
                                                                                                                           vm_next
                                                                                               mmap avl
63
       struct vm area struct *vm next share;
       struct vm area struct **vm pprev share;
                                                                                               mmap sem
65
       /* Function pointers to deal with this struct. */
67
       struct vm operations struct * vm ops;
                                                                                                                                                     Code
                                                                                                                        vm area struct
69
       /* Information about our backing store: */
                                                                                                                          vm end
70
       unsigned long vm pgoff:
                                                                                                                          vm start
72
       struct file * vm file;
                                                                                                                                                                      0×8048000
                                                                                                                          ym flaes
73
       unsigned long vm raend:
74
       void * vm private data:
                                                                                                                          vm inode
75 1:
                                                                                                                          vm ons
                                                                                                                          vm_next
                                                                                                                                                                      0×0000000
```


Processes Virtual Memory

Based on 386BSD, 4.4BSD-Lite


- Based on 386BSD, 4.4BSD-Lite
- Rewritten in 1998 by Chuck Cranor

- Based on 386BSD, 4.4BSD-Lite
- Rewritten in 1998 by Chuck Cranor
 - UVM (Unified(?) VM)


- Based on 386BSD, 4.4BSD-Lite
- Rewritten in 1998 by Chuck Cranor
 - UVM (Unified(?) VM)
 - 13 page Usenix paper




- Based on 386BSD, 4.4BSD-Lite
- Rewritten in 1998 by Chuck Cranor
 - UVM (Unified(?) VM)
 - 13 page Usenix paper
 - 270 page PhD dissertation




- Based on 386BSD, 4.4BSD-Lite
- Rewritten in 1998 by Chuck Cranor
 - UVM (Unified(?) VM)
 - 13 page Usenix paper
 - 270 page PhD dissertation
- Slightly modified in 2001 by Chuck Silvers



- Based on 386BSD, 4.4BSD-Lite
- Rewritten in 1998 by Chuck Cranor
 - UVM (Unified(?) VM)
 - 13 page Usenix paper
 - 270 page PhD dissertation
- Slightly modified in 2001 by Chuck Silvers
 - UBC (Unified Buffer Cache)



- Based on 386BSD, 4.4BSD-Lite
- Rewritten in 1998 by Chuck Cranor
 - UVM (Unified(?) VM)
 - 13 page Usenix paper
 - 270 page PhD dissertation
- Slightly modified in 2001 by Chuck Silvers
 - UBC (Unified Buffer Cache)
 - 5 page Usenix paper



- Based on 386BSD, 4.4BSD-Lite
- Rewritten in 1998 by Chuck Cranor
 - UVM (Unified(?) VM)
 - 13 page Usenix paper
 - 270 page PhD dissertation
- Slightly modified in 2001 by Chuck Silvers
 - UBC (Unified Buffer Cache)
 - 5 page Usenix paper
- Minor modifications since then


High-level: OpenIndiana

- Open source fork of OpenSolaris after Oracle take over
- 2 Stewarded by the Illumos Foundation


Virtual memory management unit

- Solaris kernel breaks up virtual address space into mappings for each type of memory (eg., heap, stack)
- 2 Hardware MMU maps pages to physical memory using platform-specific translation tables
- 3 Memory management to manage pages is basically swapping and demand paging

Solaris 10 Virtual to Physical Memory Management



Solaris 10 page table structure



 Page table structure different from x86 hardware page table structure

Differences

We have found some significant differences so far:

Differences

We have found some significant differences so far:

 What happens when the kernel runs out of memory?

Differences


We have found some significant differences so far:

- What happens when the kernel runs out of memory?
- What are the copy-on-write mechanisms?

What happens when the kernel runs out of memory?

Linux:

Start killing processes




What happens when the kernel runs out of memory?

Linux:

NetBSD:

Start killing processes


Panic!



What happens when the kernel runs out of memory?

Linux:

Start killing processes



NetBSD:

Panic!

OpenIndiana:

- Periodically checks kernel space, and "snaps" data to user space if kernel space is low
- If kernel runs out of memory, crashes as far as I can tell

What are the copy-on-write mechanisms?

Linux:

Page-based copy

What are the copy-on-write mechanisms?

Linux:

Page-based copy

OpenIndiana:

Anonymous maps

What are the copy-on-write mechanisms?

Linux:

Page-based copy

OpenIndiana:

Anonymous maps

NetBSD:

Copied SunOS/Solaris

Summary

- 1 Literature Review
 - High-level design
 - Differences
- 2 Experimental Design
- 3 Implementation

References

UVM dissertation:

http://vorpal.math.drexel.edu/course/opsys2/uvm-project/uvm.pdf

• UVM paper:

https://www.usenix.org/legacy/event/usenix99/full_papers/cranor/cranor.pdf

• UBC paper:

https://www.usenix.org/legacy/publications/library/proceedings/ usenix2000/freenix/silvers.html

- Understanding the Linux Virtual Memory Manager
 https://www.kernel.org/doc/gorman/html/understand/index.html
- McDougall, Richard, and Jim Mauro. Solaris internals: Solaris 10 and OpenSolaris kernel architecture. Pearson Education, 2006.

Attribution

NetBSD data structure diagram from:

http://usenix.org/legacy/publications/library/proceedings/usenix99/full_papers/cranor/cranor_html/index.html

Linux vm_area_struct source from:

???

Linux data structures diagram from:

???

Linux OOM diagram from:

???

Solaris VM diagram:
 McDougall, Richard, and Jim Mauro. Solaris internals: Solaris 10 and OpenSolaris kernel architecture. Pearson Education, 2006.

License

- These slides are distributed under the creative commons Attribution-ShareAlike 4.0 International (CC BY-SA 4.0).
- See http://creativecommons.org/licenses/by-sa/4.0/ for details.