# Virtual Memory A Project for CS854

Nick Chen Simon Pratt Krishna Vaidyanathan

February 22, 2016

Our proposal has 3 parts:

1 Literature Review

- 1 Literature Review
- 2 Experimental Design

- 1 Literature Review
- 2 Experimental Design
- 3 Implementation

- 1 Literature Review
- 2 Experimental Design
- 3 Implementation

We wish to investigate the following operating systems:

We wish to investigate the following operating systems:

1 Linux

We wish to investigate the following operating systems:

- 1 Linux
- OpenBSD

We wish to investigate the following operating systems:

- 1 Linux
- OpenBSD
- OpenIndiana (Previously Solaris)

We wish to investigate the following operating systems:

- 1 Linux
- OpenBSD
- OpenIndiana (Previously Solaris)

We wish to investigate the following operating systems:

- 1 Linux
- OpenBSD
- OpenIndiana (Previously Solaris)

For each OS, we wish to answer the following questions:

How is physical memory managed?

We wish to investigate the following operating systems:

- 1 Linux
- OpenBSD
- OpenIndiana (Previously Solaris)

- How is physical memory managed?
- Are there data structures for physical pages, separate from the page tables?

We wish to investigate the following operating systems:

- 1 Linux
- OpenBSD
- OpenIndiana (Previously Solaris)

- How is physical memory managed?
- Are there data structures for physical pages, separate from the page tables?
- How are contiguous regions of memory managed?

We wish to investigate the following operating systems:

- 1 Linux
- OpenBSD
- OpenIndiana (Previously Solaris)

- How is physical memory managed?
- Are there data structures for physical pages, separate from the page tables?
- How are contiguous regions of memory managed?
- How is memory freed?

We wish to investigate the following operating systems:

- 1 Linux
- OpenBSD
- OpenIndiana (Previously Solaris)

- How is physical memory managed?
- Are there data structures for physical pages, separate from the page tables?
- How are contiguous regions of memory managed?
- How is memory freed?
  - What happens when the kernel runs out of memory?

We wish to investigate the following operating systems:

- 1 Linux
- OpenBSD
- OpenIndiana (Previously Solaris)

- How is physical memory managed?
- Are there data structures for physical pages, separate from the page tables?
- How are contiguous regions of memory managed?
- How is memory freed?
  - What happens when the kernel runs out of memory?
- Do they do anything special on Non-Uniform Memory Access (NUMA) architectures?

- 1 Literature Review
- 2 Experimental Design
- 3 Implementation

- 1 Literature Review
- 2 Experimental Design
- 3 Implementation

# Proposal: Experimental Design

# Proposal: Experimental Design

Make a testable hypothesis based on lit. review

# Proposal: Experimental Design

- Make a testable hypothesis based on lit. review
- Design simple experiments to test this hypothesis

- 1 Literature Review
- 2 Experimental Design
- 3 Implementation

- 1 Literature Review
- 2 Experimental Design
- 3 Implementation

# Proposal: Implementation

## Proposal: Implementation

 Implement a memory management system for KOS

## **Progress**

We have made some progress:

- OpenBSD data structures
- Linux data structures

386BSD↓NetBSD↓OpenBSD


386BSD↓NetBSD↓OpenBSD

VM based on NetBSD

- 386BSD↓NetBSD↓OpenBSD
- VM based on NetBSD
  - Rewritten in 1998

- 386BSD ↓NetBSD ↓OpenBSD
- VM based on NetBSD
  - Rewritten in 1998
  - 270 page PhD dissertation

- 386BSD↓NetBSD↓OpenBSD
- VM based on NetBSD
  - Rewritten in 1998
  - 270 page PhD dissertation



## Progress: Linux


vm\_area\_struct

```
44 struct vm area struct {
45
       struct mm struct * vm mm:
                                                                         task struct
46
       unsigned long vm start;
47
       unsigned long vm end:
                                                                                                mm struct
                                                                                                                        vm area struct
49
                                                                          mm
                                                                                                                          vm end
                                                                                               count
50
       /* linked list of VM areas per task, sorted by address */
                                                                                                                          vm_start
51
       struct vm area struct *vm next:
                                                                                               pgd
                                                                                                                                                    Data
52
                                                                                                                          vm flags
53
       pgprot t vm page prot;
                                                                                                                          vm inode
       unsigned long vm flags;
                                                                                                                          vm ons
55
                                                                                                                                                                     0×8059BB8
56
       rb node t vm rb;
                                                                                               mman
57
                                                                                                                          vm_next
                                                                                               mmap avl
63
       struct vm area struct *vm next share;
       struct vm area struct **vm pprev share;
                                                                                               mmap sem
65
       /* Function pointers to deal with this struct. */
67
       struct vm operations struct * vm ops;
                                                                                                                                                    Code
                                                                                                                        vm area struct
69
       /* Information about our backing store: */
                                                                                                                          vm end
70
       unsigned long vm pgoff:
                                                                                                                          vm start
72
       struct file * vm file;
                                                                                                                                                                     0×8048000
                                                                                                                          ym flaes
73
       unsigned long vm raend:
74
       void * vm private data:
                                                                                                                          vm inode
75 1:
                                                                                                                          vm ons
                                                                                                                          vm_next
                                                                                                                                                                     0×0000000
```

Processes Virtual Memory

## Progress: Linux

Out Of Memory Management (OOM)



## Progress: OpenIndiana

- Open source fork of OpenSolaris after Oracle take over
- Stewarded by the Illumos Foundation
- VM uses the ast package by AT&T, written by Kiem-Phong Vo
- Based on paper "Vmalloc: A General and Efficient Memory Allocator"

## Progress: OpenIndiana

- Legacy malloc function is old, has shortcomings
- 2 malloc not designed for modern environments
- 3 Vmalloc a memory allocation library that is flexible and allows a wide range of memory operations
  - Regions to organize memory
  - Obtain memory by application definable disciplines
  - 3 Customize memory management

## Summary

- 1 Literature Review
  - Some progress on data structures!
- 2 Experimental Design
- 3 Implementation

#### References

UVM dissertation:

http://vorpal.math.drexel.edu/course/opsys2/uvm-project/uvm.pdf

Understanding the Linux Virtual Memory Manager
 https://www.kernel.org/doc/gorman/html/understand/index.html

Vmalloc: A General and Efficient Memory Allocator:

http://onlinelibrary.wiley.com/doi/10.1002/%28SICI%291097-024X% 28199603%2926:3%3C357::AID-SPE15%3E3.0.CO;2-%23/abstract

#### **Attribution**

 OpenBSD data structure diagram from: http://usenix.org/legacy/publications/library/proceedings/usenix99/full\_papers/cranor/cranor\_html/index.html

netp.//deenix.org/regacy/publications/fibrary/proceedings/deenix//fidit\_papers/oranor\_neniz/fidex.nen

#### License

- These slides are distributed under the creative commons Attribution-ShareAlike 4.0 International (CC BY-SA 4.0).
- See http://creativecommons.org/licenses/by-sa/4.0/ for details.