

TEST REPORT

No.: CZIN2605000320CM02_EN

Issue Date: 2026-05-28

Page: 1 of 7

CUSTOMER NAME: ZHEJIANG WEWORTH FURNITURE TECHNOLOGY CO., LTD
ADDRESS: ROOM 601, BUILDING 1, XIAOLONG SIC-
TECH INNOVATION CENTER, NO. 78 GENGWEN ROAD,
XIAOSHAN DISTRICT, HANGZHOU, ZHEJIANG, CHINA

Sample Name : SOUNDPROOF POD

Product Specification : 1000*1000*2300mm

Above information and sample(s) was/were submitted and confirmed by the client. SGS, however, assumes no responsibility to verify the accuracy, adequacy and completeness of the sample information provided by client.

Sample Source : Customer-delivered
Date of Receipt : 2026-05-06
Testing Period : 2026-05-06 ~ 2026-05-11 2026-05-28
Test Location : No.3 East Hehai Road, Tianning District, Changzhou City, Jiangsu, China
Test result(s) : For further details, please refer to the following page(s)
(Unless otherwise stated the results shown in this test report refer only to the sample(s) tested)

Signed for and on behalf of
SGS-CSTC Standards Technical Services (Changzhou) Co., Ltd.

Jack Zhang

Jack Zhang

Authorized signatory

Scan to see the report



CZIN2605000320CM02
Verification:
check.sgs.com.cn



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.3, Hehai East Road, Tianning District, Changzhou, China 213021
中国·常州·天宁区河海东路3号 邮编: 213021

t (86-519) 8876 9607 www.sgsgroup.com.cn
t (86-519) 8876 9607 sgs.china@sgs.com

TEST REPORT

No.: CZIN2605000320CM02_EN

Issue Date: 2026-05-28

Page: 2 of 7

Summary of Results:

No.	Test Item	Test Method	Result	Conclusion
1	Speech Level Reduction	ISO 23351-1:2020	See Result	N/A

Note:

Pass : Meet the requirements;

Fail : Does not meet the requirements;

N/A : Not Apply to the judgment.

Original Sample Photo(s):

	
Sample View 1	Sample View 2



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.3, Hehai East Road, Tianning District, Changzhou, China 213021
中国·常州·天宁区河海东路3号 邮编: 213021

t (86-519) 8876 9607 www.sgsgroup.com.cn
t (86-519) 8876 9607 sgs.china@sgs.com

TEST REPORT

No.: CZIN2605000320CM02_EN

Issue Date: 2026-05-28

Page: 3 of 7

Test Item: Speech Level Reduction

I. Test Method

ISO 23351-1:2020 Acoustics - Measurement of speech level reduction of furniture ensembles and enclosures - Part 1: Laboratory method

II. Sample Details

Dimensions	W1000mm×D1000mm×H2300mm
------------	-------------------------

III. Test Condition

Ambient Temperature	17.5℃	Ambient Humidity	63.3%RH
Ambient Atmospheric Pressure	101.78KPa	Volume Reverberation Room	260m ³
Total Surface Area	248.4 m ²	Number of Test Samples	1
Description of Test Arrangement	The sample is installed on-site by the client in the reverberation room test area. The door of the sample is opened and closed repeatedly five times and test without further adjustment.		

IV. Test Result

Frequency f Hz	125	250	500	1000	2000	4000	8000
Level Reduction D dB	17.8	25.9	29.9	36.2	34.4	30.6	31.7
Speech Level Reduction DS, A dB	30.3						
Classification	Class A						



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.3, Hehai East Road, Tianning District, Changzhou, China 213021
中国·常州·天宁区河海东路3号 邮编: 213021


t (86-519) 8876 9607 www.sgs.com.cn
t (86-519) 8876 9607 sgs.china@sgs.com

TEST REPORT

No.: CZIN2605000320CM02_EN

Issue Date: 2026-05-28

Page: 4 of 7



Note:

1. The measurements are made in conformity with ISO 23351-1:2020.
2. The results are only valid for the tested specimen configuration. Changes in size, geometry or materials can lead to significant changes in reported results.
3. Table 1 gives a general classification for enclosures that can be used voluntarily in the selection of appropriate enclosures. Class A+, A, B, C, and D produce acceptable speech privacy if the background noise level of the room is at least 27dB, 30dB, 35dB, 40dB, and 45dB L_{Aeq} , respectively. In other words, the lower is the background noise, the higher is the target value for $D_{S,A}$. If the enclosure is used in various rooms, the class should be chosen according to the room where the background noise level is the lowest.

Table 1-Classification of enclosures according to speech level reduction, DS, A

Class	A+	A	B	C	D	Un classified
DS, A[dB]	>33	>30	>25	>20	>15	≤15



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.3, Hehai East Road, Tianning District, Changzhou, China 213021
中国·常州·天宁区河海东路3号 邮编: 213021

t (86-519) 8876 9607 www.sgsgroup.com.cn
t (86-519) 8876 9607 sgs.china@sgs.com

TEST REPORT


No.: CZIN2605000320CM02_EN

Issue Date: 2026-05-28

Page: 5 of 7

V. Drawing of Sample (offered by applicant)

- * Overall Dimensions (mm): W1000 × D1000 × H2300
- * Internal Dimensions (mm): 860 × 930 × 2120
- * Tabletop Size: 600 × 250 × 25 mm
- * Tabletop Height: 1100 mm
- * Exterior Steel Panel: 1.0 mm thick steel sheet with electrostatic powder coating (inner side lined with 3 mm vibration-damping panel)
- * Middle Layer Material: Steel frame structure + 40 mm thick acoustic insulation foam
- * Interior Finish: 9 mm thick felt panel
- * Flooring: 25 mm thick board with 1 carpet, 4 adjustable feet, and 4 casters
- * Rear Glass: 10 mm tempered soundproof glass with black aluminum alloy frame (including double-layer PET inside)
- * Glass Door: 4+6 mm tempered laminated acoustic glass with black aluminum alloy frame
- * Power Configuration: CN / US / UK / EU / UNIVERSAL
- * Voltage: 110–240V
- * Ventilation Fan (sensor-linked): Airflow capacity 150 m³/h
- * Lighting: LED light (sensor-linked), color temperature 4000K
- * Cable: 1.5 m power cable with 13A plug
- * Door Hardware: Aluminum alloy door handle with magnetic latch, concealed top & bottom hinges, stopper / door closer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.3, Hehai East Road, Tianning District, Changzhou, China 213021
中国·常州·天宁区河海东路3号 邮编: 213021

t (86-519) 8876 9607 www.sgsgroup.com.cn
t (86-519) 8876 9607 sgs.china@sgs.com

TEST REPORT

No.: CZIN2605000320CM02_EN

Issue Date: 2026-05-28

Page: 6 of 7

VI. Information of Equipment

Equipment	Model	Equipment NO.	Manufacturer	Calibration Date
Omnidirectional Sound Source	4292-L	068005	Brüel & Kjær	2025/05/27
Multi-Channels Sound Analyzer	3160-A-042	3160-107429	Brüel & Kjær	2025/06/04
Power Amplifier	2734	083010	Brüel & Kjær	2025/06/04
Working Standard Microphone	4942	3185102	Brüel & Kjær	2025/12/02
Microphone Preamplifier	2671	3223102	Brüel & Kjær	2025/12/02
Sound Calibrator	4231	3031646	Brüel & Kjær	2025/12/25



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC (Shanghai) Technical Services (Changzhou) Co., Ltd.
Commercial Consulting & Technical Services

No.3, Hehai East Road, Tianning District, Changzhou, China 213021
中国·常州·天宁区河海东路3号 邮编: 213021

t (86-519) 8876 9607 www.sgsgroup.com.cn
t (86-519) 8876 9607 sgs.china@sgs.com


TEST REPORT

No.: CZIN2605000320CM02_EN

Issue Date: 2026-05-28

Page: 7 of 7

VII. Test Photo(s)



This test report is an additional version of the original report No.: CZIN2605000320CM01_EN dated: May 25th, 2026. The customer name and address have been modified, and the original report is valid. Unless otherwise stated, this report provides a declaration of conformity according to whether the test results are within the specified limits or specifications without considering the measurement uncertainty.

The test report shall only be used for clients' scientific research, teaching, internal quality control, product research and development, etc... and just for internal reference.

*****End of report*****



SGS-CSTC (Shanghai) Technical Services (Changzhou) Co., Ltd.
Commercial Consulting and Testing Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.3, Hehai East Road, Tianning District, Changzhou, China 213021
中国·常州·天宁区河海东路3号 邮编: 213021

t (86-519) 8876 9607 www.sgsgroup.com.cn
t (86-519) 8876 9607 sgs.china@sgs.com