SynthEx

Mengjie Chen

September 28, 2020

SynthEx version: 1.6

Please cite:

Grace O. Silva, Marni Segal, Xiaping He, Lisle E. Mose, Joel S. Parker,

Wei Sun, Charles M. Perou and Mengjie Chen

SynthEx: Capture-specific, "synthetic"-normal based whole exome/genome sequencing tool

for copy number alteration detection and tumor heterogeneity profiling.

Genome Biol. 2017;18(1):66. Published 2017 Apr 8. doi:10.1186/s13059-017-1193-3

SynthEx

Contents

1	Introd	duction of package SynthEx							. 3	3					
2	Install	llation										-		. 3	3
3	Pre-p	rocessii	ng and prepa	aration										. 3	3
	3.1	Example	e Data											. 4	4
4	Quick Start									. 5	5				
	4.1	Single s	subject analysis											. 5	5
	4.2	Multiple subjects analysis								. 6	ŝ				
	4.3	Generat	te Data from BA	AM files										. 6	3
5	Whole exome or targeted sequencing analysis											. 7	7		
	5.1	_	subject analysis												
		5.1.1 5.1.2	Input Correct bias in t	argeted re	gions									. 7	7
		5.1.3 5.1.4	Normalization .												
		5.1.5	Segmentation Purity estimation												
	5.2	Single s	ample analysis	pipeline										. 12	2
	5.3	Without	variant allele fr	requency										. 12	2
6	Multiple sample analysis										. 13	3			
	6.1	Batch et	ffect and synthe	etic norma	al app	roac	h.							. 13	3
	6.2	-	ic normal appro												
		6.2.1 6.2.2	Multiple sample (Optional) Creat												
7	Whole	e genon	ne sequencir	ng analy	sis.									. 17	7

1 Introduction of package SynthEx

SynthEx is a comprehensive suite of tools for CNA detection and tumor heterogeneity profiling. It is tailored to cater for the multiple characteristics of different next generation sequencing technologies. SynthEx is the first method aware of the sample-specific bias in targeted regions due to fold enrichment differences in tumor and normal samples. Fundamentally different from current methods, it applies different analytical strategies for single subject and large-scale cancer genomics studies. For large-scale cancer genomics studies, it corrects the technical bias due to capture efficiency by using a "synthetic"-normal strategy. The "synthetic"-normal samples were generated by stratifying existing normal samples (including samples outside the current study) based on capture protocols. Therefore, instead of requiring a matched pair normal sample from each tumor subject, a "synthetic" normal is used that mimics the targeted sequencing profile with the same capture efficiency level as the tumor sample. This strategy can potentially reduce both the experiment and analysis burden within a sequencing facility. In addition, since "synthetic" normals can be used for any tumor samples processed by the same protocol, they can be used to analyze mouse xenograft samples or cell line samples, paired normals of which are traditionally difficult and even impossible to obtain.

SynthEx can be used to analyze whole exome sequencing, targeted sequencing and whole genome sequencing data.

2 Installation

SynthEx relies on the following R packages: mclust, flsa, foreach, DNAcopy, ggplot2, gridExtra, inline, and Rcpp.

```
install.packages("mclust")
install.packages("flsa")
install.packages("foreach")
install.packages("ggplot2")
install.packages("gridExtra")
install.packages("inline")
install.packages("Rcpp")
if (!requireNamespace("BiocManager", quietly = TRUE))
    install.packages("BiocManager")
BiocManager::install()
BiocManager::install("DNAcopy")
```

SynthEx can be installed directly from github.

```
install.packages ("devtools")
library(devtools)
install_github("ChenMengjie/SynthEx")
```

3 Pre-processing and preparation

SynthEx takes counts data in non-overlapping genomic bins from tumor and normal samples as input. It has the option to input variant calling results from tumor sample. Thus SynthEx relies on other tools to generate appropriate input files. We recom-

mend <code>BEDtools</code> for getting the bin-level count data and <code>freebayes</code> for variant calling. In addition, <code>SynthEx</code> calls the <code>intersectBed</code> function from <code>BEDtools</code> directly, so <code>BEDtools</code> should be installed. Linux or Mac users can obtain the directory of <code>intersectBed</code> by running:

```
intersectBed.dir <- system("which intersectBed", intern=TRUE)</pre>
```

If it doesn't work on your system, you need to specifiy intersectBed.dir manually.

When evaluating sample bias at targeted regions, it requires annotations for targets. The annotations of targeted regions for SureSelect are pre-installed <code>Synthex</code> and will be used as the default if annotations are not specified by users. All bins will be classified into two categories: target bins, if overlapped with any selectively amplified targets, and off-target bins, otherwise. Such classification is pre-calculated for hg19 genome with 10kb, 25kb, 50kb and 100kb. If using bin size not listed here or other annotation, users need to provide such a file or generate such as file by running <code>createTargetBins()</code>.

```
library(SynthEx)
data("TargetAnnotations")
head(TargetAnnotations$bin100000)
head(TargetAnnotations$Target)
targetAnnotateBins <- createTargetBins(
    TargetAnnotations$Target,
    bin.size = 1000000
)</pre>
```

Each row represents a target. First three columns represent chromosome, start and end of a target and last three columns represent chromosome, start and end of its corresponding bin. Users can choose to remove centromere regions when segmenting the genome. Similarly such information is pre-calculated for hg19 genome with 10kb, 25kb, 50kb and 100kb. If using bin size not listed here or other annotation, users need to provide such a file or generate such as file by running createCentromereBins().

```
centromereBins <- createCentromereBins(bin.size = 10000)</pre>
```

3.1 Example Data

TCGAbreast contains the count data from tumor and its paired normal of TCGA breast cancer samples with bin size of 100kb.

```
library(SynthEx)
 data (TCGAbreast)
Lookup(TCGAbreast, show = 6)
[1] "No.1 element is tumor:"
  chr start
               end TCGA-A1-A0SM TCGA-A2-A04P TCGA-A2-A04Q
         0 100000
                              369
                                           3502
                                                         189
1 chr1
2 chr1 100000 200000
                              153
                                            274
                                                          24
3 chr1 200000 300000
                               79
                                             58
                                                          63
4 chr1 300000 400000
                                4
                                                            6
                                              4
5 chr1 400000 500000
                                 4
                                              0
                                                           0
6 chr1 500000 600000
                              389
                                            138
                                                         111
```

```
[1] "No.2 element is normal:"
  chr start end TCGA-A1-A0SM TCGA-A2-A04P TCGA-A2-A04Q
1 chr1
           0 100000
                             568
                                          3135
                                                        322
2 chr1 100000 200000
                              22
                                          481
                                                        40
3 chr1 200000 300000
                                          224
                                                         92
                              14
4 chr1 300000 400000
                                0
                                            6
                                                          6
5 chr1 400000 500000
                                            0
                                2
                                                          2
6 chr1 500000 600000
                             101
                                           411
                                                        152
[1] "No.3 element is samples:"
[1] "TCGA-A1-A0SM" "TCGA-A2-A04P" "TCGA-A2-A04Q" "TCGA-A2-A04T" "TCGA-A2-A04X"
[6] "TCGA-A2-A0CM"
```

Lookup () is a helper function to take a peek at all elements from a list.

4 Quick Start

First specify the directory to save intermediate and final results. If not specified, the default is the current working directory.

```
working.dir <- ".../working/directory/"
result.dir <- ".../directory/to/save/results"</pre>
```

4.1 Single subject analysis

The input of single subject analysis is names of two BED files or two matrices in BED format that store the count data for tumor sample and its matched normal. Examples can be found in folder <code>ExampleFiles</code>.

```
tumor.file <- "./ExampleFiles/TCGA-A7-A26G.tumor.bed"
normal.file <- "./ExampleFiles/TCGA-A7-A26G.normal.bed"
sample.name <- "TCGA-A7-A26G"</pre>
```

SynthExPipeline () is the major funtion that implements the entire *SynthEx* pipeline. Details about the steps in the pipeline can be found in following sections.

To run segmentation without genotype information, set genotype.file=NULL.

```
Segfrompipe <- SynthExPipeline(tumor.file, normal.file, bin.size = 100000, intersectBed.dir, genotype.file=NULL, result.dir, working.dir, prefix = sample.name, verbose = TRUE)
```

With genotype information, SynthEx can further estimate purity.

```
genotype.file <- "./ExampleFiles/TCGA-A7-A26G.freebayes.vcf"
Segfrompipe <- SynthExPipeline(tumor.file, normal.file,
    bin.size = 100000, intersectBed.dir,
    genotype.file, result.dir, working.dir,
    prefix = sample.name, verbose = TRUE)</pre>
```

The CNA calling results are saved in BED files as 'prefix'_Copynumber.bed and 'prefix'_Event.bed.

4.2 Multiple subjects analysis

SynthEx implements a synthetic normal approach, which untilizes normal samples sequenced by the same protocol to reduce unwanted variation due to the sequencing process from tumor samples. To use this approach, SynthEx requires the input of the count data of a tumor sample and multiple normal samples.

4.3 Generate Data from BAM files

The count data can be generated from BAM files using standard tools such as BED tools. The following is an example command to generate count data of a given bin size for one sample using BEDtools-2.15.0:

The count data for a collection of normal samples can be generated by merging the above count files together using a combination of unix commands, for example:

```
awk -F'\t' 'NR==FNR{a[FNR]=$0;next}{a[FNR]=a[FNR]FS$4} \
    END{for(i=1;i<=FNR;i++)print(a[i])}' \
    $(cat $normallist | xargs -i echo "$sampledir/{}/sample.$binsize.bed") \
    > $outputdir/normal_sample.$binsize.combine.chr.bed

or

awk -F'\t' '{a[FNR]=(a[FNR]?a[FNR]FS:"")$4}END{for(i=1;i<=FNR;i++)print(a[i])}' \
    $(cat $normallist | xargs -i echo "$sampledir/{}/sample.$binsize.bed") \
    > $outputdir/normal_sample.$binsize.combine.bed

cut -f1-3 $sampledir/$firstsample/sample.$binsize.bed \
    | paste - $outputdir/normal_sample.$binsize.combine.bed
    > $outputdir/normal_sample.$binsize.combine.bed
```

where normallist is the list of normal samples.

5 Whole exome or targeted sequencing analysis

5.1 Single subject analysis

5.1.1 Input

The input of single subject analysis is the names of two BED files or two matrices in BED format.

```
data (TCGAbreast)
tumor <- TCGAbreast$tumor[, c(1:3, 11)]</pre>
normal <- TCGAbreast$normal[, c(1:3, 11)]</pre>
sample.name <- TCGAbreast$samples[11]</pre>
head(tumor)
  chr start end TCGA-A2-A0D1
1 chr1 0 100000
                            2534
2 chr1 100000 200000
                             57
3 chr1 200000 300000
                              48
4 chr1 300000 400000
                               6
5 chr1 400000 500000
                               0
6 chr1 500000 600000
                              40
head(normal)
  chr start end TCGA-A2-A0D1
1 chr1 0 100000 1555
2 chr1 100000 200000
                            188
3 chr1 200000 300000
                             200
4 chr1 300000 400000
                              10
5 chr1 400000 500000
                              2
6 chr1 500000 600000
                              62
```

5.1.2 Correct bias in targeted regions

Given a pair of tumor and matched normal, <code>SynthEx</code> will analyze the sample-specific bias in targeted regions due to fold enrichment differences in tumor and normal samples. <code>SynthEx</code> classifies adjacent bins into either: two adjacent off-target bins, two adjacent targeted bins or an off-target bin next to a targeted bin (Figure 1a). For every pair of adjacent bins we calculate a ratio distance (RD), the difference of read ratio between target and off-target bins, and obtained three main distribution categories. When the ratios in the target and off-target bins follow the same distribution, the density of the RD from a target bin and adjacent off-target bin centralizes at 0 and has the same shape as that from two adjacent target bins or two adjacent off-target bins.




Figure 1: An example density plot of RD for three different categories

After running SynthExcorrectBias(), a density plot for the distances from three categories of adjacent bins will be generated. SynthEx directly uses the mean of RD as an estimator of the bias and de-bias by subtracting it from the observed ratios in target bins. Naturally, the mean and variance of RD can be used as diagnostic metrics to identify ill-behaved samples. As we shown in the paper, the bias in targeted regions is due to the differences in fold enrichment of tumor and paried normal sample. The following is an example demonstrating the existence of such bias. Correcting the bias in targeted regions is neccessary when we leverage the information in both target and non-target regions. The following shows an example with such bias in target regions.

5.1.3 Normalization

After correcting bias in targeted regions, <code>SynthEx</code> will identify the baseline for copy neutral events. Most existing methods use median normalization to identify copy neutral regions. The underlying assumption for this strategy is that most regions in the genome are diploid, which does not hold for samples with aneuploidy, such as whole genome doubling. We identify the diploid genome within the tumor sample by gauging information from allele frequencies of heterozygous sites. Specifically, we calculate the median minor allele frequency (MAF) for each bin and select all bins with median MAF greater than 0.45 as candidate copy neutral events (theoretically diploid regions have mean MAF of 0.5). The possible copy number for these bins are 2, 4 and other multiples of 2. To identify diploid bins, we fit a gaussian mixture model for read ratio (RR)




Figure 2: Another example density plot of RD for three different categories

and use Bayesian Information Criteria (BIC) to determine the number of copy number state. Finally we assign the mixture component with the smallest mean RR as diploid. The RR in all bins will be adjusted so that diploid regions have expected RR equal to 1.

We use freebayes to call the variants from tumor samples. A python script within SynthEx can scan all the variants in a VCF file output by freebayes and select SNPs with MAF greater than 0.05 and supporting reads greater than a threshold (specified by option cutoff, default is 20). An example VCF file can be found in folder Example Files. Due to the space limit, we only show the first 200,000 rows of the freebayes output.

```
genotype.file <- "./ExampleFiles/TCGA-A7-A26G.freebayes.vcf"</pre>
```

VCF files generated by other tools can also been processed by the provided python script if they report genotype, read depth and depth of one allele for each variant through "GT", "DP" and "RO", respectively. As an alternative, the author can input non-vcf file with preprocessed SNPs when setting vcf = FALSE. This require the input in BED format. Example BED files can be found in folder ExampleFiles (as exam ple.genotype.bed).




Figure 3: Estimating baseline for copy neutral events using genotype information

normalization () will create a density plot for bins with median MAF greater than 0.45 and indicate the estimated baseline of diploid genome. Normalization step is optional. If genotype data is not provided, median normalization will be used. We strongly recommend to include normalization step if the purpose is to estimate ploidy or call integer copy number.

5.1.4 Segmentation

The default segmentation method in SynthEx is Circular Binary Segmentation (CBS) with default parameters. In this method, CNA signals are modeled as normal random variables with shifts in mean. However, this assumption may not hold due to sequencing biases. A nonparametric model without assuming normality may be more precise. Thus we implement an alternative trending filtering procedure. SynthEx also implements a third segmentation method, SomatiCA, which adds denoising and model selection procedure to CBS. We recommend users to test all three methods on their datasets. Based on our own experience, trending filtering works best on WGS data and SomatiCA works best on WXS data.

```
Seg <- createSegments(ratioNormalized, "CBS")
#createSegments(ratioNormalized, "TrendFiltering")
#createSegments(ratioNormalized, "SomaticaEx", smoothk = 10)
Segments <- singleCNreport(Seg, report = FALSE,
    result.dir, saveplot = TRUE,
    prefix = sample.name, plotNormalized = TRUE,
    WGD = 1.35, pos.prop.threhold = 0.6,
    pos.log2ratio.threhold = 0.75)</pre>
```

singleCNreport () can generate a visulization of the segmentation result. When report = TRUE, singleCNreport () will write the result into a file named paste0 (prefix, "-Segment-", segmentMethod, "-", bin.size, ".txt"). Users can apply option saveplot = TRUE to save the plot into a jpg file instead of shown on the screen. In addition, SynthEx will report whole genome doubling event. The criteria for a whole genome doubling call is either the ploidy greater than $WGD \times 2$ or the proportion of positive segments greater than POS.Prop.threhold and the mean log2 ratio greater than POS.log2ratio.threhold.




Figure 4: An example for segmentation

5.1.5 Purity estimation

Accurate estimation of purity is a prerequisite for the quantization of integer level copy number and the clonality analysis. We implement an approach with the following core idea: the proportion of intermixed normal cells can be estimated from the shift of copy ratios of clonal CNAs from their expectations in the pure homogeneous tumor sample. In this approach, we first used spectral clustering (option tau specifies the free parameter in Gaussian kernel) to cluster all the segment into k group (k = 1, ..., 7). Then we used BIC to select the best model with the data likelihood modeled by a mixture of normal distributions (the standard deviation of which is specified by sigma). Since purity estimation is known to be confounded with ploidy and clonality, which makes it suffer from identifiability problem. Thus we introduced several heuristic based filters to assist the assignment of integer copy numbers. These filters including thresholds on minimum number of segments in each integer copy level (option group.length.threshold), minimum distance of MAF between two integer levels (option maf.control), minimum distance of ratio between two integer levels (option delta) and minimum length of the segments used in the estimation (as a proportion of total genome length, option prop.threshold). Purity is estimation based the resulted integer copy assignment. Genotype data is required for purity estimation. Option gain.threshold and loss.threshold specify the cut-off for copy number gain and copy number loss events, respectively. For TCGA breast cancer and head neck cancer WXS data, we found for gain and for loss leading to highly consistent results with SNP array data. Segmentation results after adjusting for purity can be visualized by function chromo someView().

```
PurityCorrected <- purityEstimate(Segments, working.dir,
    result.dir, intersectBed.dir,
    prefix = sample.name, report = TRUE,
    prop.threshold = 0.0005, delta = 0.1,
    maf.control = 0.01, tau = 2,
    sigma = 0.1, len.threshold.K = 10,
    group.length.threshold = 2, gain.threshold = log2(1.2),
    loss.threshold = log2(0.8))
chromosomeView(PurityCorrected, result.dir=result.dir,
    saveplot = FALSE)</pre>
```

SynthEx reports copy number gain/loss event as well as integer copy number for each segment. The copy number gain/loss calls are estimated from unnormalized data, i.e., the gain/loss event is respect to the median of genome. Thus gain/loss events can be compared among different samples regardless of the ploidy of each sample. Integer




Figure 5: Correcting for sample purity and making loss/gain calls for segments

copy number calls are estimated from normalized data where the baseline is diploid. For example, in a sample with whole genome doubling, a segment with copy number 2 may correspond to a copy loss event.

5.2 Single sample analysis pipeline

The above steps are integrated in function <code>SynthExPipeline()</code>. When working on multiple samples, we suggest first to run each step and choose desired model parameters and segmentation methods, and then take advantage of <code>SynthExPipeline()</code> to perform repetitiva analysis. The default <code>SynthExPipeline()</code> will report all results under <code>result.dir</code>.

```
Segfrompipe <- SynthExPipeline(tumor, normal, bin.size = 100000,
    intersectBed.dir, genotype.file,
    result.dir, working.dir, verbose = TRUE)</pre>
```

5.3 Without variant allele frequency

Without variant allele frequency, *SynthEx* will only perform bias correction and segmentation.

```
Segfrompipe <- SynthExPipeline(tumor, normal, bin.size = 100000,
intersectBed.dir, genotype.file = NULL,
result.dir, working.dir, verbose = TRUE)
```

6 Multiple sample analysis

for visualization purpose

labCol = NA, dendrogram = "column")

6.1 Batch effect and synthetic normal approach

As shown in <code>SynthEx</code> paper, we observed strong "batch effect" in multiple sample genomic studies. Here we demonstrate the batch effect using TCGA breast cancer dataset in <code>SynthEx</code>. We selected top 1000 bins with largest vairance across 97 samples. Figure shows the heat map of selected bins. Each row represents a bin with mean centered at 0. Each colomn represents a sample. The corresponding dendrogram was obtained from hierarchical clustering analysis using Euclidean distance with average linkage. Several distinct patterns have been observed as if the samples are generated by different sequencing protocols. Based on our experience, such batch effect even exisits for sequencing samples from the same plate processed by the same protocols.

```
normal.counts <- TCGAbreast$normal[, -c(1:3)]
log.normal.counts <- apply(normal.counts, 2,</pre>
                            function(x) \{log10(x+0.01)\})
normal.var <- apply(log.normal.counts, 1, var)</pre>
cutoff <- sort(normal.var, decreasing = TRUE)[1000]</pre>
selected <- log.normal.counts[normal.var >= cutoff, ]
truncated.data <- apply(selected, 1, function(x){
        y < -x - mean(x)
        y[y > 2] \leftarrow 2
        y[y < -2] < -2
        return(y)
})
# each row centered at 0; data are truncated for
# visualization purpose
library(gplots)
palette.gr.marray <- colorRampPalette(c("blue", "white", "red"))(56)</pre>
heatmap.2(as.matrix(t(truncated.data)), trace = "none",
  col = palette.gr.marray, key = T, symbreaks = T, labRow = NA,
  labCol = NA, dendrogram = "column")
mm <- mean(unlist(selected))</pre>
truncated.data2 <- apply(selected, 1, function(x){
  y < -x - mm
        y[y > 4] < -4
        y[y < -4] < -4
        return(y)
})
# centered by the mean of all entries; data are truncated
```

heatmap.2(as.matrix(t(truncated.data2)), trace = "none",

col = palette.gr.marray, key = T, symbreaks = T, labRow = NA,

SynthEx




Figure 6: Heat map of log counts of top 1000 bins with largest vairance across 97 normal samples Each bin is centered at 0.




Figure 7: Heat map of log counts of top 1000 bins with largest vairance across 97 normal samples The data is centered by the mean of all elements in the log count matrix.

6.2 Synthetic normal approaches

We find using a normal smple with similar enrichment pattern (termed as synthetic normal) will lead to better result than matched normal. SynthEx implements different ways to generate "synthetic normal". The most efficient way requires the input of the count of a to-be-analyzed tumor sample and a count matrix for normal samples either from the same study or from the same sequencing facility. SynthEx will scan through all normal samples, calcualte mean square successive variance and select K normals with smallest variance. Then the synthetic normal will be generated by taking median across K selected normals for each bin. The default K is 1.

Here shows an example of which the segmentation gets greatly improved if using synthetic normal approach.

```
tumor <- TCGAbreast$tumor[, c(1:3, 5)]</pre>
normal <- TCGAbreast$normal[, c(1:3, 5)]</pre>
sample.name <- colnames(TCGAbreast$tumor)[5]</pre>
Ratio <- SynthExcorrectBias(tumor, normal, bin.size = 100000,
        rm.centromere = TRUE,
        targetAnnotateBins = NULL, saveplot = FALSE,
        centromereBins = NULL, chrX = FALSE, plot = FALSE,
        result.dir, prefix = sample.name, reads.threshold = 25)
# Ratio <- normalization (Ratio, intersectBed.dir, genotype.file,
# vcf = TRUE, working.dir, result.dir, cutoff = 20,
# plot = FALSE, saveplot = FALSE, prefix = sample.name)
# Due to the space limit, genotype file for this sample is
# not provided.
Seg <- createSegments(Ratio, "CBS")</pre>
Segments <- singleCNreport (Seg, report = FALSE,
       result.dir, saveplot = TRUE,
       prefix = paste0(sample.name, "- Matched Normal"),
       plotNormalized = TRUE, WGD = 1.35,
       pos.prop.threhold = 0.6,
       pos.log2ratio.threhold = 0.75)
```




Figure 8: Segmentation of TCGA-A2-A04P using matched normal

We can see the read ratio data using matched normal are very noisy. This can be fixed using the synthetic normal approach. Besides the count data of to-be-analyzed sample, <code>SynthEx</code> requires the input of the count data of a collection of normal samples (in <code>count.matrix</code>). These normal samples are generated using the same sequencing protocol as the to-be-analyzed tumor sample.

```
tumor <- TCGAbreast$tumor[, c(1:3, 5)]
count.matrix <- TCGAbreast$normal</pre>
```

```
head(count.matrix[, 1:6])
                end TCGA-A1-A0SM TCGA-A2-A04P TCGA-A2-A04Q
  chr start
        0 100000
                                                      322
1 chr1
                           568
                                        3135
2 chr1 100000 200000
                                                      40
                            22
                                         481
3 chr1 200000 300000
                             14
                                         224
                                                       92
4 chr1 300000 400000
                              0
                                           6
                                                        6
5 chr1 400000 500000
                              2
                                                        2
                                           0
6 chr1 500000 600000
                            101
                                         411
                                                      152
```

```
Ratio <- SynthExcorrectBias(tumor, count.matrix,
      bin.size = 100000,
      rm.centromere = TRUE,
      targetAnnotateBins = NULL, saveplot = FALSE,
      centromereBins = NULL, chrX = FALSE, plot = FALSE,
      result.dir, prefix = sample.name, reads.threshold = 25)
#Ratio <- normalization(Ratio, intersectBed.dir,
# genotype.file, vcf = TRUE, working.dir,
# result.dir, cutoff = 20, plot = FALSE, saveplot = FALSE,
# prefix = sample.name)
# Due to the space limit, genotype file for this sample is
# not provided.
Seg <- createSegments(Ratio, "CBS")</pre>
Segments <- singleCNreport(Seg, report = FALSE, result.dir,
       saveplot = TRUE,
       prefix = paste0(sample.name, "- Synthetic Normal"),
      plotNormalized = TRUE, WGD = 1.35,
       pos.prop.threhold = 0.6, pos.log2ratio.threhold = 0.75)
```

The default number of samples used to generate the synthetic normal is 1. We can change that by setting K. The following sample will average 10 samples with smallest variance to obtain the synthetic normal.




Figure 9: Segmentation of TCGA-A2-A04P using synthetic normal

6.2.1 Multiple sample analysis pipeline

The above steps are integrated in function SynthExPipeline().

```
Segfrompipe <- SynthExPipeline(tumor, count.matrix,
bin.size = 100000, intersectBed.dir, genotype.file,
result.dir, working.dir, verbose = TRUE)
```

6.2.2 (Optional) Creating a synthetic normal library

The most sophisticated way to generate synthetic normal involves the assessment of quality metrics using picard. We recommend using this approach for large scale genomic studies with a sample size greater than 500 or for a sequencing facility. The construction of synthetic library requires pre-calculated fold enrichment levels of all normal samples and the groupID of each sample. Each group represents an enrichment pattern. Such grouping struture can be learned by unsupervised approach such as heatmap shown in Figure 6. Within each group, the normal samples will be stratified based on the library sizes and fold enrichment levels. The synthetic normal for a given library size and fold enrichment level is calculated as the median of all normal samples fall into that category.

```
SyntheticLibrary <- create_synthetic_library(counts,
foldEnrichment, groupID, interval = 50000000)
ratioCorrectedBias <- SynthExcorrectBias(tumor,
SyntheticLibrary, bin.size = 100000, rm.centromere = TRUE,
targetAnnotateBins = NULL, saveplot = FALSE,
centromereBins = NULL, chrX = FALSE, plot = TRUE,
result.dir, prefix = sample.name, reads.threshold = 25)
```

7 Whole genome sequencing analysis

The synthetic normal approach can be applied to whole genome sequencing(WGS) as well. Function <code>calratiowGS</code> can take both a matched normal sample or a count matrix of multiple normal samples. For WGS data, the step to correct for the bias in target region will be skipped. The normalization, segmentation and purity estimation step will be the same as described previously. As for segmentation, we found trend filtering outperformed others on our WGS samples. Thus we suggest to test this method on your data.