

Check	File	Line	Entity	Violation
MISRA12_10.1	auth.c	57		Operand is essentially character, which is an inappropriate essential type for operator ! && or
MISRA12_10.1	auth.c	183		Operand is essentially signed, which is an inappropriate essential type for operator ! && or
MISRA12_10.1	auth.c	212		Operand is essentially character, which is an inappropriate essential type for operator ! && or
MISRA12_10.1	auth.c	221		Operand is essentially character, which is an inappropriate essential type for operator ! && or
MISRA12_10.1	auth.c	230		Operand is essentially character, which is an inappropriate essential type for operator ! && or
MISRA12_10.4	auth.c	12	n	The operands, "n" and "0", for the operator != are not of the same essential type
MISRA12_10.4	auth.c	12	n	The operands, "n" and "1", for the operator - are not of the same essential type
MISRA12_10.4	auth.c	12	n	The operands, "n" and "1", for the operator - are not of the same essential type
MISRA12_10.4	auth.c	25	diff	The operands, "diff" and "0", for the operator == are not of the same essential type
MISRA12_10.4	auth.c	47	out_sz	The operands, "out_sz" and "1", for the operator - are not of the same essential type
MISRA12_10.4	auth.c	48	out_sz	The operands, "out_sz" and "1", for the operator - are not of the same essential type
MISRA12_10.4	auth.c	124	diff	The operands, "diff" and "0", for the operator == are not of the

				same essential type
MISRA12_11.4	auth.c	41	u	A conversion was performed between a pointer to object and an integer type
MISRA12_11.4	auth.c	158	u	A conversion was performed between a pointer to object and an integer type
MISRA12_12.1	auth.c	12		Left operand of binary operator should be parenthesized
MISRA12_12.1	auth.c	12		Left operand of binary operator should be parenthesized
MISRA12_12.1	auth.c	12		Right operand of binary operator should be parenthesized
MISRA12_12.1	auth.c	18		Condition of conditional operator should be parenthesized
MISRA12_12.1	auth.c	58		Operand of sizeof should be parenthesized
MISRA12_12.1	auth.c	59		Operand of sizeof should be parenthesized
MISRA12_12.1	auth.c	76		Left operand of binary operator should be parenthesized
MISRA12_12.1	auth.c	76		Right operand of binary operator should be parenthesized
MISRA12_12.1	auth.c	117		Operand of sizeof should be parenthesized
MISRA12_12.1	auth.c	118		Condition of conditional operator should be parenthesized
MISRA12_12.1	auth.c	124		Left operand of binary operator should be parenthesized
MISRA12_12.1	auth.c	124		Right operand of binary operator should be parenthesized
MISRA12_12.1	auth.c	142		Operand of sizeof should be parenthesized
MISRA12_12.1	auth.c	152		Operand of sizeof should be parenthesized
MISRA12_12.1	auth.c	153		Operand of sizeof should be

				parenthesized
MISRA12_12.1	auth.c	153		Operand of sizeof should be parenthesized
MISRA12_12.1	auth.c	163		Left operand of binary operator should be parenthesized
MISRA12_12.1	auth.c	163		Right operand of binary operator should be parenthesized
MISRA12_12.1	auth.c	201		Operand of sizeof should be parenthesized
MISRA12_13.3	auth.c	13		An increment (++) or decrement (--) operator should have no other potential side effects
MISRA12_13.4	auth.c	201	./auth.c	Result of an assignment operator was used
MISRA12_14.4	auth.c	195	./auth.c	Controlling expression does not have essentially Boolean type
MISRA12_14.4	auth.c	196	./auth.c	Controlling expression does not have essentially Boolean type
MISRA12_14.4	auth.c	236	./auth.c	Controlling expression does not have essentially Boolean type
MISRA12_15.5	auth.c	28	find_user	Multiple exit points from function
MISRA12_15.5	auth.c	56	auth_init	Multiple exit points from function
MISRA12_15.5	auth.c	70	auth_add	Multiple exit points from function
MISRA12_15.5	auth.c	104	auth_check	Multiple exit points from function
MISRA12_15.5	auth.c	132	rewrite_db_skip_or_replace	Multiple exit points from function
MISRA12_15.5	auth.c	210	auth_delete	Multiple exit points from function
MISRA12_15.5	auth.c	219	auth_change_password	Multiple exit points from function
MISRA12_15.5	auth.c	228	auth_rename_user	Multiple exit points from function
MISRA12_15.6	auth.c	235	auth_rename_user	Iteration-statement or selection-statement not a compound-statement

MISRA12_17.7	auth.c	47		Ignored return value of non-void function: strncpy
MISRA12_17.7	auth.c	58		Ignored return value of non-void function: strncpy
MISRA12_17.7	auth.c	66		Ignored return value of non-void function: fclose
MISRA12_17.7	auth.c	94		Ignored return value of non-void function: fclose
MISRA12_17.7	auth.c	98		Ignored return value of non-void function: fseek
MISRA12_17.7	auth.c	99		Ignored return value of non-void function: fprintf
MISRA12_17.7	auth.c	100		Ignored return value of non-void function: fclose
MISRA12_17.7	auth.c	128		Ignored return value of non-void function: fclose
MISRA12_17.7	auth.c	142		Ignored return value of non-void function: snprintf
MISRA12_17.7	auth.c	145		Ignored return value of non-void function: fclose
MISRA12_17.7	auth.c	153		Ignored return value of non-void function: strncpy
MISRA12_17.7	auth.c	168		Ignored return value of non-void function: fprintf
MISRA12_17.7	auth.c	176		Ignored return value of non-void function: fprintf
MISRA12_17.7	auth.c	180		Ignored return value of non-void function: fclose
MISRA12_17.7	auth.c	181		Ignored return value of non-void function: fclose
MISRA12_17.7	auth.c	184		Ignored return value of non-void function: remove
MISRA12_17.7	auth.c	189		Ignored return value of non-void function: remove
MISRA12_17.7	auth.c	195		Ignored return value of non-void function: fclose
MISRA12_17.7	auth.c	196		Ignored return value of non-void function: fclose
MISRA12_17.7	auth.c	197		Ignored return value of non-void function: remove
MISRA12_17.7	auth.c	203		Ignored return value of non-

				void function: fwrite
MISRA12_17.7	auth.c	205		Ignored return value of non-void function: fclose
MISRA12_17.7	auth.c	205		Ignored return value of non-void function: fclose
MISRA12_17.7	auth.c	205		Ignored return value of non-void function: remove
MISRA12_17.7	auth.c	237		Ignored return value of non-void function: fclose
MISRA12_17.7	auth.c	241		Ignored return value of non-void function: fclose
MISRA12_18.4	auth.c	42	find_user	The + operator was applied to an expression of pointer type
MISRA12_18.4	auth.c	159	rewrite_db_skip_or_replace	The + operator was applied to an expression of pointer type
MISRA12_21.6	auth.c	84	fopen	stdio.h input/output function used
MISRA12_7.4	auth.c	40	find_user	String literal was not assigned to const char *
MISRA12_7.4	auth.c	157	rewrite_db_skip_or_replace	String literal was not assigned to const char *
MISRA12_8.13	auth.c	84	f	Pointer was not declared as pointing to a const-qualified
MISRA12_8.13	auth.c	109	f	Pointer was not declared as pointing to a const-qualified
MISRA12_8.13	auth.c	61	f	Pointer was not declared as pointing to a const-qualified
MISRA12_8.13	auth.c	234	f	Pointer was not declared as pointing to a const-qualified
MISRA12_8.13	auth.c	28	f	Pointer was not declared as pointing to a const-qualified
MISRA12_8.13	auth.c	28	out_pass	Pointer was not declared as pointing to a const-qualified
MISRA12_8.13	auth.c	34	colon	Pointer was not declared as pointing to a const-qualified
MISRA12_8.13	auth.c	134	did_change	Pointer was not declared as pointing to a const-qualified
MISRA12_8.13	auth.c	135	fin	Pointer was not declared as pointing to a const-qualified
MISRA12_8.13	auth.c	144	fout	Pointer was not declared as pointing to a const-qualified

MISRA12_8.13	auth.c	155	colon	Pointer was not declared as pointing to a const-qualified
MISRA12_8.13	auth.c	191	src	Pointer was not declared as pointing to a const-qualified
MISRA12_8.13	auth.c	192	dst	Pointer was not declared as pointing to a const-qualified
MISRA12_8.13	auth.c	9	s	Pointer was not declared as pointing to a const-qualified
MISRA12_8.4	auth.c	56	auth_init	Object or function has external linkage but no visible declaration
MISRA12_8.4	auth.c	70	auth_add	Object or function has external linkage but no visible declaration
MISRA12_8.4	auth.c	104	auth_check	Object or function has external linkage but no visible declaration
MISRA12_8.4	auth.c	210	auth_delete	Object or function has external linkage but no visible declaration
MISRA12_8.4	auth.c	219	auth_change_password	Object or function has external linkage but no visible declaration
MISRA12_8.4	auth.c	228	auth_rename_user	Object or function has external linkage but no visible declaration
MISRA12_DIR_4.4	auth.c	194	./auth.c	Comment appears to contain code
MISRA12_DIR_4.5	auth.c	95	errno	Identifier is typographically ambiguous to _errno
MISRA12_DIR_4.6	auth.c	7	g_db_path	Basic numerical type "char" used in "char[260]"
MISRA12_DIR_4.6	auth.c	17	ct_str_eq	Basic numerical type "int" used
MISRA12_DIR_4.6	auth.c	28	find_user	Basic numerical type "int" used
MISRA12_DIR_4.6	auth.c	56	auth_init	Basic numerical type "int" used
MISRA12_DIR_4.6	auth.c	70	auth_add	Basic numerical type "int" used
MISRA12_DIR_4.6	auth.c	104	auth_check	Basic numerical type "int" used
MISRA12_DIR_4.6	auth.c	132	rewrite_db_skip_or_replace	Basic numerical type "int" used
MISRA12_DIR_4.6	auth.c	210	auth_delete	Basic numerical type "int" used
MISRA12_DIR_4.6	auth.c	219	auth_change_password	Basic numerical type "int" used
MISRA12_DIR_4.6	auth.c	228	auth_rename_user	Basic numerical type "int" used

MISRA12_DIR_4.6	auth.c	70	username	Basic numerical type "char" used in "const char *"
MISRA12_DIR_4.6	auth.c	70	password	Basic numerical type "char" used in "const char *"
MISRA12_DIR_4.6	auth.c	219	username	Basic numerical type "char" used in "const char *"
MISRA12_DIR_4.6	auth.c	219	new_password	Basic numerical type "char" used in "const char *"
MISRA12_DIR_4.6	auth.c	224	changed	Basic numerical type "int" used
MISRA12_DIR_4.6	auth.c	104	username	Basic numerical type "char" used in "const char *"
MISRA12_DIR_4.6	auth.c	104	password	Basic numerical type "char" used in "const char *"
MISRA12_DIR_4.6	auth.c	114	stored	Basic numerical type "char" used in "char[129]"
MISRA12_DIR_4.6	auth.c	115	res	Basic numerical type "int" used
MISRA12_DIR_4.6	auth.c	118	diff	Basic numerical type "unsigned" used in "unsigned char"
MISRA12_DIR_4.6	auth.c	120	ca	Basic numerical type "unsigned" used in "unsigned char"
MISRA12_DIR_4.6	auth.c	121	cb	Basic numerical type "unsigned" used in "unsigned char"
MISRA12_DIR_4.6	auth.c	210	username	Basic numerical type "char" used in "const char *"
MISRA12_DIR_4.6	auth.c	215	changed	Basic numerical type "int" used
MISRA12_DIR_4.6	auth.c	56	db_path	Basic numerical type "char" used in "const char *"
MISRA12_DIR_4.6	auth.c	228	old_username	Basic numerical type "char" used in "const char *"
MISRA12_DIR_4.6	auth.c	228	new_username	Basic numerical type "char" used in "const char *"
MISRA12_DIR_4.6	auth.c	243	changed	Basic numerical type "int" used
MISRA12_DIR_4.6	auth.c	17	a	Basic numerical type "char" used in "const char *"
MISRA12_DIR_4.6	auth.c	17	b	Basic numerical type "char" used in "const char *"
MISRA12_DIR_4.6	auth.c	19	diff	Basic numerical type "unsigned" used in "unsigned

				char"
MISRA12_DIR_4.6	auth.c	21	ca	Basic numerical type "unsigned" used in "unsigned char"
MISRA12_DIR_4.6	auth.c	22	cb	Basic numerical type "unsigned" used in "unsigned char"
MISRA12_DIR_4.6	auth.c	28	username	Basic numerical type "char" used in "const char *"
MISRA12_DIR_4.6	auth.c	28	out_pass	Basic numerical type "char" used in "char *"
MISRA12_DIR_4.6	auth.c	29	line	Basic numerical type "char" used in "char[200]"
MISRA12_DIR_4.6	auth.c	34	colon	Basic numerical type "char" used in "char *"
MISRA12_DIR_4.6	auth.c	41	u	Basic numerical type "char" used in "const char *"
MISRA12_DIR_4.6	auth.c	42	p	Basic numerical type "char" used in "const char *"
MISRA12_DIR_4.6	auth.c	132	target_user	Basic numerical type "char" used in "const char *"
MISRA12_DIR_4.6	auth.c	133	new_user	Basic numerical type "char" used in "const char *"
MISRA12_DIR_4.6	auth.c	133	new_pass	Basic numerical type "char" used in "const char *"
MISRA12_DIR_4.6	auth.c	134	did_change	Basic numerical type "int" used in "int *"
MISRA12_DIR_4.6	auth.c	141	tmp_path	Basic numerical type "char" used in "char[300]"
MISRA12_DIR_4.6	auth.c	147	line	Basic numerical type "char" used in "char[200]"
MISRA12_DIR_4.6	auth.c	148	found	Basic numerical type "int" used
MISRA12_DIR_4.6	auth.c	152	raw	Basic numerical type "char" used in "char[200]"
MISRA12_DIR_4.6	auth.c	155	colon	Basic numerical type "char" used in "char *"
MISRA12_DIR_4.6	auth.c	158	u	Basic numerical type "char" used in "const char *"
MISRA12_DIR_4.6	auth.c	159	p	Basic numerical type "char" used in "const char *"
MISRA12_DIR_4.6	auth.c	166	write_user	Basic numerical type "char"

				used in "const char **"
MISRA12_DIR_4.6	auth.c	167	write_pass	Basic numerical type "char" used in "const char **"
MISRA12_DIR_4.6	auth.c	200	buf	Basic numerical type "char" used in "char[4096]"
MISRA12_DIR_4.6	auth.c	9	s	Basic numerical type "char" used in "char **"
MISRA12_DIR_4.7	auth.c	94	fclose	Return value of "fclose" is discarded; error information is not tested
MISRA12_DIR_4.7	auth.c	98	fseek	Return value of "fseek" is discarded; error information is not tested
MISRA12_DIR_4.7	auth.c	99	fprintf	Return value of "fprintf" is discarded; error information is not tested
MISRA12_DIR_4.7	auth.c	100	fclose	Return value of "fclose" is discarded; error information is not tested
MISRA12_DIR_4.7	auth.c	128	fclose	Return value of "fclose" is discarded; error information is not tested
MISRA12_DIR_4.7	auth.c	66	fclose	Return value of "fclose" is discarded; error information is not tested
MISRA12_DIR_4.7	auth.c	237	fclose	Return value of "fclose" is discarded; error information is not tested
MISRA12_DIR_4.7	auth.c	241	fclose	Return value of "fclose" is discarded; error information is not tested
MISRA12_DIR_4.7	auth.c	142	snprintf	Return value of "snprintf" is discarded; error information is not tested
MISRA12_DIR_4.7	auth.c	145	fclose	Return value of "fclose" is discarded; error information is not tested
MISRA12_DIR_4.7	auth.c	168	fprintf	Return value of "fprintf" is discarded; error information is not tested
MISRA12_DIR_4.7	auth.c	176	fprintf	Return value of "fprintf" is

				discarded; error information is not tested
MISRA12_DIR_4.7	auth.c	180	fclose	Return value of "fclose" is discarded; error information is not tested
MISRA12_DIR_4.7	auth.c	181	fclose	Return value of "fclose" is discarded; error information is not tested
MISRA12_DIR_4.7	auth.c	184	remove	Return value of "remove" is discarded; error information is not tested
MISRA12_DIR_4.7	auth.c	189	remove	Return value of "remove" is discarded; error information is not tested
MISRA12_DIR_4.7	auth.c	195	fclose	Return value of "fclose" is discarded; error information is not tested
MISRA12_DIR_4.7	auth.c	196	fclose	Return value of "fclose" is discarded; error information is not tested
MISRA12_DIR_4.7	auth.c	197	remove	Return value of "remove" is discarded; error information is not tested
MISRA12_DIR_4.7	auth.c	203	fwrite	Return value of "fwrite" is discarded; error information is not tested
MISRA12_DIR_4.7	auth.c	205	fclose	Return value of "fclose" is discarded; error information is not tested
MISRA12_DIR_4.7	auth.c	205	fclose	Return value of "fclose" is discarded; error information is not tested
MISRA12_DIR_4.7	auth.c	205	remove	Return value of "remove" is discarded; error information is not tested
MISRA12_10.1	main.c	105		Operand is essentially signed, which is an inappropriate essential type for operator ! && or
MISRA12_10.4	main.c	21	L	The operands, "L" and "0U", for the operator != are not of the

				same essential type
MISRA12_10.4	main.c	21	L	The operands, "L" and "1", for the operator - are not of the same essential type
MISRA12_10.4	main.c	21	L	The operands, "L" and "1", for the operator - are not of the same essential type
MISRA12_12.1	main.c	35		Operand of sizeof should be parenthesized
MISRA12_12.1	main.c	36		Operand of sizeof should be parenthesized
MISRA12_12.1	main.c	51		Operand of sizeof should be parenthesized
MISRA12_12.1	main.c	52		Operand of sizeof should be parenthesized
MISRA12_12.1	main.c	70		Operand of sizeof should be parenthesized
MISRA12_12.1	main.c	99		Operand of sizeof should be parenthesized
MISRA12_12.1	main.c	100		Operand of sizeof should be parenthesized
MISRA12_12.1	main.c	106		Left operand of binary operator should be parenthesized
MISRA12_12.1	main.c	106		Right operand of binary operator should be parenthesized
MISRA12_12.1	main.c	107		Left operand of binary operator should be parenthesized
MISRA12_12.1	main.c	107		Right operand of binary operator should be parenthesized
MISRA12_12.1	main.c	108		Left operand of binary operator should be parenthesized
MISRA12_12.1	main.c	108		Right operand of binary operator should be parenthesized
MISRA12_12.1	main.c	132		Left operand of binary operator should be parenthesized
MISRA12_12.1	main.c	132		Right operand of binary operator should be parenthesized

MISRA12_12.1	main.c	160		Operand of sizeof should be parenthesized
MISRA12_12.1	main.c	161		Operand of sizeof should be parenthesized
MISRA12_13.3	main.c	22		An increment (++) or decrement (--) operator should have no other potential side effects
MISRA12_14.4	main.c	104	./main.c	Controlling expression does not have essentially Boolean type
MISRA12_15.5	main.c	68	cancella_utente	Multiple exit points from function
MISRA12_15.5	main.c	87	modifica_utente	Multiple exit points from function
MISRA12_15.5	main.c	241	main	Multiple exit points from function
MISRA12_15.6	main.c	91	modifica_utente	Iteration-statement or selection-statement not a compound-statement
MISRA12_15.6	main.c	92	modifica_utente	Iteration-statement or selection-statement not a compound-statement
MISRA12_15.6	main.c	206	modifica_utente	Iteration-statement or selection-statement not a compound-statement
MISRA12_15.6	main.c	207	modifica_utente	Iteration-statement or selection-statement not a compound-statement
MISRA12_15.6	main.c	272	main	Iteration-statement or selection-statement not a compound-statement
MISRA12_15.6	main.c	273	main	Iteration-statement or selection-statement not a compound-statement
MISRA12_16.3	main.c	280	main	Unconditional throw or break statement does not terminate non-empty switch-clause
MISRA12_17.7	main.c	17		Ignored return value of non-void function: printf
MISRA12_17.7	main.c	42		Ignored return value of non-void function: puts

MISRA12_17.7	main.c	44		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	55		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	57		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	59		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	76		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	79		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	83		Ignored return value of non-void function: printf
MISRA12_17.7	main.c	88		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	89		Ignored return value of non-void function: printf
MISRA12_17.7	main.c	91		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	112		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	114		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	117		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	119		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	121		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	123		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	125		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	127		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	129		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	131		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	134		Ignored return value of non-

				void function: puts
MISRA12_17.7	main.c	139		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	141		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	151		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	154		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	164		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	166		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	169		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	172		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	177		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	180		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	183		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	187		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	189		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	196		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	199		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	205		Ignored return value of non-void function: printf
MISRA12_17.7	main.c	206		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	210		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	212		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	214		Ignored return value of non-void function: puts

MISRA12_17.7	main.c	222		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	223		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	224		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	225		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	226		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	229		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	234		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	237		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	258		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	263		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	264		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	265		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	266		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	267		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	268		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	269		Ignored return value of non-void function: printf
MISRA12_17.7	main.c	280		Ignored return value of non-void function: puts
MISRA12_17.7	main.c	281		Ignored return value of non-void function: puts
MISRA12_21.6	main.c	76	puts	stdio.h input/output function used
MISRA12_8.13	main.c	16	buf	Pointer was not declared as pointing to a const-qualified
MISRA12_8.4	main.c	16	read_line	Object or function has external

				linkage but no visible declaration
MISRA12_8.4	main.c	30	crea_utente	Object or function has external linkage but no visible declaration
MISRA12_8.4	main.c	49	effettua_login	Object or function has external linkage but no visible declaration
MISRA12_8.4	main.c	68	cancella_utente	Object or function has external linkage but no visible declaration
MISRA12_8.4	main.c	87	modifica_utente	Object or function has external linkage but no visible declaration
MISRA12_8.7	main.c	16	read_line	read_line has external linkage but is only used in the translation unit built from main.c, so the static keyword should be used.
MISRA12_8.7	main.c	30	crea_utente	crea_utente has external linkage but is only used in the translation unit built from main.c, so the static keyword should be used.
MISRA12_8.7	main.c	49	effettua_login	effettua_login has external linkage but is only used in the translation unit built from main.c, so the static keyword should be used.
MISRA12_8.7	main.c	68	cancella_utente	cancella_utente has external linkage but is only used in the translation unit built from main.c, so the static keyword should be used.
MISRA12_8.7	main.c	87	modifica_utente	modifica_utente has external linkage but is only used in the translation unit built from main.c, so the static keyword should be used.
MISRA12_DIR_4.6	main.c	69	u	Basic numerical type "char" used in "char[65]"
MISRA12_DIR_4.6	main.c	73	tentativi	Basic numerical type "int" used

MISRA12_DIR_4.6	main.c	74	i	Basic numerical type "int" used
MISRA12_DIR_4.6	main.c	34	u	Basic numerical type "char" used in "char[65]"
MISRA12_DIR_4.6	main.c	34	p	Basic numerical type "char" used in "char[129]"
MISRA12_DIR_4.6	main.c	50	u	Basic numerical type "char" used in "char[65]"
MISRA12_DIR_4.6	main.c	50	p	Basic numerical type "char" used in "char[129]"
MISRA12_DIR_4.6	main.c	53	r	Basic numerical type "int" used
MISRA12_DIR_4.6	main.c	249	badLong1	Basic numerical type "long" used
MISRA12_DIR_4.6	main.c	250	badLong2	Basic numerical type "long" used
MISRA12_DIR_4.6	main.c	251	badLong3	Basic numerical type "long" used
MISRA12_DIR_4.6	main.c	271	choice	Basic numerical type "int" used
MISRA12_DIR_4.6	main.c	90	s	Basic numerical type "int" used
MISRA12_DIR_4.6	main.c	98	u	Basic numerical type "char" used in "char[65]"
MISRA12_DIR_4.6	main.c	98	np	Basic numerical type "char" used in "char[129]"
MISRA12_DIR_4.6	main.c	102	haSpazi	Basic numerical type "int" used
MISRA12_DIR_4.6	main.c	102	haSoloAlnum	Basic numerical type "int" used
MISRA12_DIR_4.6	main.c	102	haMaiuscola	Basic numerical type "int" used
MISRA12_DIR_4.6	main.c	102	haMinuscola	Basic numerical type "int" used
MISRA12_DIR_4.6	main.c	102	haNumero	Basic numerical type "int" used
MISRA12_DIR_4.6	main.c	136	tent	Basic numerical type "int" used
MISRA12_DIR_4.6	main.c	148	rc	Basic numerical type "int" used
MISRA12_DIR_4.6	main.c	159	ou	Basic numerical type "char" used in "char[65]"
MISRA12_DIR_4.6	main.c	159	nu	Basic numerical type "char" used in "char[65]"
MISRA12_DIR_4.6	main.c	194	ok	Basic numerical type "int" used
MISRA12_DIR_4.6	main.c	204	debugChoice	Basic numerical type "int" used
MISRA12_DIR_4.6	main.c	216	state	Basic numerical type "int" used
MISRA12_DIR_4.6	main.c	217	i	Basic numerical type "int" used
MISRA12_DIR_4.6	main.c	16	prompt	Basic numerical type "char" used in "const char *"
MISRA12_DIR_4.6	main.c	16	buf	Basic numerical type "char" used in "char *"

MISRA12_DIR_4.7	main.c	76	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	79	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	83	printf	Return value of "printf" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	42	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	44	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	55	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	57	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	59	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	258	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	263	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	264	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	265	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	266	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	267	puts	Return value of "puts" is discarded; error information is

				not tested
MISRA12_DIR_4.7	main.c	268	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	269	printf	Return value of "printf" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	88	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	89	printf	Return value of "printf" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	91	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	112	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	114	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	117	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	119	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	121	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	123	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	125	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	127	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	129	puts	Return value of "puts" is

				discarded; error information is not tested
MISRA12_DIR_4.7	main.c	131	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	134	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	139	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	141	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	151	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	154	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	164	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	166	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	169	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	172	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	187	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	189	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	196	puts	Return value of "puts" is discarded; error information is not tested

MISRA12_DIR_4.7	main.c	199	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	205	printf	Return value of "printf" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	206	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	210	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	212	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	214	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	222	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	223	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	224	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	225	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	226	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	229	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	234	puts	Return value of "puts" is discarded; error information is not tested
MISRA12_DIR_4.7	main.c	237	puts	Return value of "puts" is discarded; error information is

				not tested
MISRA12_DIR_4.7	main.c	17	printf	Return value of "printf" is discarded; error information is not tested