

Education

Nanjing University

College of Engineering and Applied Sciences

Nanjing, Jiangsu

Doctor of Philosophy

Optical Engineering

Q.E. – Top 15%

Nonlinear Fourier Optics

– 2025.06

Dissertation:

“Analytic 3D vector linear non-uniform & nonlinear Fourier crystal optics in arbitrary $\bar{\epsilon}, \bar{\chi}$ dielectrics”

Master's Studies

Quantum Electronics

Courses Score – 93.5

THz OAM Source

– 2022.06

Northeastern University

School of Physics, College of Science

Shenyang, Liaoning

Bachelor of Science

Applied Physics

GPA Rank – 1/400

DDTank Aimbots

– 2020.06

Thesis:

“Research & design of nonlinear holography based on lithium niobate 3D nonlinear photonic crystal”

Freshman in College

Science

Sichuan Prov. – Top 2%

3 e-books with C++


2016.09 –

Research Projects

Vector Nonlinear
Fourier Crystal OpticsSolving
$$[(\nabla \times)^2 - k_0^2 \bar{\epsilon} \cdot] \mathbf{E}(\mathbf{r}) = k_0^2 \bar{\chi} : \mathcal{F}_\omega^{-1} [\tilde{\mathbf{E}}_p \tilde{\mathbf{E}}_p](\mathbf{r})$$
 analytically


2023.05 –

- First & fastest white box solver ever for this inhomogeneous $\mathbb{C}^3(\mathbb{R}^3)$ wave equation
 - or other similar equations, with unprecedented efficiency-accuracy product
- No competitors for the time being: other methods or software including
 - k-space RK4, pseudo-spectral, SSF, Green's Function methods, FDTD, COMSOL...
- Reproduced well-known papers, all of which provide either zero or wrong theory:
 - [Nat.Photo.](#) #proven theoretically wrong by this project #femtosecond pump
 - [O.E.](#) #Bloembergen's legacy2 #experiment | [O.M.E.](#) #z-component
 - [O.E.](#) | [Q.E.](#) #high N.A. # $\bar{\chi}$ anisotropy

decks [1](#) [2](#) [3](#) ... Complex Vector Linear
Fourier Crystal OpticsAnalytic $\mathbf{E}(\mathbf{r}) \in \mathbb{C}^3(\mathbb{R}^3)$ to
$$[(\nabla \times)^2 - k_0^2 \bar{\epsilon} \cdot] \mathbf{E}(\mathbf{r}) = \mathbf{0}$$
 where $\epsilon_{ij} \in \mathbb{C}$


2023.02 –

- Drawing insights from [PRS.A.](#) #M.V.Berry's legacy | [A.O.P.](#) | [A.P.B.](#) | [J.QSRT.](#)
- Next generation will come really close to the exact solution with highly !hermitian $\bar{\epsilon}$
- Reproduced well-known papers, some are purely experimental (too hard to model):
 - [J.O.S.A.](#) #Bloembergen's legacy1 | [J.O.](#) | [O.M.](#) | [O.M.](#) | [J.O.](#) | [L.P.R.](#)
 - [JOSA.A.](#) | [O.E.](#) #tightly focus # $\bar{\epsilon}$ anisotropy | [Light.Sci.App.](#) | [O.E.](#)

decks [1](#) [2](#) [3](#) ... Real Scalar Nonlinear
Fourier Crystal OpticsClosed-form $E_3(\mathbf{r}) \in \mathbb{C}(\mathbb{R}^3)$ in
$$[\nabla^2 + k_3^2] E_3(\mathbf{r}) = -k_{03}^2 \chi(\mathbf{r}) E_1(\mathbf{r}) E_2(\mathbf{r})$$

2022.02 –

- Solving this multivariable/field nonlinear convolution equation on my own
- Strong alternative to Green's Function, pseudo-spectral, split-step Fourier methods
- Reproduced well-known papers & models with maximum accuracy & efficiency:
 - [P.R.L.](#) #Green | [P.R.L.](#) #experiment #quantum | [P.R.L.](#) #experiment #scatter | [P.R.L.](#)
 - [L.P.R.](#) #SSF #quantum | [Matlab](#) #RCWA | [A.P.L.](#) #femtosecond pump
 - [O.L.](#) | [P.R.A.](#)

decks [1](#) [2](#) [3](#) [4](#) ... 

Scientific Activities

[3]	The 4th Nanjing University Doctoral Interdisciplinary Innovation Forum “Analytic vector linear & nonlinear Fourier crystal optics in arbitrary $\bar{\epsilon}, \bar{\chi}$ dielectrics” Talk [slides]	Nanjing, Jiangsu	2024.05.30
[2]	2023 CSOE-NJU¹ Book Club Meeting & Sharing Session “A guided tour to Ray & Wave Optics Simulation” Talk [slides]	Nanjing, Jiangsu	2023.12.09
[1]	Academic Café Salon of the Research Group “Bi-directional notes on Nonlinear Optics in a roam-like app: RoamEdit” Talk [*.pdf]	Nanjing, Jiangsu	2021.05.21

Publications

In preparation:

[2]	C. Xie and Y. Zhang, <i>Analytic 3d vector non-uniform fourier crystal optics in arbitrary $\bar{\epsilon}$ dielectric</i> , (2025)	
[1]	C. Xie , Y. Zhang, P. Chen, J. Guo, Q. Yu, X. Yang, M. Lv, and Y. Zhang, <i>Nonlinear angular spectrum theory</i> , (2025)	









Journal article:

[2]	P. Chen, X. Xu, T. Wang, C. Zhou, D. Wei, J. Ma, J. Guo, X. Cui, X. Cheng, C. Xie , S. Zhang, S. Zhu, M. Xiao, and Y. Zhang, <i>Laser nanoprinting of 3D nonlinear holograms beyond 25000 pixels-per-inch for inter-wavelength-band information processing</i> , Nature Communications 14 , 5523 (2023)	
[1]	J. Guo, Y. Zhang, H. Ye, L. Wang, P. Chen, D. Mao, C. Xie , Z. Chen, X. Wu, M. Xiao, and Y. Zhang, <i>Spatially Structured-Mode Multiplexing Holography for High-Capacity Security Encryption</i> , ACS Photonics 10 , 757–763 (2023)	

Software copyright:

[4]	C. Xie , <i>Stardust DDTank charge-mode auxiliary tool.apk</i> , [Ver 1.0], ID. 2019SR0530474, Beijing, China.	
[3]	C. Xie , <i>Stardust DDTank drag-mode auxiliary tool.exe</i> , [Ver 1.0], ID. 2019SR0390880, Beijing, China.	
[2]	C. Xie , <i>Stardust DDTank-Browser auxiliary tool.exe</i> , [Ver 1.0], ID. 2019SR0435497, Beijing, China.	
[1]	C. Xie , <i>Stardust DDTank-mobile auxiliary tool.exe</i> , [Ver 1.0], ID. 2019SR0390310, Beijing, China.	

Academic Focus

Next generation high N.A. 3D vector non-uniform analytic linear & nonlinear Fourier crystal optics 	2024.06 –
!Paraxial k_0^ω High N.A. 3D vector non-uniform analytic linear & nonlinear Fourier crystal optics 	2024.03 –
Emphasizing G_{xyz}^ω 3D vector non-uniform analytic linear & nonlinear Fourier crystal optics 	2023.12 –
Involving $\bar{\chi}_\omega^{(2)}$ anisotropy Vector non-uniform analytic linear & nonlinear Fourier crystal optics 	2023.06 –
!Unitary $G_\omega^\pm \Leftarrow$!Hermitian $\bar{\epsilon}_r^\omega \Rightarrow$ Non-uniform analytic linear & nonlinear Fourier crystal optics 	2023.03 –
Solution E_ω^\pm to $(\nabla^2 + k_{\omega\pm}^2)E_\omega^\pm \propto P_{\omega\pm}^{(2)}$ Analytic linear & nonlinear Fourier crystal optics 	2022.09 –
Solution $\mathcal{F}[E_3] = \mathcal{F}[f(\mathcal{F}^{-1}[\cdot])]$ to the Eq. below Nonlinear angular spectrum theory for SFG 	2022.06 –
Solution $\mathcal{F}[E_3] = \iiint f \cdot$ to $(\nabla^2 + k_3^2)E_3(r) \propto P_3^{(2)}(r)$ Nonlinear convolution solution to SFG 	2022.03 –

¹The Nanjing University student branch of the Chinese Society for Optical Engineering









Honors & Awards

Academia	Doctoral Interdisciplinary Forum (Oral)	2nd place		¥500	Nanjing	U.	2024.05
	Doctor's Qualification Exam (Oral)	Excellent		Top 15%	Nanjing	U.	2024.01
	Bachelor Thesis & Defense	Excellent		1/90	Northeastern	U.	2020.06
Competition	Three Provinces Achievement Expo	Exhibition		Leader	Three	Prov.	2019.10
	"Challenge Cup" Tech Competition	Grand prize		Leader	Liaoning	Prov.	2019.06
Scholarships & Fellowships	Academic Fellowship	1st class		¥40,000	Nanjing	U.	2020-24
	"Jinchuan" Scholarship	1st place		¥5,000	Northeastern	U.	2019.04
	Academic Scholarship	1st place		¥2,000	Northeastern	U.	2018.06
	Entrance Scholarship	3rd place		¥5,000	Leshan No.1	H.S.	2013.09
Honors & Titles	Graduation with Honor	Outstanding			Northeastern	U.	2020.07
	League Member	Excellent			Northeastern	U.	2019.11
	Undergraduate Student	Excellent			Northeastern	U.	2018.12
Memberships	Chinese Society for Optical Engineering	Member			Nanjing	U.	2021-25
	"Qian Sanqiang" Talent Class	Head			I.H.E.P.		2017-20

Personal Projects

Behind NLAST ²	0 → 1 : Techniques crafted from scratch in my acedemic project : NLAST	2022.02 –
	<ul style="list-style-type: none">Managed to realize <i>tree</i>-print feature in CMD lines without knowing any <i>tree</i>-packages<ul style="list-style-type: none">in order to visualize run-time <i>Call Stack</i> with <i>buried checkpoints</i> & display <i>crucial info</i>to understand the <i>hierarchical structure</i> of my code from a more <i>abstract</i> perspectiveEnabled CPU <i>multi-threads</i> to accelerate for <i>loops</i> in python while preserving the <i>loops'</i> order<ul style="list-style-type: none">Implemented through utilizing the <i>producer-consumer model</i> (producer = thread pool)Allow users to select which parts of the codes in the <i>for loops</i> to <i>parallelize</i> in CPUTransform <i>multi-layer for loops</i> into <i>nested multi-threads</i>: each thread = a new thread pool<ul style="list-style-type: none">Adaptive vertical iters & horizontal sums: ensuring the optimal speed-accuracyFuture model will move away from <i>python</i> as the primary language & shift to GPU<ul style="list-style-type: none">Favoring GPU is driven by "<i>fields</i> in physics = <i>arrays/matrices</i> in math/programs"Haven't decided which to employ: CUDA, Jax, WebGL2, webGPU, Mojo or Bend?Decided to try some existing packages developed by flatiron instituteDeveloped a log file system to track & record the operating status for debugging<ul style="list-style-type: none">to output script parameters (<i>**kwargs</i>) for rapid reproducibility of data in the futureto store data files & folders, and their metadata for swift data import and reutilizationAchieved automatic skipping of functions that return repeated values stored in memory<ul style="list-style-type: none">via <i>@decorators</i>: let precomputation assess whether to execute the decorated functionWrap <i>matplotlib</i> into <i>plot_1d</i>(, <i>_2d</i>, <i>_3d</i>, <i>.gif</i> ...) for data visualization<ul style="list-style-type: none">also sped up by customized multi-threading ...	Matlab Mathematica JavaScript Python

²Non-linear Angular Spectrum Theory (= Nonlinear Fourier Optics in Research Projects)

\LaTeX Backlinks	Auto margin backlinks to Equations, Figures, Tables, and References for \LaTeX <ul style="list-style-type: none"> Patched amsmath, backref, hypcap, natbib... packages with the help of Perplexity.AI This challenging but fruitful endeavor of “embedding anchors” marks a giant leap <ul style="list-style-type: none"> toward my quest to attain a fully integrated bi-directional linking system 	– 2024.07 <div> \LaTeX  </div>
LabView Projects	BB84 QKD protocol simulation & distributed optical fiber sensing <ul style="list-style-type: none"> Verified the information security of photon_polarization_state-related BB84 protocol Visualized the distribution of anomalies along the fiber optic cable from user data 	– 2021.06 <div>  LabView  </div>
Hanging Assist	AFK/Bot script for game 「Duel City」 — a knock-off 「Yu-Gi-Oh」 <ul style="list-style-type: none"> Automatic matching: Players (PVP), NPCs (PVE) Automatic switching: Multiple accounts supported + Anti-disconnection Display program stages: Real time understanding of current software state Stackable record: Incrementally output history for every hang-up to the log file.ini <ul style="list-style-type: none"> which is also loaded as the configuration file for the next boot <ul style="list-style-type: none"> to restore the program state from the last exit 	– 2020.04 <div> EPL  </div>
Extended 1A2B	A Code-breaking Game 「Bulls and cows」 : Guessing 4 digits → 1-9 digits <ul style="list-style-type: none"> Hardware - MicroController (C8051F350.h) version of Original 1A2B: Guessing 4 numbers Software - VC++6.0 version of Upgraded 1A2B: Guessing 1-9 numbers 	– 2019.09 <div> Keil.C C++   </div>
DDTank Aimbots	An inverse solving toolkit for a projectile game similar to 「Angry Birds」 <ul style="list-style-type: none"> Established an aerodynamic model with air resistance $R = -kv$ for the game DDTank <ul style="list-style-type: none"> by solving $v' \propto R + F$, where driving force $F = \text{gravity } G + \text{wind force } W$ which lead to the core transcendental equation $1 - e^{kt} + kt = k^2 M(F; \Delta r, \hat{v}_0)$ that can be numerically solved by Newton's method for t with given $k, F; \Delta r, \hat{v}_0$ Finally, for each $\Delta r, \hat{v}_0$, one can obtain corresponding initial velocity $v_0(k, F; t, M)$ <ul style="list-style-type: none"> after k, F are determined (by the game engine itself) v_0 ends up the very info required to accurately hit an enemy at a distance of Δr from you Software Features: multi-OS/end, multi-hit_mode, multi-trajectory, multi-thread supported <ul style="list-style-type: none"> Multi-OS: classic Web game on Windows, Mobile game on Android & Android Emulator Multi-hit_mode: charge-mode for value v_0, drag_mode (like angry birds) for extended curve Multi-trajectory: predicts up to $6 = (1 + 2) \cdot 2$ trajectories for the player: split 3 + backward 3 Multi-threading: succeeded in coordinating multiple timers to implement multi-threading Capturing game data semi-automatically with computer vision purely <ul style="list-style-type: none"> call <code>dm.findmulticolorEX()</code> in <code>dm.dll</code> for pixel-level monitoring 	– 2018.04 <div> VBA Excel E4A EPL   </div>

Three e-books	<div><div>Freely explored math, physics, and programming with raw intellect</div><div><ul style="list-style-type: none">Book 1: mainly on mathematics, some intriguing chapters are:<ul style="list-style-type: none">Multinomial theorem: $(\sum_{i=1}^n a_i)^m = \sum \frac{m!}{\prod_{i=1}^n b_i!} \prod_{i=1}^n a_i^{b_i}$ over $\{b_i \geq 0\}$, where $\sum_{i=1}^n b_i = m$Strive to get the general formula for the n-th derivatives $f(g(x))^{(n)}$ of a composite functionConnection between the sums of certain series and the indefinite integrals of their termsExplaining Euler's formula $a + b - c = n$ through topologyRetracing the birth of the determinant calculation rulesBook 2: up to 12 programs designed to solve mathematical / physical problems<ul style="list-style-type: none">Multinomial theorem \implies Microstate count $\Omega_l = \frac{(g_l + a_l - 1)!}{(g_l - 1)! a_l!}$ of Bose-Einstein systemsAll solutions $\{b_i\}$ that meet the condition $\sum_{i=1}^m i \cdot b_i = m$ of the Faà di Bruno FormulaDeep recursion algorithms for partition number $P(n)$ & the two aforementioned contextsGeneral solution $\{x_i\}$ of multivariable linear Diophantine equation $\sum_{i=1}^n a_i \cdot x_i = b$Complete solution v_{\max}, v_{\min} to the Double Comb/Ruler problemMinimum integer solution x, y of linear Diophantine equation $a \cdot x + b \cdot y = c$Book 3: geometry-related mathematics & physics<ul style="list-style-type: none">Spherical trigonometry: from which I designed a non-Euler_angle rotation operator for NLAST<ul style="list-style-type: none">which converts direction θ, ϕ of a 3D real vector v between two coordinate systemsSpecial relativity: Had it been animated (by Manim?), it would have looked stunning</div></div>	- 2017.09
Rulesmd.ini	<div><div>Modified rules.ini of 「Red Alert II」's 17 mods</div><div><ul style="list-style-type: none">Conflict-free key-value pairs, game-easing buildings, cooldown-free teleporting minecartsMental Omega v3.3.6: the modified rulesmo.ini for mo-3.3.6 has now been added</div></div>	- 2016.09
Static Web Pages	<div><div>Personal website containing decryption elements</div><div><ul style="list-style-type: none">All of these constitutes the exploration, shouting, and wandering of that personal period<ul style="list-style-type: none">clues for cracking password, modifying game files (e.g. Stranded II, Star Wolves 3)bi-directional links between pages, space exploration, hand-picked background musicExplore freely until you decrypt the password and unlock the hidden webpages<ul style="list-style-type: none">Solve the riddle! Or you'll be stuck here: in the middle of nowhere forever!</div></div>	- 2014.05

Historical Details

Doctoral	Activities Academia	24 – 27	2022.09 – 2025.06
Postgraduate	Activities Courses Academia	22 – 24	2020.09 – 2022.06
Undergraduate	Activities Courses	18 – 22	2016.09 – 2020.06
Senior-high-school	Activities	15 – 18	2013.09 – 2016.06